



LED SMD

0,8W

50000

LED technology

APUS / SOLA / SABIK / TERRA


MADE IN POLAND



APUS LED



SOLA LED





APUS LED




SABIK LED



SABIK MINI LED



SOLA LED





SABIK LED




TERRA LED



TERRA MINI LED



SABIK MINI LED



TERRA LED

Kanlux




Tc (K) EUPSE ≤ 6x MacAdam



APUS LED WW	23106	3000	13
APUS LED CW	23107	6500	15
SOLA LED WW	23100	3000	13
SOLA LED CW	23101	6500	15
SABIK LED WW	23108	3000	13
SABIK LED CW	23110	6500	15
SABIK MINI LED WW	23109	3000	13
SABIK MINI LED CW	23111	6500	15
TERRA LED WW	23102	3000	13
TERRA LED CW	23104	6500	15
TERRA MINI LED WW	23103	3000	13
TERRA MINI LED CW	23105	6500	15

RUS

корпус: шлифованная нержавеющая сталь
подходят для монтажа на поверхностях с нормальной горючестью



TERRA MINI LED





APUS AC / SOLA AC / SABIK AC / TERRA AC



APUS LED AC







SABIK LED AC



SOLA LED AC



TERRA LED AC



Kanlux



APUS LED AC-WW	23800	3000	13
APUS LED AC-CW	23801	6500	15
SABIK LED AC-WW	23802	3000	13
SABIK LED AC-CW	23803	6500	15
SOLA LED AC-WW	23804	3000	13
SOLA LED AC-CW	23805	6500	15
TERRA LED AC-WW	23806	3000	13
TERRA LED AC-CW	23807	6500	15

RUS

корпус: шлифованная нержавеющая сталь

светильник предназначен для установки в монтажных коробках Ø 60 / светильник в комплекте с блоком питания, расположенный в монтажной коробке Ø 60, что обеспечивает питание с сетевым напряжением 220-240В



