



AC1200 Wireless Dual Band Gigabit Router

Archer C5



300Mbps + 867Mbps
Dual Band Wi-Fi



Gigabit
Ports



USB 2.0
Port




4 external
antennas

Features



Speed

- Fast Wireless Speed – Combined wireless speeds to up to 1.2Gbps at 2.4GHz & 5GHz band concurrently
- Support 802.11 ac – Offering 3 times faster data rate than 802.11n in a single stream



Wi-Fi Range


- 4 External Antennas – 4 external antennas provide maximum Omni-directional wireless coverage



Reliability

- Simultaneous Dual Band – Reduces interference for more stable connections

Features



Ease of Use

- Quick Installation – Easy Setup Assistant provides a quick & hassle free installation
- Fast Encryption – Easy one-touch WPA wireless security encryption with the WPS button
- Easy On/Off – Wi-Fi On/Off Button allows users to turn wireless radio on or off
- Power On/Off – Convenient power saving



Security

- Parental Control – Establish restricted access policies for all connected devices
- Easy Bandwidth Management – IP-based Bandwidth Control makes it easier for you to manage the bandwidth of connected devices
- Encryptions for Secure Network – WPA-PSK/WPA2-PSK encryptions provide active defense against security threats for user networks



Easy Sharing

- USB Port – With USB 2.0 port, you can access and share your files and media locally. Via the router's FTP server, you can also have access to your files & media with networked devices remotely
- Built-in Media Server – Allows users to play music, video and view photos


Specifications

Hardware

- Ethernet Ports: 4 10/100/1000Mbps LAN Ports & 1 10/100/1000Mbps WAN port
- USB Port: 1 USB 2.0 Port
- External Power Supply: 12V/1.0A
- Dimensions (W x D x H): 230.0 x 144.0 x 37.0mm
- Antenna: 4 External Antennas

Wireless

- Wireless Standards: IEEE 802.11a/n/ac 5GHz, IEEE 802.11b/g/n 2.4GHz
- Frequency: 2.4GHz and 5GHz
- Signal Rate: 300Mbps at 2.4GHz, 867Mbps at 5GHz
- Transmit Power: CE: <20dBm(2.4GHz), <23dBm(5GHz)
FCC: <30dBm
- Wireless Function: Enable/Disable Wireless Radio, WDS Bridge, WMM, Wireless Statistics
- Wireless Security: 64/128-bit WEP, WPA/WPA2, WPA-PSK/WPA2-PSK



Specifications

Software

- WAN Type: Dynamic IP/Static IP/PPPoE/PPTP/L2TP(Multi-EWAN)
- DHCP: Server, Client, DHCP Client List, Address Reservation
- Quality of Service: WMM, Bandwidth Control
- Port Forwarding: Vritual Server, Port Triggering, DMZ, UPnP
- VPN Passthrough: PPTP, L2TP, IPSec
- VPN Server: PPTP, OpenVPN
- Access Control: Parental Control, Local Management Control, Host List, Access Schedule, Rule Management
- Firewall Security: DoS, SPI Firewall, IP Address Filter, IP and MAC Address Binding
- Protocols: Supports IPv4 and IPv6
- USB Sharing: Supports Samba(Storage)/FTP Server/Media Server / 3G/4G Modem
- Management: Access Control, Local Management, Remote Management, TR-069,TR-098,TR-111

Others

- Package Contents
AC 1200 Wireless Dual Band Gigabit Router Archer C5

Power Supply Unit

RJ45 Ethernet Cable

Quick Installation Guide
- Certification
CE, FCC, RoHS
- System Requirements
Microsoft Windows 98SE, NT, 2000, XP, Vista™ or Windows 7, 8, 8.1,10, MAC OS, NetWare, UNIX or Linux

Internet Explorer 11, Firefox 12.0, Chrome 20.0, Safari 4.0 browers or higher, or other Java-enabled browsers
- Certification
Operating Temperature: 0°C~40°C (32°F ~104°F)

Storage Temperature: -40°C~70°C (-40°F ~158°F)

Operating Humidity: 10%~90% non-condensing

Storage Humidity: 5%~90% non-condensing