



# QB-54

**Air Random Orbital Sander  
Central-Vacuum**

Air inlet : 1/4"

10 pieces in one carton




# AIR SANDER

- Composite body housing, light weight
- Strengthened composite rotor, durable and longer lifetime



|          | Pad Dia  | Free Speed | Avg. Air Consumption | Air Pressure | Overall Length | Motor | Net Weight | Air Hose | Sound Pressure | Vibration Level  | orbit |
|----------|----------|------------|----------------------|--------------|----------------|-------|------------|----------|----------------|------------------|-------|
|          | inch(mm) | R.P.M      | CFM (L/min)          | PSI (bar)    | Inch (mm)      | HP    | LBS(kg)    | Inch     | dBA            | m/s <sup>2</sup> | mm    |
|          |          |            |                      |              |                |       |            |          |                |                  |       |
| QB-54602 | 6"(152)  | 10000      | 3.0(85)              | 90(6.3)      | 8-1/4"(210)    | 0.24  | 1.7 0.78   | 3/8"     | 81.6           | 1.5              | 5     |
| QB-54702 | 6"(152)  | 10000      | 3.0(85)              | 90(6.3)      | 8-1/4"(210)    | 0.24  | 1.7 0.78   | 3/8"     | 81.6           | 1.5              | 5     |


# AIR SANDER

★★★   
**QB-52**  
Air Random Orbital Sander  
Non-Vacuum  
Air inlet : 1/4"  
8 pieces in one carton



★★★   
**QB-53**  
Air Random Orbital Sander  
Self-Generated Vacuum  
Air inlet : 1/4"  
8 pieces in one carton



★★★   
**QB-55**  
Air Random Orbital Sander  
Non-Vacuum  
Air inlet : 1/4"  
10 pieces in one carton



★★★   
**QB-56**  
Air Random Orbital Sander  
Self-Generated Vacuum  
Air inlet : 1/4"  
10 pieces in one carton



★★★   
**QB-45**  
Air Random Orbital Sander  
Central-Vacuum  
Air inlet : 1/4"  
10 pieces in one carton












- Excellent for refinishing or smoothing the surface of metal, wood, leather etc.



★★★   
**QB-46**  
Air Random Orbital Sander  
Non-Vacuum  
Air inlet : 1/4"  
10 pieces in one carton

- Excellent for refinishing or smoothing the surface of metal, wood, leather etc.



|          | Pad Dia   | Free Speed  | Avg. Air Consumption  | Air Pressure  | Overall Length  | Motor   | Net Weight  | Air Hose  | Sound Pressure  | Vibration Level   | orbit   |
|----------|---|---|---|---|---|---|---|---|---|---|---|
|          | inch(mm)  | R.P.M   | CFM (L/min)   | PSI (bar)   | Inch (mm)   | HP  | LBS(kg)   | Inch  | dBA   | m/s <sup>2</sup>  | mm  |
|          |  |  |  |  |  |  |  |  |  |  |  |
| QB-52502 | 5"(127)   | 10000   | 6(170)  | 90(6.3)   | 6"(153)   | 0.24  | 2.2 1.00  | 3/8"  | 87.6  | 1.2   | 5   |
| QB-52602 | 6"(152)   | 10000   | 6(170)  | 90(6.3)   | 6-1/2"(166)   | 0.24  | 2.6 1.20  | 3/8"  | 87.6  | 1.7   | 5   |
| QB-53802 | 5"(127)   | 10000   | 6(170)  | 90(6.3)   | 6"(153)   | 0.24  | 2.2 1.00  | 3/8"  | 86.2  | 1.1   | 5   |
| QB-53902 | 6"(152)   | 10000   | 6(170)  | 90(6.3)   | 6-1/2"(166)   | 0.24  | 2.6 1.20  | 3/8"  | 80.1  | 1.6   | 5   |
| QB-55602 | 6"(152)   | 10000   | 3.0(85)   | 90(6.3)   | 6-11/16"(157)   | 0.24  | 1.5 0.68  | 3/8"  | 81.6  | 1.5   | 5   |
| QB-56602 | 6"(152)   | 10000   | 3.0(85)   | 90(6.3)   | 8-1/4"(210)   | 0.24  | 1.7 0.78  | 3/8"  | 81.6  | 1.5   | 5   |
| QB-45602 | 6"(152)   | 10000   | 3.85(109)   | 90(6.3)   | 7-1/2"(193)   | 0.24  | 1.8 0.84  | 3/8"  | 81.6  | 2.2   | 5   |
| QB-45612 | 6"(152)   | 10000   | 3.85(109)   | 90(6.3)   | 7-1/2"(193)   | 0.24  | 1.8 0.84  | 3/8"  | 81.6  | 2.2   | 2.5   |
| QB-46502 | 5"(127)   | 10000   | 3.85(109)   | 90(6.3)   | 6"(153)   | 0.24  | 1.7 0.79  | 3/8"  | 80.1  | 2.2   | 5   |
| QB-46512 | 5"(127)   | 10000   | 3.85(109)   | 90(6.3)   | 6"(153)   | 0.24  | 1.7 0.79  | 3/8"  | 80.1  | 2.2   | 2.5   |
| QB-46602 | 6"(152)   | 10000   | 3.85(109)   | 90(6.3)   | 6-1/2"(166)   | 0.24  | 1.7 0.79  | 3/8"  | 80.1  | 2.2   | 5   |
| QB-46612 | 6"(152)   | 10000   | 3.85(109)   | 90(6.3)   | 6-1/2"(166)   | 0.24  | 1.7 0.79  | 3/8"  | 80.1  | 2.2   | 2.5   |

# AIR SANDER



## QB-47

Air Random Orbital Sander  
Self-Generated Vacuum

Air inlet : 1/4"

10 pieces in one carton

- Excellent for refinishing or smoothing the surface of metal, wood, leather etc.



## QB-41

Air Random Orbital Sander  
Central-Vacuum

Air inlet : 1/4"

10 pieces in one carton



## QB-42

Air Random Orbital Sander  
Non-Vacuum

Air inlet : 1/4"

10 pieces in one carton



## QB-43

Air Random Orbital Sander  
Self-Generated Vacuum

Air inlet : 1/4"

6 pieces in one carton



## QB-48111

Air Jitterbug Sander  
Non-Vacuum

Air inlet : 1/4"

10 pieces in one carton



## QB-49602

Dual Action Sander  
Air Random Orbital Sander  
Non-Vacuum

Air inlet : 1/4"

10 pieces in one carton



|          | Pad Dia<br>inch(mm) | Free Speed<br>R.P.M | Avg. Air Consumption<br>CFM (L/min) | Air Pressure<br>PSI (bar) | Overall Length<br>Inch (mm) | Motor<br>HP | Net Weight<br>LBS(kg) | Air Hose<br>Inch | Sound Pressure<br>dBA | Vibration Level<br>m/s <sup>2</sup> | orbit<br>mm |
|----------|---------------------|---------------------|-------------------------------------|---------------------------|-----------------------------|-------------|-----------------------|------------------|-----------------------|-------------------------------------|-------------|
| QB-47602 | 6"(152)             | 10000               | 3.85(109)                           | 90(6.3)                   | 7-1/2"(193)                 | 0.24        | 2.4 1.13              | 3/8"             | 84.7                  | 2.2                                 | 5           |
| QB-47612 | 6"(152)             | 10000               | 3.85(109)                           | 90(6.3)                   | 7-1/2"(193)                 | 0.24        | 2.4 1.13              | 3/8"             | 84.7                  | 2.2                                 | 2.5         |
| QB-41902 | 6"(152)             | 10000               | 3.85(109)                           | 90(6.3)                   | 8"(206)                     | 0.24        | 2.0 0.91              | 3/8"             | 81.5                  | 1.2                                 | 5           |
| QB-42502 | 5"(127)             | 10000               | 3.85(109)                           | 90(6.3)                   | 6"(153)                     | 0.24        | 1.7 0.81              | 3/8"             | 75.7                  | 1.4                                 | 5           |
| QB-42602 | 6"(152)             | 10000               | 3.85(109)                           | 90(6.3)                   | 6-1/2"(166)                 | 0.24        | 1.8 0.85              | 3/8"             | 74.4                  | 1.4                                 | 5           |
| QB-43802 | 5"(127)             | 10000               | 3.85(109)                           | 90(6.3)                   | 8"(206)                     | 0.24        | 3.2 1.49              | 3/8"             | 83.9                  | 1.3                                 | 5           |
| QB-43902 | 6"(152)             | 10000               | 3.85(109)                           | 90(6.3)                   | 8-3/4"(221)                 | 0.24        | 3.3 1.54              | 3/8"             | 83.0                  | 1.4                                 | 5           |
| QB-48111 | 4"x4-3/8"(100x110)  | 11000               | 7.0(198)                            | 90(6.3)                   | 5-1/5"(130)                 | 0.28        | 2.0 0.91              | 3/8"             | 83.0                  | 1.5                                 | 2.5         |
| QB-49602 | 6"(152)             | 10000               | 3.60(102)                           | 90(6.3)                   | 8-21/32"(220)               | 0.75        | 2.0 0.91              | 3/8"             | 92.5                  | 3.3                                 | 9.5         |

# AIR SANDER

## QB-57602

Air 2-Hand Random Orbital Sander  
Central-Vacuum  
Air inlet : 1/4"

10 pieces in one carton

- Aluminum alloy body housing completely covered with composite materials, robust and no cold feeling during long time usage.
- Long grip can reduce reaction while sanding.
- Air adjusting switch for adjusting speed.

**40%**  
Powerful



## QB-58502 QB-58602

Air 2-Hand Random Orbital Sander  
Non-Vacuum  
Air inlet : 1/4"

10 pieces in one carton



## QB-59602

Air 2-Hand Random Orbital Sander  
Self-Generated Vacuum  
Air inlet : 1/4"

10 pieces in one carton



## QB-57642

Air 2-Hand Gear-Driven Sander  
Central-Vacuum  
Air inlet : 1/4"

10 pieces in one carton

- Gear transmission for quicker hard sanding, saving time and longer lifespan.
- Aluminum alloy body housing completely covered with composite materials, robust and no cold feeling during long time usage.
- Long grip can reduce reaction while sanding.
- Air adjusting switch for adjusting speed.



## QB-58642 QB-58542

Air 2-Hand Gear-Driven Sander  
Non-Vacuum  
Air inlet : 1/4"

10 pieces in one carton



## QB-59642

Air 2-Hand Gear-Driven Sander  
Self-Generated Vacuum  
Air inlet : 1/4"

10 pieces in one carton



**PNEUMATIC TOOLS**  
GLOBAL EXPANSION

|          | Pad Dia<br>inch(mm) | Free Speed<br>R.P.M | Avg. Air Consumption<br>CFM (L/min) | Air Pressure<br>PSI (bar) | Overall Length<br>Inch (mm) | Motor<br>HP | Net Weight<br>LBS(kg) | Air Hose<br>Inch | Sound Pressure<br>dBA | Vibration Level<br>m/s <sup>2</sup> | orbit<br>mm |
|----------|---------------------|---------------------|-------------------------------------|---------------------------|-----------------------------|-------------|-----------------------|------------------|-----------------------|-------------------------------------|-------------|
| QB-57602 | 6"(152)             | 10000               | 3.10(88)                            | 90(6.3)                   | 9-7/16"(240)                | 0.4         | 2.6 1.2               | 3/8"             | 80.0                  | 1.3                                 | 5           |
| QB-58502 | 5"(127)             | 10000               | 3.10(88)                            | 90(6.3)                   | 9-7/16"(240)                | 0.4         | 2.6 1.2               | 3/8"             | 80.0                  | 1.3                                 | 5           |
| QB-58602 | 6"(152)             | 10000               | 3.10(88)                            | 90(6.3)                   | 9-7/16"(240)                | 0.4         | 2.6 1.2               | 3/8"             | 80.0                  | 1.3                                 | 5           |
| QB-59602 | 6"(152)             | 10000               | 3.10(88)                            | 90(6.3)                   | 9-7/16"(240)                | 0.4         | 2.6 1.2               | 3/8"             | 80.0                  | 1.3                                 | 5           |
| QB-57642 | 6"(152)             | 900                 | 3.10(88)                            | 90(6.3)                   | 9-7/16"(240)                | 0.4         | 3.5 1.6               | 3/8"             | 82.0                  | <2.5                                | 5           |
| QB-58542 | 5"(127)             | 900                 | 3.10(88)                            | 90(6.3)                   | 9-7/16"(240)                | 0.4         | 3.3 1.5               | 3/8"             | 82.0                  | <2.5                                | 5           |
| QB-58642 | 6"(152)             | 900                 | 3.10(88)                            | 90(6.3)                   | 9-7/16"(240)                | 0.4         | 3.5 1.6               | 3/8"             | 82.0                  | <2.5                                | 5           |
| QB-59642 | 6"(152)             | 900                 | 3.10(88)                            | 90(6.3)                   | 9-7/16"(240)                | 0.4         | 3.5 1.6               | 3/8"             | 82.0                  | <2.5                                | 5           |

# AIR PISTOL SANDER

★★★     
**QP-113**

Air Pistol Sander  
Air inlet : 1/4"

10 pieces in one carton



★★★     
**QP-123**

Air Pistol Polisher  
Air inlet : 1/4"

10 pieces in one carton



★★★     
**QP-215**

Air High Speed Sander  
Air inlet : 1/4"

10 pieces in one carton



★★★     
**QP-317/327**

Air Angle Polisher  
Air inlet : 1/4"

10 pieces in one carton



★★★★★     
**QD-321**

Low Vibration Air Body Saw

Air inlet : 1/4"

**30%**  
Lower  
Vibration


**20%**  
Efficiency

Compare With ordinary models

- Special air flow design to reduce vibration 30%
- streamline modelling for better ergonomics
- Long stroke to raise work efficiency 20%
- Cylinder specially processed to raise lifetime 30%



vibration-reduced cylinder design



|        | Pad Dia<br>inch(mm) | Free Speed<br>R.P.M | Avg. Air Consumption<br>CFM (L/min) | Air Pressure<br>PSI (bar) | Overall Length<br>Inch (mm) | Motor<br>HP | Net Weight<br>LBS(kg) | Air Hose<br>Inch | Sound Pressure<br>dBA | Vibration Level<br>m/s <sup>2</sup> | orbit<br>mm |
|--------|---------------------|---------------------|-------------------------------------|---------------------------|-----------------------------|-------------|-----------------------|------------------|-----------------------|-------------------------------------|-------------|
| QP-113 | 3"(76)              | 15000               | 3.5(99)                             | 90(6.3)                   | 5"(127)                     | 0.40        | 1.5 0.72              | 3/8"             | 74.0                  | 0.3                                 | 2.5         |
| QP-123 | 3"(76)              | 2100                | 3.5(99)                             | 90(6.3)                   | 5-5/16"(135)                | 0.40        | 1.6 0.77              | 3/8"             | 74.0                  | 0.3                                 | ---         |
| QP-215 | 4-2/1"              | 16000               | 6.5(184)                            | 90(6.3)                   | 6-19/64"(160)               | 0.80        | 2.6 1.20              | 3/8"             | 60.0                  | 1.8                                 | ---         |
| QP-317 | 7"(178)             | 2500                | 6.0(169)                            | 90(6.3)                   | 16"(406)                    | 0.40        | 4.0 2.04              | 3/8"             | 84.0                  | 2.5                                 | ---         |

|        | Strokes Length<br>mm | Strokes Per min.<br>S.P.M | Avg. Air Consumption<br>CFM (L/min) | Air Pressure<br>PSI (bar) | Overall Length<br>Inch (mm) | Net Weight<br>LBS kg | Air Hose<br>Inch | Sound Pressure<br>dBA | Vibration Level<br>m/s <sup>2</sup> |
|--------|----------------------|---------------------------|-------------------------------------|---------------------------|-----------------------------|----------------------|------------------|-----------------------|-------------------------------------|
| QD-321 | 14.5                 | 11000                     | 4.5 (113)                           | 90(6.3)                   | 9-1/4"(230)                 | 1.7 0.6              | 3/8"             | 83.0                  | 2.0                                 |