



Installation Materials

Catalogue 06/2019

The ultimate selection

se.com

Life Is On

Schneider
Electric

Installation Materials (IM)



► Introduction for end-consumers

Schneider Electric is the global energy specialist with more than 150 000 employees in around 190 countries.

This is an efficient IM global catalogue created for you. It results in a comprehensive but complete overview of our Installation Materials portfolio. We have selected our best products based on your needs and our experience.

It is now easy for you to find what you want in the shop shelves, all you need to do is to look-out for the green color to get the top quality. Green is not only a color for Schneider Electric. It is also a matter of responsibility and promise. Our products are green while considering people and environment. They are both resource-effective and environmental friendly (zero or low Halogens) and on top, our products are in every detail designed to make your job easier.

The new Schneider Electric Installation Material catalogue is the most competitive on the market in terms of:

- Content (all that you need in one place covering everything from Screws to building site equipment),
- Speed of installation (our innovative products are made for making the installation as easy and fast as possible),
- Quality (with Schneider products installed you could rest ensured that your installation will last for many years without maintenance).

The final installation will be appealing and reflecting your skill and our passion enabling you to grow your business and do the most of your energy.

Stick to the Green and you needn't redo, get it right, right away!



For additional information and access to our full portfolio you are more than welcome to visit us at

Contents

Flush mounted boxes	6	
Multifix Air	8	A
Multifix Plus	11	
Multifix Plus 2	17	
Multifix Modulo.....	19	
Rectangular boxes.....	21	
Weather proof systems	22	
Surface mounted boxes.....	24	B
Rigid conduits.....	35	
Rigid conduit fixings.....	39	
Thorsman building site equipment	40	
LED Worklamps.....	42	C
LED Worklights.....	44	
LED Floodlights	46	
Cable reels	47	
Test instruments	49	
Sealants & adhesives.....	56	
Tapes.....	57	
Screw bits.....	58	
Thorsman cabling & fixing	60	
Cable ties.....	64	D
Clamps	66	
Screw clips	67	
Nail clips	68	
Cable wings.....	69	
Cable grommets	70	
Cable glands.....	71	
Twist wire connectors	72	
Push-in terminal.....	72	
Connectors	73	
Screws.....	74	
Plugs.....	76	
Cavity fixings	78	
Fixing bands	81	
Index	82	
Reference number overview.....	82	E

Box offers

Multifix Air

The perfect answer for airtight installations in hollow walls in all parts of the house.



Multifix Plus 2

The cost-efficient boxes for hollow walls. The boxes can be connected together thanks to an accessory.



Multifix Plus

A complete range of universal boxes for hollow walls.



Multifix Modulo

The cost-efficient range of flush-mounted boxes for brick walls. The integrated connector allows a speedy installation.




Conduit offers



British standard boxes

A range of flush-mounted boxes with boxes dedicated to hollow walls and to brick wall, specifically designed for British Standard countries.



A range of distribution boxes dedicated to Latin America and suitable for concrete, wood and masonry walls.

Marisio LATAM countries



Mureva junction boxes

Complete weatherproof surface mounted boxes from IP54 to IP67 for various residential, building and industry installations.




A range of flush-mounted boxes dedicated to Latin America.

Marisio LATAM countries

Mureva Tube GT - PVC

A full range of rigid tubes, in PVC or Halogen-free, for fast and easy installations. A large choice of diameters and lengths to fulfill various installations constraints.

Mureva Tube GT HF



Airtight solutions for every need

In order to meet your needs, we have fine-tuned a number of Multifix Air functions. For example, we're setting a new market standard with the 47 mm depth, allowing for even more flexibility, work space and technical opportunities. To keep it short: Multifix Air will make your job easier.


A



The whole Multifix Air range now changes colour design. Look for the green and white products at your store.



The whole Multifix Air box range is now halogen-free.



The end cap keeps the conduits dry inside during the building process. Make sure to put the end cap on as soon as possible.

Discover our green improvements

Listening to you and your colleagues helps us develop and upgrade our products. Your input has led to a number of improvements in the new Multifix Air generation. The new depth – 47 mm – is already available in single and 4-gang boxes, and 2- and 3-gang boxes will follow. We have also made the collar bigger and the box more rigid, added an improved swivel function with guiding, toned up the screw quality even more, added some new smart

accessories and introduced a 32 ampere version. And of course, the whole range is halogen-free.

Along with the technical improvements, the Multifix Air range now also comes in a new design. Look for the green and white products at your store.

47 mm deep

The new 47 mm multipurpose box is apt for most installations. You will get more done with less different boxes to keep track of.




The clever end cap has hinges and can be opened and closed as many times as you wish. It can even be mounted using one hand only. The end cap also helps you ensure proper strain relief for both tubes and cables.



Flexible but firmly fixed
Thanks to the elastic membranes, each installed conduit or cable is safely fixed in its place, and yet flexible enough to adjust to the wanted position.





Swivel guiding
The swivel construction provides steady guiding and reversability. If you have to correct the installation, you can easily remove the box without damaging the wall, and re-use it again.



All kinds of walls, wiring devices and frames
The long screws make the boxes suitable for any type of wall, regardless of its thickness.



Knock-outs for conduits – no tools are needed
The membranes have knock-outs suitable for a conduit diameter of 16–20 mm or 20–25 mm. No tools are needed, just push the conduit through the membrane.




Fast and flexible screws
The screws are “high-speed”, i.e. triple-threaded, making the assembly 3 times faster. Each Phillips-head screw has a built-in stop end to prevent the loss of claws, which makes the box re-usable.




Sturdy and flameproof
All the Multifix Air boxes are flame-proof. This means that they have “survived” the 850°C glow wire test.




Anti-rotating function
The single boxes have anti-rotating wings that ensures a perfect grip in the wall and prevents unwanted rotation of the box.



Fast and easy
The hole saw makes it easy to centre – just mark a fixing point and drill. You'll get a perfect hole without rough edges in no time!



Hide imperfections
The wide and thin collar around the box hides any small mistakes in the hole-making. Thanks to its thin construction it will also minimize the gap between the wiring device and the wall. An other convenient help when mounting Multifix Air boxes is to use our dedicated Marking template.









Multifix Air





for hollow walls and ceilings

A




Airtight apparatus boxes

Type	Colour	Dimensions A/B/C (mm)	Qty per package	Ref. No.
Airtight apparatus box, single				
Single-station apparatus box, 67x40 and 67x47, for mounting at c/c 71 mm. Airtight. Mainly intended for use in hollow outer walls. Material: PP/TPE.				
P108207 	White	71/39/71	50	IMT35001
P139502 	White	71/47/71	40	IMT35032
Airtight apparatus box, single, for 20 and 32A				
Single-station apparatus box 85x47 for 20 and 32 A socket outlets. With extra space for cables. Material: PP/TPE.				
P139504 	White	88/47/84	10	IMT35034
Airtight apparatus box, double				
Double-station apparatus box 67x40 for mounting at c/c 71 mm. Airtight. Mainly intended for use in hollow outer walls. Material: PP/TPE.				
P108206 	White	71/39/142	20	IMT35000
Airtight apparatus box, triple				
Triple-station apparatus box 67x40 mm for mounting at c/c 71 mm. Airtight. Mainly intended for use in hollow outer walls. Material: PP/TPE.				
P119750 	White	71/39/215	10	IMT35031
Airtight apparatus box, four-gang				
Four-gang apparatus box 67x47 mm for mounting at c/c 71 mm. Airtight. Mainly intended for use in hollow outer walls. Material: PP/TPE.				
P139503 	White	71/47/286	5	IMT35033

Airtight wall box kits


With flush cover				
Wall box kit 67x40 mm including flush cover. Airtight. Material: PP/TPE, ABS.				
P119755 				
With flush cover and lighting plug				
Wall box kit 67x40 mm including flush cover with IPX4 DCL outlet, lighting plug with E27 base and DCL plug 2P E, 6A/250 V AC. Airtight. Material: PP/TPE, ABS, PC/ABS.				
P119756 	White	71/39/71	10	IMT35026
With surface cover				
Wall box kit 67x40 mm including surface cover with IPX4 DCL outlet. Airtight. Material: PP/TPE, ABS, PC/ABS.				
P119758 				
Wall box kit 67x40 mm including surface cover with IPX4 DCL outlet, lighting plug with E27 base and DCL plug 2P E, 6A/250V AC. Airtight. Material: PP/TPE, ABS, PC/ABS.				
P119757 	White	71/39/71	10	IMT35027

Airtight ceiling boxes





Type	Colour	Dimensions A/B/C (mm)	Qty per package	Ref. No.
Without cover				
Ceiling DCL box 67x50 mm with pre-mounted suspension chimney. Airtight. Material: PP/TPE, PA6.6.				
P119765 	White	71/49/71	10	IMT35024
Kit with flush cover and lighting plug				
Ceiling box kit 67x50 mm including flush cover with IPX4 DCL outlet, pre-mounted suspension chimney, hook, and lighting plug with E27 base and DCL plug 2P E, 6A/250 V AC. Airtight. Material: PP/TPE, PA6.6, ABS, PC/ABS, steel.				
P119762 	White	71/49/71	10	IMT35021
Kit with surface cover and lighting plug				
Ceiling box kit 67x50 mm including surface cover with IPX4 DCL outlet, pre-mounted suspension chimney, hook, and lighting plug with E27 base and DCL plug 2P E, 6A/250 V AC. Airtight. Material: PP/TPE, PA6.6, ABS, PC/ABS, steel.				
P119763 	White	71/49/71	10	IMT35023



End caps

End caps for flexible conduits				
End cap for flexible conduit, intended for Ø16 mm, Ø20 mm and Ø25 mm respectively. Material: PP + SEBS.				
P138506 	Natural	19/21/9	100	IMT35036
	Natural	23/25/9	100	IMT35037
	Natural	28/30/9	100	IMT35038

Compatible accessories

Marking template				
Marking template with an integrated water-level. Suitable for c/c 71 hollow walls. Material: PS.				
P140652 	Green	61/19/300	1	IMT35043
Suspension kit				
Suspension kit, intended for ceiling boxes. Material: Steel.				
P118304 	—	Ø1.5/1700	25	IMT35230
DCL plug				
DCL plug 2P E, 6A/250 V AC. Material: PC/ABS.				
P103990 	White	36/17/30.5	20	ALB68005
Hole saw				
Hole saw without spring				
P119701 	Black	100/67/68	1	ALB69892