

SPLIT-TYPE AIR CONDITIONERS

INDOOR UNIT

MSZ-FH25VE MSZ-FH35VE MSZ-FH50VE





English is original.

Übersetzung des

Originals

OPERATING INSTRUCTIONS

For user

 To use this unit correctly and safely, be sure to read these operating instructions before use.

BEDIENUNGSANLEITUNG

For den Anwender

• Für einen sicheren und ordnungsgemäßen Gebrauch des Geräts unbedingt diese Bedienungsanleitung vor der Inbetriebnahme durchlesen.

Traduction du texte

NOTICE D'UTILISATION

A l'attention des clients

 Pour avoir la certitude d'utiliser cet appareil correctement et en toute sécurité, veuillez lire cette notice d'instructions avant de mettre le climatiseur sous tension.

Vertaling van het origineel

BEDIENINGSINSTRUCTIES

Voor de klant

 Om dit apparaat correct en veilig te kunnen gebruiken moet u deze bedieningsinstructies voor gebruik eerst doorlezen.

Traducción del original

MANUAL DE INSTRUCCIONES

Para los clientes

 Para utilizar esta unidad de forma correcta y segura, lea previamente estas instrucciones de funcionamiento.

Traduzione dell'originale

LIBRETTO D'ISTRUZIONI

Per gli utenti

 Per utilizzare correttamente ed in tutta sicurezza questo apparecchio, leggere il presente libretto d'istruzioni prima dell'uso.

Μετάφραση του αρχικού ΟΔΗΓΙΕΣ ΛΕΙΤΟΥΡΓΙΑΣ

Για το χρήστη

 Για να χρησιμοποιήσετε αυτή τη μονάδα σωστά και με ασφάλεια, βεβαιωθείτε ότι έχετε διαβάσει αυτό το εγχειρίδιο οδηγιών πριν από τη χρήση

Tradução do original

INSTRUÇÕES DE OPERAÇÃO

Para o utilizador

 Para utilizar esta unidade correctamente e com segurança, certifiquese de que lê estas instruções de operação antes da utilização.

Oversættelse af den originale tekst

BETJENINGSVEJLEDNING

Til kunden

 Læs denne betjeningsvejledningen før brug, så enheden bruges korrekt og sikkert. **Dansk**

English

Deutsch

Français

Nederlands

Español

Italiano

Ελληνικά

Português

Översättning från originalet

BRUKSANVISNING

För användaren

 Läs bruksanvisningen innan enheten tas i bruk så att den används säkert och på rätt sätt.

Orijinalin çevirisi

ÇALIŞTIRMA TALİMATLARI

Kullanıcı için

 Bu üniteyi doğru ve güvenli bir biçimde kullanmak için, kullanmadan önce bu işletim talimatlarını okuduğunuzdan emin olun. Türkçe

Svenska

Перевод оригинала ИНСТРУКЦИИ ПО ЭКСПЛУАТАЦИИ

руководство по эксплуатации.

В целях правильной и безопасной эксплуатации данного устройства обязательно перед его использованием прочтите настоящее

Для пользователя

Русский

Скачано с сайта интернет магазина https://axiomplus.com.ua/

ONTENTS

■ SAFETY PRECAUTIONS	1
■ DISPOSAL	2
■ NAME OF EACH PART	3
■ PREPARATION BEFORE OPERATION	3
■ I-SEE OPERATION	5
■ SELECTING OPERATION MODES	6
■ FAN SPEED AND AIRFLOW DIRECTION ADJUSTMENT	7_
■ I-SAVE OPERATION	8
■ ECONO COOL OPERATION	8
■ NATURAL FLOW OPERATION	9
■ AIR PURIFYING OPERATION	9
■ POWERFUL OPERATION	9
■ TIMER OPERATION (ON/OFF TIMER)	9
■ WEEKLY TIMER OPERATION	10
■ CLEANING	11
WHEN YOU THINK THAT TROUBLE HAS OCCURRED	12
■ WHEN THE AIR CONDITIONER IS NOT GOING TO BE USED FOR A LONG TIME	13
■ INSTALLATION PLACE AND ELECTRICAL WORK	13
■ SPECIFICATIONS	13

AFETY PRECAUTIONS

- Since rotating parts and parts which could cause an electric shock are used in this product, be sure to read these "Safety Precautions" before use.
- Since the cautionary items shown here are important for safety, be sure to
- After reading this manual, keep it together with the installation manual in a handy place for easy reference.

Marks and their meanings

Incorrect handling could cause serious hazard, such as ⚠ WARNING: death, serious injury, etc. with a high probability

Incorrect handling could cause serious hazard depending **CAUTION**:

Meanings of symbols used in this manual

: Be sure not to do.

: Be sure to follow the instruction.

: Never insert your finger or stick, etc.

: Never step onto the indoor/outdoor unit and do not put anything on them.

: Danger of electric shock. Be careful.

: Be sure to disconnect the power supply plug from the power outlet.

: Be sure to shut off the power.

♠ WARNING



Do not connect the power cord to an intermediate point, use an extension cord, or connect multiple devices to a single

This may cause overheating, fire, or electric shock

Make sure the power plug is free of dirt and insert it securely

A dirty plug may cause fire or electric shock

Do not bundle, pull, damage, or modify the power cord, and do not apply heat or place heavy objects on it.

This may cause fire or electric shock.

Do not turn the breaker OFF/ON or disconnect/connect the power plug during operation.

This may create sparks, which can cause fire.

After the indoor unit is switched OFF with the remote controller, make sure to turn the breaker OFF or disconnect the power plug.

Do not expose your body directly to cool air for a prolonged length of time.

This could be detrimental to your health

The unit should not be installed, relocated, disassembled, altered, or repaired by the user.

An improperly handled air conditioner may cause fire, electric shock, injury, or water leakage, etc. Consult your dealer. If the power supply cord is damaged, it must be replaced by the

manufacturer or its service agent in order to avoid a hazard.

When installing, relocating, or servicing the unit, make sure that no substance other than the specified refrigerant (R410A) enters the refrigerant circuit.

Any presence of foreign substance such as air can cause abnor-mal pressure rise and may result in explosion or injury. The use of any refrigerant other than that specified for the system will cause mechanical failure, system malfunction, or unit break-

down. In the worst case, this could lead to a serious impediment to securing product safety.



This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appli-ance by a person responsible for their safety.

Children should be supervised to ensure that they do not play with the appliance



Do not insert your finger, a stick, or other objects into the air inlet or outlet.

This may cause injury, since the fan inside rotates at high speeds during operation.





In case of an abnormal condition (such as a burning smell), stop the air conditioner and disconnect the power plug or turn the breaker OFF.

A continued operation in the abnormal state may cause a malfunc-tion, fire, or electric shock. In this case, consult your dealer.



When the air conditioner does not cool or heat, there is a possibility of refrigerant leakage. In this case, consult your dealer. If a repair involves recharging the unit with refrigerant, ask the service technician for details.

• The refrigerent in the refrigerent

The refrigerant used in the air conditioner is safe. Normally, it does not leak. However, if refrigerant leaks and comes in contact with a heat source such as a fan heater, kerosene heater, or cooking stove, it will create a harmful gas.

The user should never attempt to wash the inside of the indoor unit. Should the inside of the unit require cleaning, contact your dealer.

Unsuitable detergent may cause damage to plastic material inside the unit, which may result in water leakage. Should detergent come in contact with electrical parts or the motor, it will result in a malfunction, smoke, or fire

⚠ CAUTION



Do not touch the air inlet or the aluminum fins of the indoor/ outdoor unit.

This may cause injury.

Do not use insecticides or flammable sprays on the unit.

This may cause a fire or deformation of the unit

Safety precautions

⚠ CAUTION



Do not expose pets or houseplants to direct airflow.

This may cause injury to the pets or plants

Do not place other electric appliances or furniture under the indoor/outdoor unit.

Water may drip down from the unit, which may cause damage or malfunction.

Do not leave the unit on a damaged installation stand.

The unit may fall and cause injury.

Do not step on an unstable bench to operate or clean the unit. This may cause injury if you fall down

Do not pull the power cord.

This may cause a portion of the core wire to break, which may cause overheating or fire

Do not charge or disassemble the batteries, and do not throw them into a fire.

This may cause the batteries to leak, or cause a fire or explo-Do not operate the unit for more than 4 hours at high humid-

ity (80% RH or more) and/or with windows or outside door left

- This may cause the water condensation in the air conditioner, which may drip down, wetting or damaging the furniture.

 The water condensation in the air conditioner may contribute to
- growth of fungi, such as mold.

Do not use the unit for special purposes, such as storing food, raising animals, growing plants, or preserving precision devices or art objects.

This may cause deterioration of quality, or harm to animals and

Do not expose combustion appliances to direct airflow. This may cause incomplete combustion

Never put batteries in your mouth for any reason to avoid accidental ingestion.

Battery ingestion may cause choking and/or poisoning



Before cleaning the unit, switch it OFF and disconnect the power plug or turn the breaker OFF.

This may cause injury, since the fan inside rotates at high speeds during operation.

When the unit will be unused for a long time, disconnect the

power plug or turn the breaker OFF.The unit may accumulate dirt, which may cause overheating or

Replace all batteries of the remote controller with new ones of the same type.Using an old battery together with a new one may cause overheat-

ing, leakage, or explosion. If the battery fluid comes in contact with your skin or clothes,

wash them thoroughly with clean water.

If the battery fluid comes in contact with your eyes, wash them thoroughly with clean water and immediately seek medical atten-

Ensure that the area is well-ventilated when the unit is operated

together with a combustion appliance.

• Inadequate ventilation may cause oxygen starvation

Turn the breaker OFF when you hear thunder and there is a pos-

sibility of a lightning strike.

The unit may be damaged if lightning strikes



After the air conditioner is used for several seasons, perform inspection and maintenance in addition to normal cleaning.

Dirt or dust in the unit may create an unpleasant odor, contribute to growth of fungi, such as mold, or clog the drain passage, and cause water to leak from the indoor unit. Consult your dealer for inspection and maintenance, which require specialized knowledge



Do not operate switches with wet hands.

This may cause electric shock

Do not clean the air conditioner with water or place an object that contains water, such as a flower vase, on it.

This may cause fire or electric shock



Do not step on or place any object on the outdoor unit.

This may cause injury if you or the object falls down



Dirty filters cause condensation in the air conditioner which will contribute to the growth of fungi such as mold. It is therefore recommended to clean air filters every 2 weeks.


Before starting the operation, ensure that the horizontal vanes are in the closed position. If operation starts when the horizontal vanes are in the open position, they may not return to the correct position.

For installation



⚠ WARNING





specialized knowledge and skills. An improperly installed air conditioner may cause water leakage, fire, or electric shock

Provide a dedicated power supply for the air conditioner.
A non-dedicated power supply may cause overheating or fire.

Do not install the unit where flammable gas could leak.

• If gas leaks and accumulates around the outdoor unit, it may cause



Earth the unit correctly.

Do not connect the earth wire to a gas pipe, water pipe, lightning rod, or a telephone ground wire. Improper earthing may cause electric shock

⚠ CAUTION



Install an earth leakage breaker depending on the installation location of the air conditioner (such as highly humid areas).

• If an earth leakage breaker is not installed, it may cause electric

Ensure that the drain water is properly drained.

If the drain passage is improper, water may drip down from the indoor/outdoor unit, wetting and damaging the furniture

In case of an abnormal condition

Immediately stop operating the air conditioner and consult your dealer.

DISPOSAL

To dispose of this product, consult your dealer.



Note:

This symbol mark is for EU countries only.

This symbol mark is according to the directive 2002/96/ EC Article 10 Information for users and Annex IV, and/ or to the directive 2006/66/EC Article 20 Information for end-users and Annex II

Your MITSUBISHI ELECTRIC product is designed and manufactured with high quality materials and components which can be recycled and/or reused.

This symbol means that electrical and electronic equipment, batteries and accumulators, at their end-of-life, should be disposed of separately from your household waste.

If a chemical symbol is printed beneath the symbol (Fig. 1), this chemical symbol means that the battery or accumulator contains a heavy metal at a certain concentration. This will be indicated as follows:

Hg: mercury (0,0005%), Cd: cadmium (0,002%), Pb: lead (0,004%)

In the European Union there are separate collection systems for used electrical and electronic products, batteries and accumulators.

Please, dispose of this equipment, batteries and accumulators correctly at your local community waste collection/recycling centre.

Please, help us to conserve the environment we live in!









AME OF EACH PART

Indoor unit




Outdoor unit



Outdoor units may be different in appearance

Remote controller






- Install the remote con-troller holder in a place where the signal can be received by the indoor
- When the remote controller is not used, place it in this holder.

Only use the remote controller provided with the unit.

Do not use other remote controllers. If two or more indoor units are installed in proximity to one another, an indoor unit that is not intended to be operated may respond to the remote controller.


REPARATION BEFORE OPERATION

Before operation: Insert the power supply plug into the power outlet and/or turn the breaker on.




- Make sure the polarity of the batteries is correct.
- Do not use manganese batteries and leaking batteries. The remote controller could malfunction.
- Do not use rechargeable batteries.
- Replace all batteries with new ones of the same type.

 Batteries can be used for approximately 1 year. However, batteries with expired shelf lives last shorter.
- Press RESET gently using a thin instrument.
- If the RESET button is not pressed, the remote controller may not operate correctly



Preparation before operation





Be sure to set the remote controller in accordance with the installed position of the indoor unit.


Installation position:

 $\label{lem:left:Distance} \text{Left:} \qquad \text{Distance to objects (wall, cabinet, etc.) is less than 50 cm to the left}$


Center: Distance to objects (wall, cabinet, etc.) is more than 50 cm to the left

and right

Right: Distance to objects (wall, cabinet, etc.) is less than 50 cm to the right



Area	Left	Center	Right
Remote controller display			




Note:

The installation position can be set only when all the following conditions are met:

- The remote controller is powered off.
- Weekly timer is not set.
- · Weekly timer is not being edited.



L-SEE OPERATION



i-see control mode

In the i-see control mode, the room temperature is controlled based on the sensible temperature



Press $\stackrel{\text{SENSOR}}{\bigcirc}$ during COOL, DRY, HEAT and AUTO mode to activate the i-see control mode.

- Press gently using a thin instrument.
 Ilights. (Operation display section)
- · The default setting is "active".





Press again to activate ABSENCE DETECTION.

fights. (Operation display section)



Press SENSOR again to release the i-see control mode.

ABSENCE DETECTION

This function automatically changes the operation to energy-saving operation when nobody is in the room.



To activate this function, press $\stackrel{\text{SENSOR}}{\bigcirc}$ until $\widehat{\mathbf{m}}$ appears on the operation display of the remote controller.



Press SENSOR again to release ABSENCE DETECTION.

INDIRECT/DIRECT mode

The INDIRECT/DIRECT mode offers finely-tuned operation by locating where an occupant is in the room.



Press during COOL, DRY, HEAT or AUTO mode to activate the INDIRECT/DIRECT mode. This mode is only available when the i-see control mode is effective.



Each press of $\begin{picture}(60,0) \put(0,0){\line(1,0){100}} \put(0,0){$ the following order:



(INDIRECT): An occupant will be less exposed to direct airflow.

(DIRECT) : Mainly the vicinity of an occupant will be air-conditioned.

- · Horizontal and vertical airflow directions will be automatically select-
- · When more than a couple of people are in a room, the INDIRECT/DI-RECT mode may work less effectively.
- · If you still feel uncomfortable with the air direction determined by the INDIRECT mode, adjust the air direction manually. Page 7



Canceling the i-see control mode automatically cancels the INDIRECT/DIRECT mode.

• The INDIRECT/DIRECT mode is also cancelled when the VANE or WIDE VANE buttons is pressed.


Note:

- Do not touch the i-see sensor. This may cause malfunction of the i-see sen-
- The intermittent operating sound is a normal sound produced when the i-see sensor is moving from side to side.






SELECTING OPERATION MODES



Press on to start the operation.

Press to select operation mode. Each press changes mode in the following order:



Press or to set the temperature.

Each press raises or lowers the temperature by 1°C.

Press on to stop the operation.

Note:

Multi system operation

Two or more indoor units can be operated by one outdoor unit. When several indoor units are operated simultaneously, cooling/dry/fan and heating operations cannot be done at the same time. When COOL/DRY/FAN is selected with one unit and HEAT with another or vice versa, the unit selected last goes into standby mode.

Operation indicator lamp

The operation indicator lamp shows the operation state of the unit.

Indication	Operation state
* *	Standby mode (only during multi system operation)

💺 Lighted 🔅 Blinking

AUTO mode (Auto change over)

The unit selects the operation mode according to the difference between the room temperature and the set temperature. During AUTO mode, the unit changes mode (COOL ↔ HEAT) when the room temperature is 2°C away from the set temperature for more than 15 minutes.

Note:

Auto Mode is not recommended if this indoor unit is connected to a MXZ type outdoor unit. When several indoor units are operated simultaneously, the unit may not be able to switch operation mode between COOL and HEAT. In this case, the indoor unit becomes standby mode (Refer to table of Operation indicator lamp).

COOL mode

Enjoy cool air at your desired temperature.

Note:

Do not operate COOL mode at very low outside temperatures (less than -10°C). Water condensed in the unit may drip and wet or damage furniture, etc.

♦ DRY mode

Dehumidify your room. The room may be cooled slightly. Temperature cannot be set during DRY mode.

HEAT mode

Enjoy warm air at your desired temperature.

****** FAN mode

Circulate the air in your room.

Note:


After COOL/DRY mode operation, it is recommended to operate in the FAN mode to dry inside the indoor unit.

Emergency operation

When the remote controller cannot be used...

Emergency operation can be activated by pressing the emergency operation switch (E.O.SW) on the indoor unit.

Operation indicator lamp



Set temperature : 24°C Fan speed : Medium Horizontal vane : Auto

Note:


- The first 30 minutes of operation is test run. Temperature control does not work, and fan speed is set to High.
- In the emergency heating operation, the fan speed gradually rises to blow out warm air.
- In the emergency cooling operation, the horizontal vanes' position will be reset in about a minute, then the operation will start.

Auto restart function


If a power failure occurs or the main power is turned off during operation, "Auto restart function" automatically starts operation in the same mode as the one set with the remote controller just before the shutoff of the main power. When timer is set, timer setting is cancelled and the unit starts operation when power is resumed.

If you do not want to use this function, please consult the service representative because the setting of the unit needs to be changed.

FAN SPEED AND AIRFLOW DIRECTION ADJUSTMENT



Press FAN to select fan speed. Each press changes fan speed in the following order:



- Two short beeps are heard from the indoor unit when set to AUTO.
- Use higher fan speed to cool/heat the room quicker. It is recommended to lower the fan speed once the room is cool/warm.
- · Use lower fan speed for quiet operation.

Multi system operation

When several indoor units are operated simultaneously by one outdoor unit for heating operation, the temperature of the airflow may be low. In this case, it is recommended to set the fan speed to AUTO.

Press $\begin{tabular}{c} L-VANE-R \\ \hline \ref{table} \end{tabular}$ to select airflow direction. Each press changes airflow direction in the following order:



- Two short beeps are heard from the indoor unit when set to AUTO.
- · Always use the remote controller when changing the direction of airflow. Moving the horizontal vanes with your hands causes them to mal-
- · When the breaker is turned on, the horizontal vanes' position will be reset in about a minute, then the operation will start. The same is true in the emergency cooling operation.
- · When the horizontal vanes seem to be in an abnormal position, see
- · The right and left horizontal vanes set to the same level may not align perfectly.

Press wide vane to select horizontal airflow direction. Each press changes airflow direction in the following order:



Airflow direction

(AUTO)......The vane is set to the most efficient airflow direction. COOL/ DRY/FAN:horizontal position. HEAT:position (4).



..For efficient air conditioning, select the upper position for COOL/DRY, and the lower position for HEAT. If the lower position is selected during COOL/DRY, the vane automatically moves to the horizontal position (3) after 0.5 to 1 hour to prevent any condensation from dripping.




(Swing)The vane moves up and down intermittently.





f I – f SAVE OPERATION





Press during COOL, ECONO COOL, or HEAT mode to select i-save mode.



Set the temperature, fan speed, and airflow direction.

- The same setting is selected from the next time by simply pressing $\frac{|\,\text{SSVP}}{|\,\text{SS}|}$.
- Two settings can be saved. (One for COOL/ECONO COOL, one for HEAT)
- Select the appropriate temperature, fan speed, and airflow direction according to your room.
- Normally, the minimum temperature setting in HEAT mode is 16°C.
 However, during i-save operation only, the minimum temperature setting is 10°C.



Press again to cancel i-save operation.

 i-save operation also is cancelled when the MODE or POWERFUL button is pressed.

i-save operation

A simplified set back function enables to recall the preferred (preset) setting with a single push of the $\frac{|SBVO|}{2}$ button. Press the button again and you can go back to the previous setting in an instance.


Example of use:

1. Low energy mode

Set the temperature 2°C to 3°C warmer in COOL and cooler in HEAT mode. This setting is suitable for unoccupied room, and while you are sleeping.

Saving frequently used settings
 Save your preferred setting for COOL/ECONO COOL and HEAT. This enables you to select your preferred setting with a single push of the button.

Econo cool operation



Press during COOL mode page 6 to start ECONO COOL operation.

The unit performs swing operation vertically in various cycles according to the temperature airflow.



Press again to cancel ECONO COOL operation.


ECONO COOL operation is also cancelled when the VANE, POWER-FUL, or NATURAL FLOW button is pressed.

What is "ECONO COOL"?

Swing airflow (change of airflow) makes you feel cooler than stationary airflow. So, even though the set temperature is automatically set at 2°C higher, it is possible to perform cooling operation with keeping comfort. As a result, energy can be saved.



NATURAL FLOW OPERATION



Press during COOL or FAN mode page 6 to start NATURAL FLOW operation.

Press again to cancel NATURAL FLOW operation.

 NATURAL FLOW operation is also canceled when the POWERFUL or ECONO COOL button is pressed.

What is "NATURAL FLOW"?

Airflow that imitates a natural breeze is produced in this mode. The discomfort of being hit directly by constant, unnatural airflow will be reduced.

Note:

As the fan speed changes constantly during NATURAL FLOW operation, the sound of air flow, wind velocity and air flow temperature also change. This is not a malfunction.

${f A}$ ir purifying operation

Press to start AIR PURIFYING operation.

• AIR PURIFYING lamp turns on. (Display section)

Press again to cancel AIR PURIFYING operation

• AIR PURIFYING lamp turns off. (Display section)


What is "AIR PURIFYING operation"? =

In the AIR PURIFYING operation, the indoor unit built-in device reduces airborne fungi, viruses, mold, and allergens.

Note:

- Never touch the air purifying device during operation. Although the air purifying device is safety-conscious design, touching this device could be the cause of trouble as this device discharge high voltage electricity.
- A "hissing" sound may be heard during the air purifying operation. This sound is produced when plasma is being discharged. This is not a malfunction.
- Air purifying lamp does not turn on if the front panel is not closed completely.

Powerful operation



Press during COOL or HEAT mode page 6 to start POWERFUL operation.

Fan speed : Exclusive speed for POWERFUL mode

Horizontal vane : Set position, or downward airflow position during

AUTO setting

• Temperature cannot be set during POWERFUL operation.

Press again to cancel POWERFUL operation.

 POWERFUL operation is also cancelled automatically in 15 minutes, or when the ON/OFF, FAN, ECONO COOL, NATURAL FLOW, or i-save button is pressed.

${ m T}_{ m IMER}$ operation (on/off timer)

Press OON or OOFF during operation to set the timer.

ON (ON timer): The unit turns ON at the set time.

OFF (OFF timer): The unit turns OFF at the set time.

- * @ON or @OFF blinks.
- * Make sure that the current time and day are set correctly. Page 3

Press (Increase) and (Decrease) to set the time of timer.

Each press increases or decreases the set time by 10 minutes.

Set the timer while ⊕on or ⊕off is blinking.

Press ②ON or ②OFF again to cancel timer.

Note:

- ON and OFF timers can be set together. I mark indicates the order of timer operations.
- If power failure occurs while ON/OFF timer is set, see page 6 "Auto restart function".






f Weekly timer operation


- · A maximum of 4 ON or OFF timers can be set for individual days of the week.
- · A maximum of 28 ON or OFF timers can be set for a week.

E.g.: Runs at 24°C from waking up to leaving home, and runs at 27°C from getting home to going to bed on weekdays.




Note:


The simple ON/OFF timer setting is available while the weekly timer is on. In this case, the ON/OFF timer has priority over the weekly timer; the weekly timer operation will start again after the simple ON/OFF timer is complete.



Setting the weekly timer

- * Make sure that the current time and day are set correctly.
- Press DAY and 1~4 to select setting day and number.





* Hold down the button to change the time quickly.

Press DAY and 1~4 to continue setting the timer for other days and/or numbers.

Press SET to complete and transmit the weekly timer setting.

WEEKIN Mon Tue Wed Thu Fri Sat Sun

* SET which was blinking goes out, and the current time will be displayed.

Note:

- Press SET to transmit the setting information of weekly timer to the indoor unit. Point the remote controller toward the indoor unit for 3 seconds.
- When setting the timer for more than one day of the week or one number, set just does not have to be pressed per each setting. Press SET once after all the settings are complete. All the weekly timer settings will be saved.
- Press SET to enter the weekly timer setting mode, and press and hold <u>DELETE</u> for 5 seconds to erase all weekly timer settings. Point the remote controller toward the indoor unit.
- Press NEERLY Press NEERLY lights.)
 - * When the weekly timer is ON, the day of the week whose timer setting is complete, will light.
 - Press IMER again to turn the weekly timer OFF. (WHIN goes out.)

Note:

The saved settings will not be cleared when the weekly timer is turned OFF.

Checking weekly timer setting

- Press SET to enter the weekly timer setting mode.
- Press DAY or 1~4 to view the setting of the particular day or number.
 - Press CANCEL to exit the weekly timer setting.

Note:

LEANING

Instructions:

- Switch off the power supply or turn off the breaker before cleaning Be careful not to touch the metal parts with your hands.
- Do not use benzine, thinner, polishing powder, or insecticide.
- Use only diluted mild detergents.
- Do not expose parts to direct sunlight, heat, or fire to dry.
- Do not use water hotter than 50°C.



· Remove dirt by a vacuum cleaner.

When dirt cannot be removed by vacuum cleaning:

- Soak the filter together with its frame in lukewarm water and rinse it.
- After washing, dry it well in shade.



Air filter

- Clean every 2 weeks
- Remove dirt by a vacuum cleaner, or rinse with water.
- · After washing with water, dry it well in shade.

Air cleaning filter (Electrostatic anti-allergy enzyme filter, blue)

Every 3 months:

Remove dirt by a vacuum cleaner.

When dirt cannot be removed by vacuum cleaning:

- . Soak the filter and its frame in lukewarm water before rinsing it.
- · After washing, dry it well in shade. Install all tabs of the air filter.

Every year:

- Replace it with a new air cleaning filter for best performance.
- Parts Number MAC-2330FT-E



and

Pull to remove from the air filter

(Deodorizing filter, black)

Every 3 months:

- · Remove dirt by a vacuum cleaner, or soak the framed filter in lukewarm water (30 to 40°C) for about 15 minutes. Rinse well.
- After washing, dry it well in shade.
- Deodorizing feature recovers by cleaning the filter.

When dirt or smell cannot be removed by cleaning:

- · Replace it with a new air cleaning filter.
- Parts Number MAC-3000FT-E

Front panel



- 1. Lift the front panel until a "click" is heard.
- 2. Hold the hinges and pull to remove as shown in the illustration above.
 - · Wipe with a soft dry cloth or rinse it with water.
 - Do not soak it in water for more than two hours.
 - Dry it well in shade.
- 3. Install the front panel by following the removal procedure in reverse. Close the front panel securely and press the positions indicated by the arrows.



Important

- Clean the filters regularly for best performance and to reduce power consumption.
- Dirty filters cause condensation in the air conditioner which will contribute to the growth of fungi such as mold. It is therefore recommended to clean air filters every 2 weeks.
- Do not touch the i-see sensor.
- The air purifying device does not function for safety for a couple minutes after the operation starts or the front panel is opened/closed.
- Do not disassemble the air purifying device.
- Do not touch any parts other than the frame of the air purifying device.





When you think that trouble has occurred

Even if these items are checked, when the unit does not recover from the trouble, stop using the air conditioner and consult your dealer.

	ed, when the unit does not recover from the nditioner and consult your dealer.
Symptom	Explanation & Check points
Indoor Unit	
The unit cannot be operated.	Is the breaker turned on? Is the power supply plug connected? Is the ON timer set? Page 9
The horizontal vane does not move.	Are the horizontal vane and the vertical vane installed correctly? Is the fan guard deformed? When the breaker is turned on, the horizontal vanes' position will be reset in about a minute. After the reset has completed, the normal horizontal vanes' operation resumes. The same is true in the emergency cooling operation.
The unit cannot be operated for about 3 minutes when restarted.	This protects the unit according to instructions from the microprocessor. Please wait.
Mist is discharged from the air outlet of the indoor unit.	The cool air from the unit rapidly cools moisture in the air inside the room, and it turns into mist.
The swing operation of the HORI-ZONTAL VANE is suspended for a while, then restarted.	This is for the swing operation of the HORIZON- TAL VANE to be performed normally.
When SWING is selected in COOL/DRY/FAN mode, the lower horizontal vane does not move.	It is normal that the lower horizontal vane does not move when SWING is selected in COOL/ DRY/FAN mode.
The airflow direction changes during operation. The direction of the horizontal vane cannot be adjusted with the remote controller.	When the unit is operated in COOL or DRY mode, if the operation continues with air blowing down for 0.5 to 1 hour, the direction of the airflow is automatically set to horizontal position to prevent water from condensing and dripping. In the heating operation, if the airflow temperature is too low or when defrosting is being done, the horizontal vane is automatically set to horizontal position.
The operation stops for about 10 minutes in the heating operation.	Outdoor unit is in defrost. Since this is completed in max.10 minutes, please wait. (When the outside temperature is too low and humidity is too high, frost is formed.)
The unit starts operation by itself when the main power is turned on, but hasn't received sign from the remote controller.	These models are equipped with an auto restart function. When the main power is turned off without stopping the unit with the remote controller and is turned on again, the unit starts operation automatically in the same mode as the one set with the remote controller just before the shutoff of the main power. Refer to "Auto restart function" page 6.
The two horizontal vanes touch each other. The horizontal vanes are in an abnormal position. The horizontal vanes do not return to the correct "close position".	Perform one of the following: Turn off and on the breaker. Make sure the horizontal vanes move to the correct "close position". Start and stop the emergency cooling operation and make sure the horizontal vanes move to the correct "close position".
In COOL/DRY mode, when the room temperature reaches near the set temperature, the outdoor unit stops, then the indoor unit operates at low speed.	When the room temperature deviates from the set temperature, the indoor fan starts running according to the settings on the remote control- ler.
The indoor unit discolors over time.	 Although plastic turns yellow due to the influence of some factors such as ultraviolet light and temperature, this has no effect on the product functions.
Multi system	
The indoor unit which is not operating becomes warm and a sound, similar to water flowing, is heard from the unit.	A small amount of refrigerant continues to flow into the indoor unit even though it is not operat- ing.
When heating operation is selected, operation does not start right away.	When operation is started during defrosting of outdoor unit is done, it takes a few minutes (max. 10 minutes) to blow out warm air.
Outdoor Unit	
The fan of the outdoor unit does not rotate even though the compressor is running. Even if the fan starts to rotate, it stops soon.	When the outside temperature is low during cooling operation, the fan operates intermittently to maintain sufficient cooling capacity.
Water leaks from the outdoor unit.	During COOL and DRY operations, pipe or pipe connecting sections are cooled and this causes water to condense. In the heating operation, water condensed on the heat exchanger drips down. In the heating operation, the defrosting operation makes ice forming on the outdoor unit melt and drip down.
White smoke is discharged from the outdoor unit.	In the heating operation, vapor generated by the defrosting operation looks like white smoke.

Symptom	Explanation & Check points
Remote controller	
The display on the remote controller does not appear or it is dim. The indoor unit does not respond to the remote control signal.	 Are the batteries exhausted? Page 3 Is the polarity (+, -) of the batteries correct? Page 3 Are any buttons on the remote controller of other electric appliances being pressed?
Does not cool or heat	
The room cannot be cooled or heated sufficiently.	Is the temperature setting appropriate? Page 6 Is the fan setting appropriate? Please change fan speed to higher setting. Page 7 Are the filters clean? Page 11 Is the fan or heat exchanger of the indoor unit clean? Are there any obstacles blocking the air inlet or outlet of the indoor or outdoor unit? Is a window or door open?
The room cannot be cooled sufficiently.	When a ventilation fan or a gas cooker is used in a room, the cooling load increases, resulting in an insufficient cooling effect. When the outside temperature is high, the cooling effect may not be sufficient.
The room cannot be heated sufficiently.	When the outside temperature is low, the heating effect may not be sufficient.
Air does not blow out soon in the heating operation.	Please wait as the unit is preparing to blow out warm air.
Airflow	
The air from the indoor unit smells strange.	Are the filters clean? Page 11 Is the fan or heat exchanger of the indoor unit clean? The unit may suck in an odor adhering to the wall, carpet, furniture, cloth, etc. and blow it out with the air.
Sound	
Cracking sound is heard.	This sound is generated by the expansion/contraction of the front panel, etc. due to change in temperature.
"Burbling" sound is heard.	This sound is heard when the outside air is absorbed from the drain hose by turning on the range hood or the ventilation fan, making water flowing in the drain hose to spout out. This sound is also heard when the outside air blows into the drain hose in case the outside wind is strong.
Mechanical sound is heard from the indoor unit.	This is the switching sound in turning on/off the fan or the compressor.
The sound of water flowing is heard.	This is the sound of refrigerant or condensed water flowing in the unit.
Hissing sound is sometimes heard.	This is the sound when the flow of refrigerant inside the unit is changed.
Timer	
Weekly timer does not operate according to settings.	Is the ON/OFF timer set? Page 9 Transmit the setting information of the weekly timer to the indoor unit again. When the information is successfully received, a long beep will sound from the indoor unit. If information fails to be received, 3 short beeps will be heard. Ensure information is successfully received. Page 10 When a power failure occurs and the main power turns off, the indoor unit built-in clock will be incorrect. As a result, the weekly timer may not work normally. Be sure to place the remote controller where the signal can be received by the indoor unit. Page 3
The unit starts/stops the operation by itself.	• Is the weekly timer set? Page 10

In the following cases, stop using the air conditioner and consult your dealer.

- When water leaks or drips from the indoor unit.
- When the operation indicator lamp blinks.
- When the breaker trips frequently.
- The remote control signal is not received in a room where an electronic ON/OFF type fluorescent lamp (inverter-type fluorescent lamp, etc.) is used.
- Operation of the air conditioner interferes with radio or TV reception. An amplifier may be required for the affected device.
- When an abnormal sound is heard.





HEN THE AIR CONDITIONER IS NOT GOING TO BE USED FOR A LONG TIME



Set to the highest temperature in manual COOL mode, and operate for 3 to 4 hours. Page 6

- This dries the inside of the unit.
- · Moisture in the air conditioner contributes to favorable conditions for growth of fungi, such as mold.

	$\overline{}$	I
	4_	ı
_	_	i

① ON/OFF Press ____o

to stop the operation.



Turn off the breaker and/or disconnect the power supply plug.



Remove all batteries from the remote controller.

When using the air conditioner again:



Clean the air filter. Page 11





Check that the air inlet and outlet of the indoor and outdoor units are not blocked.



Check that the earth is connected correctly.




Refer to the "PREPARATION BEFORE OPERATION", and follow the instructions. Page 3

INSTALLATION PLACE AND ELECTRICAL WORK

Installation place

Avoid installing the air conditioner in the following places.

- · Where there is much machine oil
- Salty places such as the seaside.
- Where sulfide gas is generated such as a hot spring.
- Where oil is splashed or where the area is filled with oily smoke (such as cooking areas and factories, in which the properties of plastic could be changed and damaged).
- Where there is high-frequency or wireless equipment.
- Where the air from the outdoor unit air outlet is blocked.
- Where the operation sound or air from the outdoor unit does not bother the house next door.



Electrical work

- Provide an exclusive circuit for the power supply of the air conditioner.
- · Be sure to observe the breaker capacity.

If you have any questions, consult your dealer.

PECIFICATIONS

	Set name		MSZ-FH25VE(HZ) MSZ-FH25VE		MSZ-FH35VE(HZ) MSZ-FH35VE		MSZ-FH50VE(HZ) MSZ-FH50VE	
Model Indoor								
	Outdoor		MUZ-FH25VE(HZ)		MUZ-FH35VE(HZ)		MUZ-FH50VE(HZ)	
Function			Cooling	Heating	Cooling	Heating	Cooling	Heating
Power supply			~ /N, 230 V, 50 Hz					
Capacity		kW	2.5	3.2	3.5	4.0	5.0	6.0
Input		kW	0.485	0.580	0.82	0.80	1.38	1.48
Weight	Indoor	kg	13.5					
vveigni	Outdoor kg		37				55	
Refrigerant filling capaci	Refrigerant filling capacity (R410A) kg		1.15 1.55				55	
IP code	Indoor		IP 20					
Outdoor			IP 24					
	Permissible excessive LP ps		1.64					
operating pressure	HP ps	MPa	IPa 4.15					
Noise level	Indoor (Super High/ High/Med./Low./Silent)	dB(A)	42/36/29/23/20	44/36/29/24/20	42/36/29/24/21	44/36/29/24/21	44/39/35/31/27	46/39/34/29/25
	Outdoor	dB(A)	46	49	49	50	51	54

Guaranteed operating range

		Indoor	Outdoor		
		maoor	MUZ-FH25/35/50VE	MUZ-FH25/35/50VEHZ	
Cooling Upper limit Lower limit	Upper limit	32°C DB 23°C WB	46°C DB —	46°C DB	
	21°C DB 15°C WB	-10°C DB —	-10°C DB —		
Heating	Upper limit	27°C DB —	24°C DB 18°C WB	24°C DB 18°C WB	
	Lower limit	20°C DB —	-15°C DB -16°C WB	-25°C DB -26°C WB	

DB: Dry Bulb WB: Wet Bulb

Note:

1. Rating condition

27°C DB, 19°C WB Cooling — Indoor: 35°C DB Outdoor: 20°C DB Heating — Indoor: 7°C DB, 6°C WB Outdoor:

2. Noise measurement is carried out in accordance with JIS C9612 and ISO 5151(T1).

EC DECLARATION OF CONFORMITY EG-KONFORMITÄTSERKLÄRUNG DÉCLARATION DE CONFORMITÉ CE **EG-CONFORMITEITSVERKLARING**

DECLARACIÓN DE CONFORMIDAD CE DICHIARAZIONE DI CONFORMITÀ CE ΔΗΛΩΣΗ ΠΙΣΤΟΤΗΤΑΣ ΕΚ DECLARAÇÃO DE CONFORMIDADE CE EU-OVERENSSTEMMELSESERKLÆRING EG-DEKLARATION OM ÖVERENSSTÄMMELSE EC UYGUNLUK BEYANI ДЕКЛАРАЦИЯ СООТВЕТСТВИЯ НОРМАМ ЕС

CE-ERKLÆRING OM SAMSVAR EY-VAATIMUSTENMUKAISUUSVA-KUUTUS

MITSUBISHI ELECTRIC CONSUMER PRODUCTS (THAILAND) CO., LTD AMATA NAKORN INDUSTRIAL ESTATE 700/406 MOO 7, TAMBON DON HUA ROH, AMPHUR MUANG, CHONBURI 20000, THAILAND

hereby declares under its sole responsibility that the air conditioners and heat pumps described below for use in residential, commercial and light-industrial environments: erklärt hiermit auf seine alleinige Verantwortung, dass die Klimaanlagen und Wärmepumpen für das häusliche, kommerzielle und leicht-industrielle Umfeld wie unten beschrieben: déclare par la présente et sous sa propre responsabilité que les climatiseurs et les pompes à chaleur décrits ci-dessous, destinés à un usage dans des environnements résidentiels, commerciaux et d'industrie légère

verklaart hierbij onder eigen verantwoordelijkheid dat de voor residentiële, commerciële en licht-industriële omgevevingen bestemde airconditioners en warmtepompen zoals onderstaand beschreven:

por la presente declara bajo su única responsabilidad que los acondicionadores de aire y bombas de calor descritas a continuación para su uso en entornos residenciales, comercia-

les y de industria ligera: conferma con la presente, sotto la sua esclusiva responsabilità, che i condizionatori d'aria e le pompe di calore descritti di seguito e destinati all'utilizzo in ambienti residenziali, commerciali e semi-industriali:

με το παρόν πιστοποιεί με αποκλειστική της ευθύνη ότι οι τα κλιματιστικά και οι αντλίες θέρμανσης που περιγράφονται παρακάτω για χρήση σε οικιακό, επαγγελματικό και ελαφράς βιομηχανίας περιβάλλοντα:

através da presente declara sob sua única responsabilidade que os aparelhos de ar condicionado e bombas de calor abaixo descritos para uso residencial, comercial e de indústria

erklærer hermed under eneansvar, at de herunder beskrevne airconditionanlæg og varmepumper til brug i privat boligbyggeri, erhvervsområder og inden for let industri:

intygar härmed att luftkonditioneringarna och värmepumparna som beskrivs nedan för användning i bostäder, kommersiella miljöer och lätta industriella miljöer: ev, ticaret ve hafif sanayi ortamlarında kullanım amaçlı üretilen ve aşağıda açıklanan klima ve ısıtma pompalarıyla ilgili aşağıdaki hususları yalnızca kendi sorumluluğunda beyan

настоящим заявляет и берет на себя исключительную ответственность за то, что кондиционеры и тепловые насосы, описанные ниже и предназначенные для эксплуата-

ции в жилых помещениях, торговых запах и на предприятиях легкой промышленности: erklærer et fullstendig ansvar for undernevnte klimaanlegg og varmepumper ved bruk i boliger, samt kommersielle og lettindustrielle miljøer: vakuuttaa täten yksinomaisella vastuullaan, että jäljempänä kuvatut asuinrakennuksiin, pienteollisuuskäyttöön ja kaupalliseen käyttöön tarkoitetut ilmastointilaitteet ja lämpöpumput:

MITSUBISHI ELECTRIC, MSZ-FH25VE/MUZ-FH25VE, MSZ-FH35VE/MUZ-FH35VE, MSZ-FH50VE/MUZ-FH50VE, MSZ-FH25VE/MUZ-FH25VEHZ, MSZ-FH35VE/MUZ-FH35VEHZ, MSZ-FH50VE/MUZ-FH50VEHZ

Note: Its serial number is on the nameplate of the product. Hinweis: Die Seriennummer befindet sich auf dem Kennschild des Produkts Remarque : Le numéro de série de l'appareil se trouve sur la plaque du produit. Opmerking: het serienummer staat op het naamplaatje van het product.
Nota: El número de serie se encuentra en la placa que contiene el nombre del producto.

Nota: il numero di serie si trova sulla targhetta del prodotto.

Σημείωση: Ο σειριακός του αριθμός βρίσκεται στην πινακίδα ονόματος του προϊόντος.

Directives Directivas Richtlinien Direktiver Directives Direktiv Richtlijnen Direktifler Directivas Директивы Direttive Direktiver Οδηγίες Direktiivit

2006/95/EC: Low Voltage Directive

2006/42/EC: Machinery Directive 2004/108/EC: Electromagnetic Compatibility Directive 2009/125/EC: Energy-related Products Directive

Our authorized representative in EU, who is authorized to compile the technical file, is as follows.

Unser autorisierter Vertreter in der EU, der ermächtigt ist die technischen Daten zu kompilieren, ist wie folgt. Notre représentant agréée dans L'UE, qui est autorisé à compiler le fichier technique,

est le suivant. Onze geautoriseerde vertegenwoordiger in de EU, die gemachtigd is het technische

bestand te compileren, is als volgt Nuestro representante autorizado en la UE, que está autorizado para compilar el archi-

vo técnico, es el siguiente.

Il nostro rivenditore autorizzato nell'UE, responsabile della stesura della scheda tecni-

ca, è il sequente.

Ο εξουσιοδοτημένος αντιπρόσωπός μας στην ΕΕ, ο οποίος είναι εξουσιοδοτημένος να συντάξει τον τεχνικό φάκελο, είναι ο εξής.

MITSUBISHI ELECTRIC EUROPE, B.V. HARMAN HOUSE, 1 GEORGE STREET, UXBRIDGE, MIDDLESEX UB8 1QQ, U.K. Yoii SAITO

Nota: o número de série encontra-se na placa que contém o nome do produto. Bemærk: Serienummeret står på produktets fabriksskilt. Obs: Serienumret finns på produktens namnplåt. Not: Seri numarası ürünün isim plakasında yer alır. Примечание: серийный номер указан на паспортное табличке изделия.

Merk: Serienummeret befinner seg på navneplaten til produktet. Huomautus: Sarjanumero on merkitty laitteen arvokilpeen.

O nosso representante autorizado na UE, que está autorizado para compilar o ficheiro técnico, é o seguinte:

Vores autoriserede repræsentant i EU, som er autoriseret til udarbejdelse af den tekni-

ske fil, er følgende. Vår EG-representant som är auktoriserad att sammanställa den tekniska filen är föliande.

Avrupa Birliği'nde bulunan ve teknik dosyayı düzenleme yetkisine sahip yetkili temsilcimiz aşağıda belirtilmiştir: Наш авторизованный представитель в ЕС, уполномоченный на составление тех-

нического файла, указан ниже.
Vår autoriserte EU-representant, som har autorisasjon til å utarbeide denne tekniske

filen, er som følger Valtuutettu EU-edustaja, joka on valtuutettu laatimaan teknisen eritelmän, on mainittu

Tomoyuki MIWA Issued: 3 December, 2012

THAILAND Manager, Quality Assurance Department







