



INSTA CONTACTOR WITH 2 MAKE CONTACTS  
CONTACT FOR 230, 400 V AC, 20 A TRIGGERING  
230 V AC

Model		
product brand name		SENTRON
Product designation		Insta contactors
Type of voltage / of the operating voltage		AC
Type of voltage / for actuation		AC
Protection class		
Protection class IP		IP20
Switching capacity		
Switching capacity active power / with filament lamp load	W	1 000
Dissipation		
Active power loss		
<ul style="list-style-type: none"> <li>for rated value of the current / with AC / in hot operating state / per pole</li> </ul>	W	1.7
Main circuit		
Operating voltage / Rated value		
<ul style="list-style-type: none"> <li>minimum</li> </ul>	V	250
<ul style="list-style-type: none"> <li>maximum</li> </ul>	V	250
Operating current / Rated value	A	20
Control current		
Control supply voltage		
<ul style="list-style-type: none"> <li>Rated value</li> </ul>	V	230
<ul style="list-style-type: none"> <li>Rated value / maximum</li> </ul>	V	230

### Product details

Product component / Slide for manual operation		No
Product expansion / can be installed / supplementary devices		Yes

### Number

Number of NC contacts		0
Number of NO contacts		2

### Mechanical Design

Height	mm	90
Width	mm	18
Depth	mm	71
Installation depth	mm	64
Number of width units		1
Net weight	g	143

### Certificates

Equipment marking / acc. to DIN EN 61346-2		Q
--	--	---


<b>General Product Approval</b>	<b>Declaration of Conformity</b>	<b>other</b>
---------------------------------	----------------------------------	--------------



[other](#)



[Environmental Confirmations](#)



last modified: