




LED LINEAR LOW BAY

Our series of LED Low Bay fixtures allow parallel lighting on supermarket aisles, workshops, warehouses, and factories which is proven to be approximately 50% more efficient than a perpendicular lighting layout and also decreases eye strain. This range offers strong and ample light with promising 120 lm/w options and impressive energy-saving features compared to its traditional counterparts. Available in 100w to 200w.

- **AC:220-240v,50HZ**
- **On/off: >20,000 times**
- **IP54 rating**
- **Lifespan - 30,000 hrs**
- **Aluminium body**
- **Heat and Shock Resistant.**
- **Low-maintenance**
- **Upgraded with premium-quality Samsung LEDs**
- **Ideal for workshops, supermarkets, warehouses, etc.**
- **High-lumen (120 lm/w) options available**

MODEL	WATTS	LUMENS	BEAM ANGLE	PF	CRI	LED	BODY	BOX QTY.
VT-9-112	100w	12000	120°	>0.9	>80	SMD	Aluminum	6 pcs

SKU: 891 | 4000K DAY WHITE
SKU: 892 | 6000K WHITE




120

Lumen/W

MODEL	WATTS	LUMENS	BEAM ANGLE	PF	CRI	LED	BODY	BOX QTY.
VT-9-152	150w	18000	120°	>0.9	>80	SMD	Aluminum	6 pcs

SKU: 893 | 4000K DAY WHITE
SKU: 894 | 6000K WHITE




120

Lumen/W

MODEL	WATTS	LUMENS	BEAM ANGLE	PF	CRI	LED	BODY	BOX QTY.
VT-9-202	200w	24000	120°	>0.9	>80	SMD	Aluminum	6 pcs

SKU: 895 | 4000K DAY WHITE
SKU: 896 | 6000K WHITE



120

Lumen/W




LED CANOPY LIGHTING


A specialized addition to V-TAC's current roster of innovative LED lighting solutions, the LED canopy light with Samsung LED is precisely designed for petrol stations. It has a slim design that is suitable for recessed or surface-mounted installation. This canopy is aluminum-made, having a tough exterior made to withstand extreme temperature or UV conditions.

- Specially designed for gas stations
- Suitable for recessed or surface mounted installation
- Super slim design and nice looking, easier to install
- Instant start, no noise, no flickering.
- Heat and Shock Resistant.
- Reduce maintenance costs up to 90%, almost free of maintenance.
- Suit for both indoor and outdoor use.

MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-155	150w	18000	110°	2 pcs

SKU: 572 | 4000K DAY WHITE
SKU: 573 | 6400K WHITE





LED PANELS

The PRO Series LED panels range are all made with top-quality PMMA diffusers which provides a uniformly distributed light and prevents the panels from turning yellow.

It proves its durability with exteriors composed of an innovative combination of Aluminum+PMMA+PP, and its energy-saving upgrade through the improved driver box and Samsung LED chip. Both frameless and big panels are inclusive of a quick connector for easy installation.

APPLICATION

Widely used in offices, schools, hospitals, and commercial establishments






KEY FEATURES

- Inclusive of a quick connector
- Flicker-free; stable drivers eliminate flashes
- Better light quality: less false colour plots
- 80% lower power consumption than conventional downlights
- Standard dimensions for big panels available
- Choose from square and round frameless mini panels

QUICK CONNECTOR





LED BIG PANELS

Square Panels-60x60

Our 36w and 45w LED panels are made with high quality PMMA diffusers which prevents it from turning yellow over time and makes it emit strong and evenly distributed light. Also available is the TP(a)-rated panel to meet fire safety standards. All our LED panels have quick connectors that will save installation time and costs.

- Quick Connector
 - SMD LED Type
 - 30,000 hrs Lifespan
 - 110° Beam Angle
- AC:220-240V,50Hz
 - CRI: >80
 - Aluminum+ PMMA+PP
 - Flicker Free
- 5

YEAR


WARRANTY*

NEW

SKU: 20047 | 4000K DAY WHITE

SKU: 20048 | 6400K WHITE


MODEL	WATTS	LUMENS	BOX QTY.
VT-629	29w	3480	6 pcs



SKU: 750 | 4000K DAY WHITE

SKU: 751 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-636	36w	3600	6 pcs




TP(A) POLYCARBONATE MICROPRISMATIC DIFFUSER

SKU: 632 | 3000K WARM WHITE

SKU: 633 | 4000K DAY WHITE

SKU: 634 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-645	45w	3600	6 pcs



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



LED BACKLIT PANEL

Evolution Panels Series

This 25w LED panel delivers 4000 lumens through its impressive 160 lm/w rating. With the flexibility to be installed recessed or surface-mounted, it is sure to be one of the best preferred panels in the market.

- SMD LED Type
 - 20,000 hrs Lifespan
 - 120° Beam Angle
- AC:200-240V,50/60Hz
 - CRI: >80
 - FE+PS

SKU: 6600 | 3000K WARM WHITE

SKU: 6601 | 4000K DAY WHITE

SKU: 6602 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-6125	25W	4000	1 pcs

evolution

21



IN

RECESSED OR SURFACE

SuperBRIGHT

160

LUMENS/W



LED BIG PANELS

Rectangle Panels-120x60

- SMD LED Type
 - 20,000 hrs Lifespan
 - 120° Beam Angle
- AC:220-240V,50Hz
 - CRI: >80
 - Aluminum+ PMMA+PP
 - Flicker Free

SKU: 748 | 4000K DAY WHITE

SKU: 749 | 6400K WHITE


MODEL	WATTS	LUMENS	BOX QTY.
VT-646	45w	5400	2 pcs

QUICK CONNECTOR

5

YEAR

WARRANTY*



LED MINI PANELS

Round Adjustable Panel

V-TAC’s new innovative adjustable mini panels are equipped with adjustable clips for a flexible cutting size of up to 200 mm. Built with the most stable drivers in the market, have low maintenance panels without the flashes and the flickers. These slim & modern panels lights up all the way to the edges, giving a contemporary lighting effect that is ideal for residential, office, or commercial indoor lighting.

- Adjustable(Cut out) Panel
 - SMD LED Type
 - 20,000 hrs Lifespan
 - 120° Beam Angle
- AC:85-265V,50/60Hz
 - CRI: >80
 - Aluminium Body
 - On/Off Cycle: >15000

5

YEAR


WARRANTY*

SKU: 727 | 3000K WARM WHITE

SKU: 728 | 4000K DAY WHITE

SKU: 729 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-610RD	12w	750	20 pcs




Cutting Size: 75-100mm

SKU: 733 | 3000K WARM WHITE

SKU: 734 | 4000K DAY WHITE

SKU: 735 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-619RD	18w	1350	20 pcs




Cutting Size: 75-100mm

SKU: 739 | 3000K WARM WHITE

SKU: 740 | 4000K DAY WHITE

SKU: 741 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-625RD	24w	1800	20 pcs



Cutting Size: 75-200mm

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



LED MINI PANELS

Square Adjustable Panel

V-TAC’s new innovative adjustable mini panels are equipped with adjustable clips for a flexible cutting size of up to 200 mm. Built with the most stable drivers in the market, have low maintenance panels without the flashes and the flickers. These slim & modern panels lights up all the way to the edges, giving a contemporary lighting effect that is ideal for residential, office, or commercial indoor lighting.

- Adjustable(Cut out) Panel
 - SMD LED Type
 - 20,000 hrs Lifespan
 - 120° Beam Angle
- AC:85-265V,50/60Hz
 - CRI: >80
 - Aluminium Body
 - On/Off Cycle: >15000

5

YEAR


WARRANTY*

SKU: 730 | 3000K WARM WHITE

SKU: 731 | 4000K DAY WHITE

SKU: 732 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-610SQ	12w	750	20 pcs




Cutting Size: 75-100mm

SKU: 736 | 3000K WARM WHITE

SKU: 737 | 4000K DAY WHITE

SKU: 738 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-619SQ	18w	1350	20 pcs




Cutting Size: 75-100mm

SKU: 742 | 3000K WARM WHITE

SKU: 743 | 4000K DAY WHITE


SKU: 744 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-625SQ	24w	1800	20 pcs




Cutting Size: 75-200mm

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



EXPANDABLE CLIPS TO ADJUST



LED MINI PANELS

Round Premium Series Panel

V-TAC's efficient & trendy Premium Series Mini Panels are now upgraded with premium-quality Samsung LED chips for an even better lighting output and performance. Built with the most stable drivers in the market, have low maintenance panels without the flashes and the flickers. These square, slim & modern panels are ideal for residential, office, or commercial indoor lighting.

- SMD LED Type
 - 30,000 hrs Lifespan
 - 120° Beam Angle
- AC:85-265V,50/60Hz
 - CRI: >80
 - Aluminium Body

5

YEAR


WARRANTY*

SKU: 706 | 3000K WARM WHITE

SKU: 707 | 4000K DAY WHITE

SKU: 708 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-606RD	6w	420	40 pcs




Cutting Size: $\varnothing$ 110mm

SKU: 712 | 3000K WARM WHITE

SKU: 713 | 4000K DAY WHITE

SKU: 714 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-612RD	12w	1000	20 pcs




Cutting Size: $\varnothing$ 160mm

SKU: 718 | 3000K WARM WHITE

SKU: 719 | 4000K DAY WHITE

SKU: 720 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-618RD	18w	1500	20 pcs




Cutting Size: $\varnothing$ 210mm

SKU: 724 | 3000K WARM WHITE

SKU: 725 | 4000K DAY WHITE

SKU: 726 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-624RD	24w	2000	10 pcs



Cutting Size: $\varnothing$ 280mm

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



LED MINI PANELS

Square Premium Series Panel

V-TAC's efficient & trendy Premium Series Mini Panels are now upgraded with premium-quality Samsung LED chips for an even better lighting output and performance. Built with the most stable drivers in the market, have low maintenance panels without the flashes and the flickers. These square, slim & modern panels are ideal for residential, office, or commercial indoor lighting.

- SMD LED Type
 - 30,000 hrs Lifespan
 - 120° Beam Angle
- AC:85-265V,50/60Hz
 - CRI: >80
 - Aluminium Body

5

YEAR


WARRANTY*

SKU: 703 | 3000K WARM WHITE

SKU: 704 | 4000K DAY WHITE

SKU: 705 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-606SQ	6w	420	40 pcs




Cutting Size: 110x110mm

SKU: 709 | 3000K WARM WHITE

SKU: 710 | 4000K DAY WHITE

SKU: 711 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-612SQ	12w	1000	20 pcs




Cutting Size: 160x160mm

SKU: 715 | 3000K WARM WHITE

SKU: 716 | 4000K DAY WHITE

SKU: 717 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-618SQ	18w	1500	20 pcs




Cutting Size: 210x210mm

SKU: 721 | 3000K WARM WHITE

SKU: 722 | 4000K DAY WHITE


SKU: 723 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-624SQ	24w	2000	10 pcs



Cutting Size: 280x280mm

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



LED MINI PANELS

Round Edge Series

V-TAC's Round Edge Panel has an elegant, classic design that lights up all the way to the edges — giving a contemporary lighting effect that is ideal for residential, office, or commercial indoor areas. The quick connector feature lessens set-up time brought by complicated wirings. Built with the most stable drivers in the market, have low maintenance panels without the flashes and the flickers.

- Quick Connector
 - SMD LED Type
 - 30,000 hrs Lifespan
 - 120° Beam Angle
- AC:220-240V,50Hz
 - CRI: >80
 - ABS+Plastic Body

5


YEAR

WARRANTY*

SKU: 626 | 3000K WARM WHITE

SKU: 628 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-608RD	8w	800	100 pcs




Cutting Size: ø 72 mm

SKU: 621 | 4000K DAY WHITE

SKU: 622 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-615RD	15w	1500	40 pcs




Cutting Size: ø 95 mm

SKU: 614 | 3000K WARM WHITE

SKU: 615 | 4000K DAY WHITE

SKU: 616 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-620RD	20w	2000	40 pcs



Cutting Size: ø 140 mm

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED TUBES & FIXTURES WITH LED

V-TAC's extensive range of efficient tubes & fixtures boasts of premium quality LED provided by Samsung, a staggering lifespan of up to 30,000 hours, unbreakable body built with the most durable materials in the market, and a wide range of lengths and sizes for different applications.

More innovative additions in this range include

- 1) TP(a) rated fixtures compatible with emergency packs & microwave sensors
- 2) Batten Fittings with CCT-changing Switch
- 3) Linkable T5 Batten Fittings, and more.


APPLICATION

Used for general purpose lighting in residences, commercial establishments, supermarkets, and offices



KEY FEATURES

- LED provided by Samsung
- Lasts up to 30,000 hrs
- Built with strong, durable materials
- TP(a) Rated fittings for select models
- Programmable DIP Switch Driver for select models
- Emergency Pack & Sensor Compatibility
- Linkable/Continuous T5 fittings
- CCT Changing Switch for select models





*Super***BRIGHT**
160
LUMENS/W

T8-NANO PLASTIC TUBES

Evolution Tubes Series

5 YEAR
WARRANTY*



Together with its impressive a++ energy rating, our led tubes offer a staggering 160 lumen per watt output and five years warranty — making it one of the most superior in the competitive led market.

- Nano Plastic
- 30,000 Life Hours
- CRI - >80
- Flicker Free

- PF - 0.9
- On/Off Cycle - >15000 time
- Input Voltage - AC:220-240V,50Hz
- Beam angle: 160 °



MODEL	WATTS	EQ.WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-1607	7w		1120lm	0.115	25 pcs

SKU: 6474 | 3000K WARM WHITE
SKU: 6475 | 4000K DAY WHITE
SKU: 6476 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-1612	12w		1920lm	0.193	25 pcs

SKU: 6477 | 3000K WARM WHITE
SKU: 6478 | 4000K DAY WHITE
SKU: 6479 | 6400K WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-1615	15w		2400lm	0.261	25 pcs

SKU: 6480 | 3000K WARM WHITE
SKU: 6481 | 4000K DAY WHITE
SKU: 6482 | 6400K WHITE





LED TUBES

G13-T8 -Nano Plastic Tube

This modern range of high-lumen LED tubes with Samsung LED chip are the perfect retrofit for fluorescent fixtures. Complete with a series of pop kits (batten fittings inclusive of tubes), these sets of tubes are available in standard lengths for general purpose lighting in residences, commercial establishments, supermarkets, and offices.

- SMD LED Type
 - 30,000 hrs Lifespan
 - 160° Beam Angle
 - 15000 On/Off
- AC:220-240V,50Hz
 - >80 CRI
 - >0.5 PF
 - Nano Plastic Body
 - <0.5 s Instant Start



5

YEAR

WARRANTY*



MODEL	WATTS	EQ.WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-062	10w	18w	1100	0.1264	25 pcs

- SKU: 798 | 3000K WARM WHITE
- SKU: 686 | 4000K DAY WHITE
- SKU: 687 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-122	18w	45w	2250	0.1904	25 pcs

- SKU: 688 | 3000K WARM WHITE
- SKU: 672 | 4000K DAY WHITE
- SKU: 673 | 6400K WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-152	22w	75w	3000	0.2572	25 pcs



- SKU: 799 | 3000K WARM WHITE
- SKU: 674 | 4000K DAY WHITE
- SKU: 675 | 6400K WHITE



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



MODEL	WATTS	EQ.WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-061	10w	18w	850	0.1264	25 pcs

SKU: 650 | 3000K WARM WHITE
SKU: 651 | 4000K DAY WHITE
SKU: 652 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-121	18w	36w	1700	0.1904	25 pcs

SKU: 653 | 3000K WARM WHITE
SKU: 654 | 4000K DAY WHITE
SKU: 655 | 6400K WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-151	22w	58w	2000	0.2572	25 pcs

SKU: 656 | 3000K WARM WHITE
SKU: 657 | 4000K DAY WHITE
SKU: 658 | 6400K WHITE



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED BATTEN FITTINGS

Single and Double Batten Fitting

This modern range of batten fittings offer durability and can house one to two LED tubes. These luminaires are available in standard lengths for general purpose lighting in residences, commercial establishments, supermarkets, and offices.

- SMD LED Type
 - 30,000 hrs Lifespan
 - 160° Beam Angle
- AC:220-240V,50Hz
 - CRI: >80
 - Nano Plastic Body

5

YEAR

WARRANTY*

Quick Connector



MODEL	WATTS	LUMENS	ON/OFF	PF	BOX QTY.
VT-12026	18w	1700	15000	>0.5	10 pcs

SKU: 6442 | 4000K DAY WHITE
SKU: 6443 | 6400K WHITE

4

FEET

TUBE

INCLUDED

MODEL	WATTS	LUMENS	ON/OFF	PF	BOX QTY.
VT-15023	22w	2000	15000	>0.5	10 pcs

SKU: 6438 | 4000K DAY WHITE
SKU: 6439 | 6400K WHITE

5

FEET

TUBE

INCLUDED

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty




MODEL	WATTS	LUMENS	ON/OFF	PF	BOX QTY.
VT-12027	36w	3400	15000	>0.5	10 pcs

SKU: 6444 | 4000K DAY WHITE
SKU: 6445 | 6400K WHITE



MODEL	WATTS	LUMENS	ON/OFF	PF	BOX QTY.
VT-15024	44w	4000	15000	>0.5	10 pcs

SKU: 6440 | 4000K DAY WHITE
SKU: 6441 | 6400K WHITE



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



*Super***BRIGHT**
160
LUMENS/W

GRILL FITTING

Evolution Series


5 YEAR
WARRANTY*

Only from v-tac — the first and only led grill fittings with 160 lumens per watt rating from the super bright series offer superior efficiency and great energy savings. Comes with a fast connector for easy wiring and installation.

- Plastic Body
- 30,000 Life Hours
- CRI - >80
- Flicker Free
- PF - 0.9
- On/Off Cycle - >15000 time
- Input Voltage - AC:220-240V,50Hz
- Beam angle: 160 °

MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8315	15w	2400lm	0.192	30 pcs

SKU: 6487 - 3000K WARM WHITE
SKU: 6488 - 4000K DAY WHITE
SKU: 6489 - 6400K WHITE




*Super***BRIGHT**
160
LUMENS/W



MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8330	30w	4800lm	0.35	30 pcs

SKU: 6490 - 3000K WARM WHITE
SKU: 6491 - 4000K DAY WHITE
SKU: 6492 - 6400K WHITE




*Super***BRIGHT**
160
LUMENS/W



MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8338	38w	6080lm	0.57	30 pcs

SKU: 6493 - 3000K WARM WHITE
SKU: 6494 - 4000K DAY WHITE
SKU: 6495 - 6400K WHITE



*Super***BRIGHT**
160
LUMENS/W





FIXTURES WITH LED

LED Prismatic Fittings



The reliable 10w to 60w range of efficient LED prismatic fittings from V-TAC all have a high-lumen rating of 120 lm/w and are equipped with quick connectors to lessen set-up time during installation. Available in 3000K, 4000K, and 6400K color temperatures, these durable fittings are ideal for any indoor lighting use

- **SMD LED Type**
 - **30,000 hrs Lifespan**
 - **110° Beam Angle**
 - **15000 On/Off**
- **AC:220-240V,50Hz**
 - **CRI: >80**
 - **>0.9 PF**
 - **Plastic Body**
 - **<0.5 s Instant Start**

5

YEAR


WARRANTY*

MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-10	10w	1200	0.26	10 pcs

SKU: 659 | 3000K WARM WHITE

SKU: 660 | 4000K DAY WHITE


SKU: 661 | 6400K WHITE



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty


MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-20	20w	2400	0.42	10 pcs

SKU: 662 | 3000K WARM WHITE
SKU: 663 | 4000K DAY WHITE
SKU: 664 | 6400K WHITE




MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-40	40w	4800	0.84	10 pcs

SKU: 665 | 3000K WARM WHITE
SKU: 666 | 4000K DAY WHITE
SKU: 667 | 6400K WHITE




MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-50	50w	6000	1.00	10 pcs

SKU: 668 | 4000K DAY WHITE
SKU: 669 | 6400K WHITE



MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-9-60	60w	7200	1.20	10 pcs

SKU: 670 | 4000K DAY WHITE
SKU: 671 | 6400K WHITE





FIXTURES WITH LED

LED Batten Fitting



V-TAC’s all new range of LED Batten Fittings designed with LED chip by Samsung deliver high performance light output of 120 lumens/watt. These fittings are built strong using the materials Iron + Polycarbonate and are also TP(a) rated to meet the fire safety standards. Optional microwave sensor specially designed for LED Batten Fittings is also available.

- **TP(A) Rated**
 - **30,000 Life Hours**
 - **CRI - >80**
- **PF - 0.9**
 - **On/Off Cycle - >15000 time**
 - **Input Voltage - AC:220-240V,50Hz**
 - **Programmable DIP Switch Driver(Applicable for 60W and 80W only)**
- 5

YEAR

WARRANTY*

TP(a)


Polycarbonate

Compatible Emergency Pack

Sensor Compatible

MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-42	40w	4800	1.40	10 pcs

SKU: 755 | 4000K DAY WHITE




*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty




MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-62	60w	6900	1.72	10 pcs

SKU: 756 | 4000K DAY WHITE



MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-80	80w	8600	2.07	10 pcs

SKU: 757 | 4000K DAY WHITE



Emergency Pack (Optional)

m-pack SKU: 758 Compatible with Batten

Charging time::

≥24 HOURS

Charge current:

200 MA

Working time :

3 HOURS



Microwave Sensor (Optional)

VT-8-6 SKU: 759 Compatible with Batten

Detection area:

4M (@3M MOUNTING HEIGHT)

Detection angle:

150°(WALL) 360°(CEILING)

Hold time:

5S / 30S / 90S / 3MIN / 30MIN





LINKABLE
UP TO 100 WATTS TOGETHER

FIXTURES WITH LED

T5 Batten Fitting

5 YEAR
WARRANTY*

The new T5 Batten Fittings retain the premium qualities of V-TAC's fixtures with LED. Each fitting is fully compatible & linkable; multiple batten fittings can be connected with each other, making it an efficient alternative lighting fixture for both small and big indoor spaces.

- 30,000 Life Hours
- On/Off switch
- On/Off Cycle - >15000 time
- Body:PC
- Input Voltage - AC:220-240V
- CRI - >80
- Instant start -0-100% in <1 sec
- Beam angle:120 °


MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-035	4w	360	0.065	25 pcs

SKU: 689 | 3000K WARM WHITE
SKU: 690 | 4000K DAY WHITE
SKU: 691 | 6400K WHITE




MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-065	7w	630	0.112	25 pcs

SKU: 692 | 3000K WARM WHITE
SKU: 693 | 4000K DAY WHITE
SKU: 694 | 6400K WHITE



MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-125	16w	1440	0.16	25 pcs

SKU: 695 | 3000K WARM WHITE
SKU: 696 | 4000K DAY WHITE
SKU: 697 | 6400K WHITE





EASY ACCESS FOR
COLOR CHANGING
WITH BUTTON



CCT Changeable



FLICKER FREE

FIXTURES WITH LED

LED Batten Fitting


5 YEAR
WARRANTY*

The new Batten Fittings series from V-TAC boasts of its colour tuning feature with an easy-to-access, built-in switch — enabling users to gradually customise the light from a warm 3000-kelvin white light up to the standard 6400-kelvin white. Choose and switch to your preferred colour temperature anytime.

- **PC+Aluminium+Steel**
- **30,000 Life Hours**
- **CRI - >80**
- **Flicker Free**
- **PF - 0.9**
- **On/Off Cycle - >20000 time**
- **Input Voltage - AC:220-240V,50Hz**
- **Beam angle: 120 °**


MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-43	40w	4000	1.68	10 pcs

SKU: 517 | 3IN1



MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-53	50w	5000	2.06	10 pcs

SKU: 518 | 3IN1



MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-63	60w	6000	2.42	10 pcs

SKU: 519 | 3IN1





FIXTURES WITH LED

LED Batten Fitting



V-TAC’s all new range of LED Batten fittings designed with LED chip by Samsung deliver high performance light output of 120 lumens/watt. These fittings are built strong using the materials Iron + Polycarbonate and are also TP(a) rated to meet the fire safety standards. Optional emergency pack and microwave sensor specially designed for LED Batten are also available.

- **TP(A) Rated**
 - **30,000 Life Hours**
 - **CRI - >80**
- **PF - 0.9**
 - **On/Off Cycle - >15000 time**
 - **Input Voltage - AC:220-240V,50Hz**
 - **Programmable DIP Switch Driver(Applicable for 60W only)**
- 5

YEAR

WARRANTY*


TP(a)

Polycarbonate

Sensor Compatible

MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-41	40w	4800	2.90	4 pcs


SKU: 753 | 4000K DAY WHITE



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-61	60w	7200	3.65	4 pcs

SKU: 754 | 4000K DAY WHITE



Microwave Sensor (Optional)

VT-8-6 SKU: 759 Compatible with Batten

Detection area:

4M (@3M MOUNTING HEIGHT)

Detection angle:

150°(WALL) 360°(CEILING)

Hold time:

5S / 30S / 90S / 3MIN / 30MIN





evolution

*Super***BRIGHT**
160
LUMENS/W

Waterproof Fittings

MODEL	WATTS	LUMENS	ON/OFF	BODY TYPE	PF	WEIGHT-KG	BOX QTY.
VT-1524	24w	3840	15000	PC+ABS	>0.9	0.60 kg	12 pcs

SKU: 6485 - 4500K DAY WHITE
SKU: 6486 - 6400K WHITE

5 YEAR
WARRANTY

4
FEET

IP65
RATING




MODEL	WATTS	LUMENS	ON/OFF	BODY TYPE	PF	WEIGHT-KG	BOX QTY.
VT-1532	32w	5120	15000	PC+ABS	>0.9	1.1 kg	12 pcs

SKU: 6483 - 4500K DAY WHITE
SKU: 6484 - 6400K WHITE

5 YEAR
WARRANTY

5
FEET

IP65
RATING



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



Waterproof Fittings


MODEL	WATTS	LUMENS	ON/OFF	BODY TYPE	PF	WEIGHT-KG	BOX QTY.
VT-180	60w	5400	15000	Plastic + ABS	>0.9	1.30	9 pcs

SKU: 680 | 4000K DAY WHITE
SKU: 681 | 6400K WHITE

5 YEAR
WARRANTY

6
FEET

IP65
RATING



Waterproof Fittings

MODEL	WATTS	LUMENS	ON/OFF	BODY TYPE	PF	WEIGHT-KG	BOX QTY.
VT-160	60w	7200	15000	Plastic+Aluminium	>0.9	2.10	9 pcs


SKU: 678 | 4000K DAY WHITE
SKU: 679 | 6400K WHITE

5 YEAR
WARRANTY

4
FEET

IP65
RATING

120
Lumen/W



MODEL	WATTS	LUMENS	ON/OFF	BODY TYPE	PF	WEIGHT-KG	BOX QTY.
VT-170	70w	8400	15000	Plastic+Aluminium	>0.9	2.67	9 pcs


SKU: 676 | 4000K DAY WHITE
SKU: 677 | 6400K WHITE

5 YEAR
WARRANTY

5
FEET

IP65
RATING

120
Lumen/W



LED LINEAR LIGHTS

V-TAC LED Linear Lights are an energy efficient, low maintenance alternative to traditional linear fluorescent in a variety of industrial, commercial, and light assembly applications. It is the optimal solution for conventional lighting systems and excellent for new installations due to its low installation cost.

KEY FEATURES

- Saves 80% energy
- No Ultraviolet or Infrared Rays
- Totally flexible, Compact & Adjustable design
- No Lead or Mercury content hence environment friendly
- Provides Uniform Radiance & Enhances appeal of any environment
- Continuous row modular system

APPLICATION

Ideal for lighting applications in residential, commercial, and hospitality locations.



COMPLETE RANGE OF LINEAR LIGHTS


Up & Down Linear Lights (Non-Linkable)

One (1) metre stand-alone suspended up & down lighting with cutting-edge reflectors for a soft yet sufficient lighting effect; available in Silver & White




Up & Down Linear Hanging Lights

Continuous suspended upward & downward lighting with a broad 160mm width for a wider scope; modern tech reflectors to distribute just the right amount of light; available in Silver & White



Up & Down Linear Hanging Lights (Slim)

Continuous suspended up & down lighting with a 75mm body; available in Black, Silver, and White



Linear Hanging Lights (Non-Dimmable)

Continuous suspended downward lighting with a narrow 35mm body for a leaner scope; competitively priced for professional task lighting in commercial areas; available in Black, Silver, & White



Linear Hanging Lights (Dimmable)

Dimmable suspended downward lighting with a 50mm body for narrower aisles; continuous up to 12m; available in Silver & White



LED Recessed Linear (Linkable)


Recessed version of our continuous downward linear lighting with a 70mm body; available in Silver & White




LED Recessed Linear (Linkable)

A broader version of our recessed linear lighting at 90mm width; continuous up to 12 metres; available in White





EASY TOGGLE SWITCH



3000K 4000K 6400K

EASY ACCESS FOR
COLOR CHANGING
WITH BUTTON



COLOR
CHANGING

LINEAR 3INI LIGHTS

Discover V-TAC's reliable 40w suspended linear lights with a staggering lifespan of 30,000 hours. Designed with toggle switch, 3INI color changing light. Perfect replacement for traditional and inefficient linear lighting fixtures with the efficient LED provided by Samsung.

- 30,000 hrs Lifespan
- AC:200-240V,50/60Hz
- Toggle switch - 3INI CCT
- Aluminum Body
- 1.5 Meter Wire Length

5 YEAR
WARRANTY*

BLACK VT-7-44

SKU:20060 | 3INI




WATTS	LUMENS	SIZE	BOX QTY.
40w	3200	1200x35x67mm	12 pcs







1-10V
DIMMABLE



LINEAR HANGING LIGHTS-NON LINKABLE

This modern range of suspended linear lights has up & down illumination for a more evenly distributed light that creates a subtle ambient yet sufficient lighting for any commercial lighting. Linear up & down lights are offered in two colors variants Silver and White.

SILVER **VT-7-61-S**


SKU:607 | 4000K DAY WHITE

WHITE **VT-7-61-W**

SKU:606 | 4000K DAY WHITE

- **30,000 hrs Lifespan**
- **AC: 100-240V, 50Hz**
- **Aluminum Body**
- **UGR<6**
- **1-10V Dimmable**
- **1.5 Meter Wire Length**

5 **YEAR**
WARRANTY*



WATTS

UP 30w

DOWN 30w

LUMENS

UP-3300

DOWN-3300


SIZE

1179x64x35mm


BOX QTY.

8 pcs





1-10V
DIMMABLE



LINEAR HANGING LIGHTS

This modern range of suspended linear lights has up & down illumination for a more evenly distributed light that creates a subtle ambient yet sufficient lighting for any commercial lighting. Linear up & down lights are offered in two colors variants Silver and White.

- **30,000 hrs Lifespan**
- **AC:100-240V,50/60Hz**
- **Aluminum Body**
- **UGR<6**
- **Linkable with connectors**
- **I-10V Dimmable**

SILVER **VT-7-62-S**

SKU:609 | 4000K DAY WHITE

WHITE **VT-7-62-W**


SKU:608 | 4000K DAY WHITE

WATTS	LUMENS
UP 30w	UP-3300
DOWN 30w	DOWN-3300

SIZE
1190x160x30mm


BOX QTY.
4 pcs

5 **YEAR**
WARRANTY*





LED LINEAR LIGHTS



LINEAR HANGING LIGHTS

Discover V-TAC's reliable 40w suspended linear lights with a staggering lifespan of 30,000 hours. Designed with excellent heat dissipation. Perfect replacement for traditional and inefficient linear lighting fixtures with the efficient LED provided by Samsung. Linear lights are offered in three colors variants Black, Silver and White.

- 30,000 hrs Lifespan
- AC:200-240V,50/60Hz
- 1.5 Meter Wire Length
- Aluminum Body


5 YEAR
WARRANTY*

BLACK		VT-7-40-B	SILVER		VT-7-40-S	WHITE		VT-7-40-W
SKU:882		3000K WARM WHITE	SKU:375		4000K DAY WHITE	SKU:376		4000K DAY WHITE
SKU:374		4000K DAY WHITE	SKU:601		6000K WHITE	SKU:602		6000K WHITE
SKU:600		6000K WHITE						


WATTS	LUMENS	SIZE
40w	3200	1200x35x67mm



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



LINKABLE
Up to 12 Meters Together



0-10V
DIMMABLE

LINEAR HANGING UP-DOWN LIGHTS

This modern range of suspended linear lights has up & down illumination for a more evenly distributed light that creates a subtle ambient yet sufficient lighting for any commercial lighting. Linear up & down lights are offered in three colors variants Black, Silver and White.

- **30,000 hrs Lifespan**
- **AC:200-240V,50/60Hz**
- **Aluminum Body**
- **Linkable with connectors**
- **0-10V Dimmable**
- **1.5 Meter Wire Length**

BLACK **VT-7-60-B**
SKU:379 | 4000K DAY WHITE


SILVER **VT-7-60-S**
SKU:378 | 4000K DAY WHITE

WHITE **VT-7-60-W**
SKU:377 | 4000K DAY WHITE

WATTS	LUMENS
UP 20w	UP-2000
DOWN 40w	DOWN-4000

SIZE
1200x75x105mm


5 **YEAR**
WARRANTY*



120

LED LINEAR LIGHTS

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty





LINKABLE
Up to 12 Meters Together



0-10V
DIMMABLE

LINEAR HANGING LIGHTS


Discover V-TAC's reliable 40w suspended linear lights with a staggering lifespan of 30,000 hours. Designed with excellent heat dissipation. Perfect replacement for traditional and inefficient linear lighting fixtures with the efficient LED provided by Samsung. Linear lights are offered in three colors variants Black, Silver and White.

- **30,000 hrs Lifespan**
- **UGR<19**
- **Linkable with connectors**
- **Aluminum Body**
- **0-10V Dimmable**
- **1.5 Meter Wire Length**



5 YEAR
WARRANTY*

SILVER **VT-7-43-S**
SKU:384 | 4000K DAY WHITE

WHITE **VT-7-43-W**
SKU:383 | 4000K DAY WHITE



WATTS	LUMENS	SIZE
40w	3400	1200x50x75mm



C180(Max):
C0/C180:
C90/C270:
Field angle(10%Imax):C0/180Left:81.0 Right:78.8
:C90/270Left:80.7 Right:80.0
Beam Angle(50%Imax):C0/180Left:57.8 Right:55.7
:C90/270Left:57.6 Right:56.8





LINKABLE
UP TO 12 METERS TOGETHER

LED RECESSED LINEAR

Our new range of linear lights are also available for recessed installation, complete with necessary accessories for a seamless & continuous lighting system. Perfect replacement for traditional and inefficient linear lighting fixtures with the efficient LED provided by Samsung. Linear lights are offered in two colors variants Silver and White.

SILVER VT-7-41-S

SKU:380 | 4000K DAY WHITE
SKU:603 | 6000K WHITE


WHITE VT-7-41-W



SKU:381 | 4000K DAY WHITE
SKU:604 | 6000K WHITE

WATTS	LUMENS	SIZE
40w	3200	1211x70x35mm

- 30,000 hrs Lifespan
- AC:200-240V,50/60Hz
- Linkable with connectors
- Aluminum Body


5 YEAR
WARRANTY*






8W
VT-7-41-L

SILVER: SKU:386 | 4000K DAY WHITE
WHITE: SKU:385 | 4000K DAY WHITE




10W
VT-7-41-LN

SILVER: SKU:388 | 4000K DAY WHITE
WHITE: SKU:387 | 4000K DAY WHITE




12W
VT-7-41-LW

SILVER: SKU:390 | 4000K DAY WHITE
WHITE: SKU:389 | 4000K DAY WHITE




14W
VT-7-41-T

SILVER: SKU:392 | 4000K DAY WHITE
WHITE: SKU:391 | 4000K DAY WHITE



16W
VT-7-41-X

SILVER: SKU:394 | 4000K DAY WHITE
WHITE: SKU:393 | 4000K DAY WHITE





LINKABLE

UP TO 12 METERS TOGETHER

LED RECESSED LINEAR

Our new range of linear lights are also available for recessed installation, complete with necessary accessories for a seamless & continuous lighting system. Perfect replacement for traditional and inefficient linear lighting fixtures with the efficient LED provided by Samsung.


- **30,000 hrs Lifespan**
- **AC:200-240V,50/60Hz**
- **Linkable with connectors**
- **Aluminum Body**


5 YEAR
WARRANTY*

WHITE VT-7-42-W

SKU:382 | 4000K DAY WHITE


WATTS	LUMENS	SIZE
40w	4000	1211x90x35mm






10W
VT-7-42-L

: SKU:395 | 4000K DAY WHITE




10W
VT-7-42-LN

: SKU:396 | 4000K DAY WHITE




12W
VT-7-42-LW

: SKU:397 | 4000K DAY WHITE




14W
VT-7-42-T

: SKU:398 | 4000K DAY WHITE



16W
VT-7-42-X

: SKU:399 | 4000K DAY WHITE





LED LINEAR LIGHTS

V-TAC's new Linear Trunking Light is a set of highly efficient, continuous linear light fixtures with a staggering 160 lm/w rating & a plug-and-play system. It provides an efficient, linkable modular system which means that each unit can be easily connected to the Linear Master Trunking through L, T, and X node connectors. 90°, 120°, and double asymmetric lenses are available for maximum adaptability on any space. Perfect suspended lighting for supermarkets, warehouse, service centers, and gymnasiums. No warm-up time, instant start-up. Sustained color temperature throughout long periods of usage.

High lumen output

output: 160 lm/W to meet different requirements

V-TAC PERFORMANCE
160
LUMENS/WATT

Flexible Beam angle

90°, 120°, double-asymmetric



Modular system

Continuous row system, seamless connection, max 3500W /row





V-TAC PERFORMANCE
160
LUMENS/WATT

PRO series

MODEL	WATTS	CRI	LUMENS	PF	SIZE
VT-4551D	50w	>80	8000	>0.9	1500mm


LINEAR MASTER TRUNKING
SKU: 1360 | 4000K DAY WHITE



90° LENS



DIMMABLE




LINEAR MASTER TRUNKING
SKU: 1361 | 4000K DAY WHITE



120° LENS



DIMMABLE




LINEAR MASTER TRUNKING
SKU: 1362 | 4000K DAY WHITE



DOUBLE ASYMMETRIC
LENS



DIMMABLE





MODEL	WATTS	CRI	LUMENS	PF	SIZE
VT-4550D	50w	>80	8000	>0.9	1500mm

LINEAR FOLLOW TRUNKING


SKU: 1363 | 4000K DAY WHITE



90° LENS



DIMMABLE



LINEAR FOLLOW TRUNKING


SKU: 1364 | 4000K DAY WHITE



120° LENS



DIMMABLE



LINEAR FOLLOW TRUNKING


SKU: 1365 | 4000K DAY WHITE



DOUBLE ASYMMETRIC LENS



DIMMABLE



ACCESSORIES FOR LINEAR TRUNKING



LINEAR TRACK MODULE

SKU : 1382



END CAP-LINEAR LIGHT ACCESSORY

SKU : 1366



SUSPENDED CORD-LINEAR LIGHT ACCESSORY

SKU : 1367



8 WIRE-FEED IN MALE CONNECTOR-LINEAR

SKU : 1368



L NODE CONNECTOR-LINEAR ACCESSORY

SKU : 1383



T NODE CONNECTOR-LINEAR ACCESSORY

SKU : 1384



X NODE CONNECTOR-LINEAR ACCESSORY

SKU : 1385



S LINE-FOLLOW TRUNKING RAIL

SKU : 1451



S LINE-PC BLANK COVER

SKU : 1452

Magnetic Track Lights

Magnetic light is a kind of track light which is designed by using magnets fast adsorption characteristic. It consists of two parts: track magnet and light. The track has four ways: surface mounted, recessed, borderless embedded installation, suspension. The light consists of anti-glare line light, anti-glare high power light, soft light lamp, suspension light and decorative lamp. The light can be used alone or assembled at will. Lighting effect can achieve point, line, surface combination, not only to meet the needs of various lighting effects, but also convenient installation, fashionable style, can greatly enhance the decorative effect, in line with the modern architectural design concept, is a fashionable, high-end LED lights leading the trend in the future, is the ideal choice of office, exhibition hall, exclusive stores, hotels, villas and clubs.

Magnetic Linear Spotlight

1W VT-4141



SKU: 7958 - 3000K Warm White
SKU: 7959 - 4000K Day White


3800157652766
3800157652773

Voltage/Frequency:	DC:24V	Beam Angle:	30°
Luminous Flux:	35lm	Body Type:	Aluminium
LED Type:	SMD	Life span:	30,000 Hours
CRI:	>90	Dimension:	45x35x59mm
Color of Fixture:	Black	Box Qty:	40 PCS



3 YEAR
WARRANTY*

UGR<19



Magnetic Linear Spotlight

3W VT-4143



SKU: 7960 - 3000K Warm White
SKU: 7961 - 4000K Day White


3800157652780
3800157652797

Voltage/Frequency:	DC:24V	Beam Angle:	30°
Luminous Flux:	240lm	Body Type:	Aluminium
LED Type:	SMD	Life span:	30,000 Hours
CRI:	>90	Dimension:	106x35x59mm
Color of Fixture:	Black	Box Qty:	36 PCS



3 YEAR
WARRANTY*

UGR<19



Magnetic Linear Track Light

10w VT-4210



SKU: 7962 - 3000K Warm White
SKU: 7963 - 4000K Day White


3800157652803
3800157652810

Voltage/Frequency:	DC:24V	Beam Angle:	30°
Luminous Flux:	700lm	Body Type:	Aluminium
LED Type:	SMD	Life span:	30,000 Hours
CRI:	>90	Dimension:	137x35x180mm
Color of Fixture:	Black	Box Qty:	16 PCS



3 YEAR
WARRANTY*

UGR<19



Magnetic Linear Track Light

20w VT-4220



SKU: 7964 - 3000K Warm White
SKU: 7965 - 4000K Day White


3800157652827
3800157652834

Voltage/Frequency:	DC:24V	Beam Angle:	30°
Luminous Flux:	1200lm	Body Type:	Aluminium
LED Type:	SMD	Life span:	30,000 Hours
CRI:	>90	Dimension:	270x35x180mm
Color of Fixture:	Black	Box Qty:	8 PCS



3 YEAR
WARRANTY*

UGR<19



Magnetic Spotlight

15w VT-4215



SKU: 7966 - 3000K Warm White
SKU: 7967 - 4000K Day White


3800157652841
3800157652858

Voltage/Frequency:	DC:24V	Beam Angle:	36°
Luminous Flux:	900lm	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>90	Dimension:	166x100x55mm
Color of Fixture:	Black	Box Qty:	16 PCS



3 YEAR
WARRANTY*

UGR<19



Magnetic Pendant Light

15w VT-4315



SKU: 7968 - 3000K Warm White
SKU: 7969 - 4000K Day White


3800157652865
3800157652872

Voltage/Frequency:	DC:24V	Beam Angle:	36°
Luminous Flux:	1000lm	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>90	Dimension:	300x55mm
Color of Fixture:	Black	Box Qty:	12 PCS



3 YEAR
WARRANTY*

UGR<19



Magnetic Linear Light

20w VT-4121



SKU: 7954 - 3000K Warm White
SKU: 7955 - 4000K Day White

3800157652728
3800157652735

Voltage/Frequency:	DC:24V	Beam Angle:	100°
Luminous Flux:	1600lm	Body Type:	Aluminium
LED Type:	SMD	Life span:	30,000 Hours
CRI:	>90	Dimension:	652x35x59mm
Color of Fixture:	Black	Box Qty:	12 PCS



3 YEAR
WARRANTY*



Magnetic Linear Light

30w VT-4131




SKU: 7956 - 3000K Warm White
SKU: 7957 - 4000K Day White

3800157652742
3800157652759

Voltage/Frequency:	DC:24V	Beam Angle:	100°
Luminous Flux:	2700lm	Body Type:	Aluminium
LED Type:	SMD	Life span:	30,000 Hours
CRI:	>90	Dimension:	970x35x59mm
Color of Fixture:	Black	Box Qty:	12 PCS



3 YEAR
WARRANTY*



NEW  Track Rail-0.5M SKU : 7950 EAN : 3800157652681 Box Qty: 9 PCS	NEW  Track Rail-1M SKU : 7951 EAN : 3800157652698 Box Qty: 9 PCS	NEW  Track Rail-1.5M SKU : 7953 EAN : 3800157652711 Box Qty: 6 PCS	NEW  Track Rail-2M SKU : 7952 EAN : 3800157652704 Box Qty: 6 PCS
NEW  Recessed Kit for Magnetic Tracklight SKU : 7970 EAN : 3800157652889 Box Qty: 75 PCS	NEW  Track Connector SKU : 7971 EAN : 3800157652896 Box Qty: 180 PCS	NEW  90'D Corner Connector SKU : 7972 EAN : 3800157652902 Box Qty: 27 PCS	NEW  Outer Corner Connector SKU : 7973 EAN : 3800157652919 Box Qty: 27 PCS
NEW  Cross Connector SKU : 7974 EAN : 3800157652926 Box Qty: 36 PCS	NEW  T Type Connector SKU : 7975 EAN : 3800157652933 Box Qty: 36 PCS	NEW  Pendant Track Rail Accessory SKU : 7977 EAN : 3800157652957 Box Qty: 150 PCS	NEW  Track Cover SKU : 7978 EAN : 3800157652964 Box Qty: 200 PCS
NEW  Live End Connector SKU : 7979 EAN : 3800157652971 Box Qty: 200 PCS	NEW  Transformer SKU : 11144 Watts : 100w EAN : 3800157652988 Box Qty: 30 PCS Input : AC:86-265V,50/60Hz Current: 4.16A Output: DC:24V		NEW  Transformer SKU : 11145 Watts : 200w EAN : 3800157652995 Box Qty: 30 PCS Input : AC:86-265V,50/60Hz Current: 8.33A Output: DC:24V



LED TRACK LIGHTS

Color has a massive influence on purchasing decisions and setting the mood in any room. Our innovative LED track lights are the premiere choice for retail lighting with Samsung's state-of-the-art COB technology.

The >90 CRI rating of these track lights provide vivid colors, highly enhancing any product's appeal to consumers. Single and 4-linear track lights are included in this new generation of track lights from V-TAC.

APPLICATION

Ideal for lighting applications in residential, commercial, and hospitality locations.





KEY FEATURES

- Saves 80% energy
- No Ultraviolet or Infrared Rays
- Totally flexible, Compact & Adjustable design
- No Lead or Mercury content hence environment friendly
- Provides Uniform Radiance & Enhances appeal of any environment.
- Enhances measurable levels of performance as compared to older versions of high wattage halogen & HID light sources in retail & Commercial Lighting applications.

NEW

5
YEAR
WARRANTY*

LED TRACKLIGHTS

Linear Tracklights

Experience true colours through our LED Linear Tracklights efficient set of track lights with CRI >90, UGR<19 and flicker free. The latest LED technology from Samsung, and five years of warranty.

- 30,000 hrs Lifespan
 - 30° Beam Angle
 - AC:220-240V,50Hz
 - Flicker Free
- High CRI of > 90
 - Aluminum Body
 - UGR<19




UGR<19




MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-416-B	12W	960	>0.5	>90	40 pcs	30°

SKU: 20000 | 2700K WARM WHITE
SKU: 20001 | 4000K DAY WHITE



MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-431-B	25W	2000	>0.9	>90	20 pcs	30°

SKU: 20006 | 2700K WARM WHITE
SKU: 20007 | 4000K DAY WHITE



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

NEW

5
YEAR
WARRANTY*

LED TRACKLIGHTS

Linear Tracklights

Experience true colours through our LED Linear Tracklights efficient set of track lights with CRI >90, UGR<19 and flicker free. The latest LED technology from Samsung, and five years of warranty.


- 30,000 hrs Lifespan
 - 30° Beam Angle
 - AC:220-240V,50Hz
 - Flicker Free
- High CRI of > 90
 - Aluminum Body
 - UGR<19




UGR<19



MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-416-W	12W	960	>0.5	>90	40 pcs	30°
SKU: 20003 2700K WARM WHITE						
SKU: 20004 4000K DAY WHITE						



MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-431-W	25W	2000	>0.9	>90	20 pcs	30°
SKU: 20009 2700K WARM WHITE						
SKU: 20010 4000K DAY WHITE						



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED TRACKLIGHTS

4 Line Tracklights-Black Body

A complete range of durable 7w to 20w 4-line LED track lights with aluminum body equipped with LED Chip by Samsung. These COB LEDs are also renowned for its high-CRI rating, perfect for retail lighting. Available in a stylish, ebony black finish.

- COB LED Type
- 30,000 hrs Lifespan
- 24° Beam Angle
- AC:220-240V,50Hz
- High CRI of > 90
- Aluminum Body




5


YEAR

WARRANTY*


MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-407-B	7w	420	>0.5	>90	40 pcs	24°
SKU: 353 3000K WARM WHITE						
SKU: 354 4000K DAY WHITE						
SKU: 355 5000K WHITE						



MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-415-B	15w	1050	>0.5	>90	40 pcs	24°
SKU: 359 3000K WARM WHITE						
SKU: 360 4000K DAY WHITE						
SKU: 361 5000K WHITE						



MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-420-B	20w	1400	>0.9	>90	40 pcs	24°
SKU: 365 3000K WARM WHITE						
SKU: 366 4000K DAY WHITE						
SKU: 367 5000K WHITE						



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED TRACKLIGHTS

4 Line Tracklights-White Body

A complete range of durable 7w to 20w 4-line LED track lights with aluminum body equipped with LED Chip by Samsung. These COB LEDs are also renowned for its high-CRI rating, perfect for retail lighting. Available in a stylish, clean white finish.

- COB LED Type
- 30,000 hrs Lifespan
- 24° Beam Angle
- AC:220-240V,50Hz
- High CRI of > 90
- Aluminum Body




5


YEAR

WARRANTY*


MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-407-W	7w	490	>0.5	>90	40 pcs	24°
SKU: 350 3000K WARM WHITE						
SKU: 351 4000K DAY WHITE						
SKU: 352 5000K WHITE						



MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-415-W	15w	1200	>0.5	>90	40 pcs	24°
SKU: 356 3000K WARM WHITE						
SKU: 357 4000K DAY WHITE						
SKU: 358 5000K WHITE						



MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-420-W	20w	1600	>0.9	>90	40 pcs	24°
SKU: 362 3000K WARM WHITE						
SKU: 363 4000K DAY WHITE						
SKU: 364 5000K WHITE						



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

NEW

5
YEAR
WARRANTY*

LED TRACKLIGHTS


4 line Tracklights-Black Body

Experience true colours through our LED Tracklights efficient set of track lights with CRI >90, the latest LED technology from Samsung, and five years of warranty.


- COB LED Type
 - 30,000 hrs Lifespan
 - 24° Beam Angle
 - AC:220-240V,50Hz
- PF: >0.9
 - High CRI of > 90
 - Aluminum Body



MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-418	18w	1260	>0.9	>90	20 pcs	24°
SKU: 939 3000K WARM WHITE						
SKU: 940 4000K DAY WHITE						



MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-430	30w	2100	>0.9	>90	20 pcs	24°
SKU: 941 3000K WARM WHITE						
SKU: 942 4000K DAY WHITE						



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



KEY FEATURES

- Four-options available: 3-in-1 2D Bulkhead with Emergency Battery Back-up & Microwave Sensor, 2D Bulkhead with Emergency Battery Back-up only, 2D Bulkhead with Microwave Sensor only, and stand-alone 2D Bulkhead with 5-years warranty
- Built-in power eliminates the need for an external power supply
- IP65 and strong PC covers for durability
- 3-hour Emergency Operation Time
- Microwave sensors: up to 10m detection
- upto 30,000hr lifespan
- Fully compatible with daylight sensors
- Equipped with a green LED charging indicator
- Suitable for open areas constantly exposed to dust and moisture like parking lots, corridors, airports, and malls.


Microwave Sensor


Emergency Battery Backup

31  Emergency Battery Backup
 Microwave Sensor

2D BULKHEAD

EMERGENCY
BATTERY
BACKUP



MICROWAVE
SENSOR

31
IN

EMERGENCY
BATTERY
BACKUP



MICROWAVE SENSOR



IP65
RATING



LED DOME LIGHTS

2D Bulkhead

Our resilient IP65 LED bulkheads make a good choice for outdoor residential, business, and industrial areas that need constant lighting since they can withstand weather, dust, and vandalism.


- **AC:200-240V,50/60Hz**
- **PC Body type**
- **SMD LED Type**
- **20,000 hrs Lifespan**
- **AC:200-240V,50/60Hz**
- **PC Body type**
- **SMD LED Type**
- **20,000 hrs Lifespan**

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty


2D Bulkhead

Our resilient IP65 LED bulkheads make a good choice for outdoor residential, business, and industrial areas that need constant lighting since they can withstand weather, dust, and vandalism.

MODEL	WATTS	LUMENS	BOX QTY.	SKU: 815 4000K DAY WHITE
VT-08	8w	720	10 pcs	



MODEL	WATTS	LUMENS	BOX QTY.	SKU: 801 4000K DAY WHITE SKU: 802 6400K WHITE
VT-15	15w	1400	10 pcs	



2D Bulkhead with Emergency Battery Backup




These IP65 LED bulkheads are equipped with Ni-Cad batteries that automatically charges while in use. These fixtures can operate up to three (3) hrs on emergency situations.

- **AC:200-240V,50/60Hz**
 - **>1.2 Watts Emergency Standby Watts**
 - **60mA Battery Charging Current**
 - **200mA Battery Discharging Current**
 - **Ni-CD AA, 7.2V 1.0Ah Battery Type**
- **Green LED Charging indicate**
 - **Including battery protection circuit & inhibiting mode**
 - **PC Body type**
 - **>3 hrs Emergency Operation time**
 - **SMD LED Type**
 - **30,000 hrs Lifespan**
- 3


YEAR

WARRANTY*

MODEL	WATTS	LUMENS	BOX QTY.	SKU: 816 4000K DAY WHITE
VT-11	10w	720	10 pcs	



MODEL	WATTS	LUMENS	BOX QTY.	SKU: 806 4000K DAY WHITE
VT-17	17w	1400	10 pcs	



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

2D Bulkhead with Sensor




This range of LED bulkheads are recommended for purposes of increasing security in garages, walkways, and parking areas. With competitive detection range and dimmable functions, these bulkheads exhibit exceptional performance in outdoor security lighting.

- AC:200-240V,50/60Hz
 - 120° / 360° Detection Angle
 - 3m, 5m, 8m, 10m (optional) Detection Distance
 - Max D10Mx4M Detection Range
 - 10S, 1min, 5min, 10min customized Hold Time
 - Day, 10Lux, 30Lux, 50Lux optional Day light Sensor
- Yes, 0, 10%, 20%, 30% optional Dimmable Function
 - 0.5~3m/s Detection Motion Speed
 - PC Body type
 - >3 hrs Emergency Operation time
 - SMD LED Type
 - 30,000 hrs Lifespan

5 YEAR WARRANTY*


MODEL	WATTS	LUMENS	BOX QTY.
VT-09	8w	720	10 pcs

SKU: 818 | 4000K DAY WHITE



MODEL	WATTS	LUMENS	BOX QTY.
VT-16	15w	1400	10 pcs

SKU: 803 | 3000K WARM WHITE
SKU: 804 | 4000K DAY WHITE
SKU: 805 | 6400K WHITE




MODEL	WATTS	LUMENS	BOX QTY.
VT-22	15w	1450l	10 pcs

SKU:819 | 4000K DAY WHITE



VANDAL-PROOF



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



2D Bulkhead with Emergency Battery Backup and Sensor

3in1

Bulkhead
Emergency
Battery Backup
Microwave Sensor

Our 3-in-1 LED bulkhead range is equipped with the complete package for a remarkable and reliable indoor/ outdoor emergency and security lighting. With reliable Ni-Cad emergency battery back up, advanced microwave sensor, and optional dimmable functions, this range has impressive lighting abilities to make outdoor locations of residential, business, and industrial areas safer and easier to navigate.

- AC:200-240V,50/60Hz
 - >1.2 Watts Emergency Standby Watts
 - 60mA Battery Charging Current
 - 200mA Battery Discharging Current
 - Ni-CD AA, 7.2V 1.0Ah Battery Type
 - Green LED Charging indicate
 - Including battery protection circuit & inhibiting mode
 - 120° / 360° Detection Angle
- Yes, 0, 10%, 20%, 30% optional Dimmable Function
 - 0.5~3m/s Detection Motion Speed
 - PC Body type
 - >3 hrs Emergency Operation time
 - SMD LED Type
 - 3m, 5m, 8m, 10m (optional) Detection Distance
 - 30,000 hrs Lifespan


3

YEAR

WARRANTY*


MODEL	WATTS	LUMENS	BOX QTY.
VT-12	10w	720	10 pcs

SKU: 817 | 4000K DAY WHITE




MODEL	WATTS	LUMENS	BOX QTY.
VT-19	17w	1400	10 pcs

SKU: 812 | 4000K DAY WHITE



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

EMERGENCY
BATTERY
BACKUP



MICROWAVE
SENSOR

31
IN

EMERGENCY BATTERY BACKUP
MICROWAVE SENSOR



IP65
RATING



SLIM DOMELIGHT

A new addition to our Bulkhead Lights series, V-TAC's new Slim IP65 LED bulkheads are re-designed with a sleeker, more compact built for a modern look – perfect lighting for outdoor areas in residential, business, and industrial zones.


Slim Domelight

- AC:220-240V,50/60Hz
- 110° Beam Angle
- SMD LED chip type
- Body Material - PC
- 30,000 Life Hours
- CRI >80
- IP Rating IP65

5
YEAR
WARRANTY*

MODEL	WATTS	LUMENS	BOX QTY.
VT-12S	12w	1440	10 pcs

SKU: 935 | 3000K WARM WHITE
SKU: 820 | 4000K DAY WHITE
SKU: 936 | 6400K DAY WHITE



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty


Slim Domelight with Emergency Backup

- AC:220-240V,50/60Hz
- 110° Beam Angle
- SMD LED chip type
- Body Material - PC
- 30,000 Life Hours
- CRI >80
- IP Rating IP65
- > 3 Hours emergency operation time
- Battery type -Ni-Cd 9.6V,1.0Ah
- Battery Charging Current - 60mA
- Battery Discharge Current - 200mA

3 YEAR
WARRANTY*

Emergency Battery Backup

MODEL	WATTS	LUMENS	BOX QTY.	SKU: 822 4000K DAY WHITE
VT-12SE	14w	1440	10 pcs	




Slim Domelight with Sensor

- AC:220-240V,50/60Hz
- 110° Beam Angle
- SMD LED chip type
- Body Material - PC
- 30,000 Life Hours
- CRI >80
- IP Rating IP65
- Microwave Sensor
- 3-6m detection distance
- 10mx6m detection range
- 360°Ceiling/120°Wall Mounted
- Detection Motion Speed - 0.5-3m/s
- Hold Time - 30s, 40s, 50s customized
- Daylight sensor -Day, 2lux, 10lux, 50lux optional
- Dimmable - Yes, 0, 10%,20% optional
- Manual Override by dial switch
- Stand by period - 0s, 10s, 10m optional

5 YEAR
WARRANTY*

Microwave Sensor

MODEL	WATTS	LUMENS	BOX QTY.	SKU: 937 3000K WARM WHITE SKU: 821 4000K DAY WHITE SKU: 938 6400K DAY WHITE
VT-12SS	12w	1440	10 pcs	




Slim Domelight with Emergency+Sensor

- AC:220-240V,50/60Hz
- 110° Beam Angle
- SMD LED chip type
- Body Material - PC
- 30,000 Life Hours
- CRI >80
- IP Rating IP65
- > 3 Hours emergency operation time
- Battery type -Ni-Cd 9.6V,1.0Ah
- Battery Charging Current - 60mA
- Battery Discharge Current - 200mA
- Microwave Sensor
- 3-6m detection distance
- 10mx6m detection range
- 360°Ceiling/120°Wall Mounted
- 0.5-3m/s detection motion speed
- 30s, 40s, 50s customized (time delay)
- Daylight sensor -Day: 7-20LUX
- Dimmable - Yes, 0, 10%,20% optional
- Manual Override
- Standby - 0s, 10s, 10m optional

3 YEAR
WARRANTY*

3in1
Bulkhead
Emergency Battery Backup
Microwave Sensor

MODEL	WATTS	LUMENS	BOX QTY.	SKU: 823 4000K DAY WHITE
VT-12SES	14w	1440	10 pcs	





Bulkhead CCT Changeable With Switch

Our resilient IP65 LED bulkheads make a good choice for outdoor residential, business, and industrial areas that need constant lighting since they can withstand weather, dust. This new model has an easy switch for colour temperature tuning to achieve any lighting mood in any room. No need to worry about which colour temperature for any room when you can have it all – readily available with just a flick of a switch.


- AC:200-240V,50/60Hz
- CRI >80
- 30,000 Life Hours
- 120° Beam Angle
- PC Material
- Built in Switch for CCT Changing



EASY ACCESS FOR
COLOR CHANGING
WITH BUTTON



CCT Changeable



MODEL	WATTS	LUMENS	BOX QTY.
VT-2-17	15w	1400	10 pcs

SKU: 20016 | 3 IN 1

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



Domelight - Sensor

- Input: AC:110-240V, 50/60Hz
 - 120° Beam Angle
 - 20,000 Hours
 - SMD LED Chip
 - CRI >80
 - 3 year warranty
- Detection Distance - 6m Max
 - Detection Range - 360°
 - Time Delay - Min-10sec±3sex, Max-3min±30sec
 - Detection motion Speed - 0.6-1.5m/s
 - Ambient Light - <3-2000lux(adjustable)
 - Instant start
 - IP20 Rating

MODEL	WATTS	LUMENS	BOX QTY.
VT-13	12w	800	10 pcs

- SKU: 807

|


3000K WARM WHITE
- SKU: 808

|

4000K DAY WHITE
- SKU: 809

|

6400K WHITE






Reflector Downlight

Our new reflector downlights feature a quick connector for easy wiring and installation. The beam angle direction can be also be easily adjusted by tilting the downlight itself.

- Adjustable Angle
 - AC:85-265V,50/60Hz
 - Body type Aluminium
- 120° Beam Angle
 - LED (COB chip) provided by Samsung
 - CRI >80

MODEL	WATTS	LUMENS	BOX QTY.
VT-2-10	10w	900	40 pcs


- SKU: 839 | 3000K WARM WHITE
- SKU: 840 | 4000K DAY WHITE
- SKU: 841 | 6400K WHITE



Cutting Size: ø80mm

MODEL	WATTS	LUMENS	BOX QTY.
VT-2-20	20w	1600	20 pcs

- SKU: 842 | 3000K WARM WHITE
- SKU: 843 | 4000K DAY WHITE
- SKU: 844 | 6400K WHITE



Cutting Size: ø145 mm

MODEL	WATTS	LUMENS	BOX QTY.
VT-2-30	30w	2400	10 pcs

- SKU: 845 | 3000K WARM WHITE
- SKU: 846 | 4000K DAY WHITE
- SKU: 832 | 6400K WHITE




Cutting Size: ø195 mm

Exit Light - Surface

VT-519-S-12 SKU: 836 - 6000K WHITE

Box Qty: 10pcs



Lumens:	140lm
IP Rating:	IP20
Material :	PC
Exit Lamp Type:	Wall/Ceiling
Battery:	Ni-Cd 3.6V,900mAh
Recharging Time:	12 Hours
Stickers:	3 Stickers
Watts:	2w

Viewing Distance:	24 Meters From Both Sides
Test Button:	Green Light Indicator Test Button
Legends:	3 Way Legend Available
Input Voltage:	AC:220-240V,50/60Hz
Mode Of Operation:	Maintained
Emergency Operation Time:	>3 Hours
Lamp Type:	16 SMD LEDs


12Hrs
CHARGING TIME

NEW

Exit Light - Surface

VT-529-S SKU: 83611 - 6000K WHITE

Box Qty: 10pcs



Lumens:	140lm
IP Rating:	IP20
Material :	PC
Exit Lamp Type:	Wall/Ceiling
Battery:	Ni-cd 3.6V, 900mAh
Recharging Time:	24 Hours
Stickers:	3 Stickers
Watts:	2w


Viewing Distance:	24 Meters From Both Sides
Test Button:	Green Light Indicator Test Button
Legends:	3 Way Legend Available
Input Voltage:	AC:220-240V, 50/60Hz
Mode Of Operation:	Maintained
Emergency Operation Time:	>3 Hours
Lamp Type:	16 SMD LEDs

24Hrs
CHARGING TIME

Exit Light-Recessed

VT-522-S-12 SKU: 835 - 6000K WHITE

Box Qty: 10pcs



Lumens:	140lm
IP Rating:	IP20
Material :	PC
Exit Lamp Type:	Recessed/Ceiling
Battery:	Ni-Cd 3.6V,900mAh
Recharging Time:	12 Hours
Stickers:	3 Stickers
Watts:	2w

Viewing Distance:	24 Meters From Both Sides
Test Button:	Green Light Indicator Test Button
Legends:	3 Way Legend Available
Input Voltage:	AC:220-240V,50/60Hz
Mode Of Operation:	Maintained
Emergency Operation Time:	>3 Hours
Lamp Type:	16 SMD LEDs

12Hrs
CHARGING TIME



LED Panels

Experience consistent illumination and zero hot or cold spots, introducing slim and sleek LED Panel Lighting from V-TAC.

Product Features

- Ultra Slim Design
- Contemporary & Elegant Design
- Higher Light Transmission Rate
- Exterior shell, cannot be easily damaged
- No infrared, does not attract flies
- Easy to install
- No Lead or mercury content hence environment friendly
- Dimmable options available in selected models

Applications

Offices, conference room, hospitals, hotels, shopping malls, showroom, kitchen and domestic lighting etc.

NEW




EASY TOGGLE SWITCH



3000K 4000K 6400K

EASY ACCESS FOR
COLOR CHANGING
WITH BUTTON

31 IN COLOR
CHANGING



CCT Changing Panel

40w VT-6240

SKU: 6605 - 3IN1

3800157654852

Voltage/Frequency: AC:200-240V,50/60Hz
Luminous Flux: 3200lm
Beam Angle: 120°

LED Type: SMD
CRI: >80
PF: >0.9
Shape: Square


Body Type: FE+PP
Dimension: 595x595x29mm
Box Qty: 6 Pcs



Witness the
True to Life
Colors

A CRI score of 95 is considered very high, and indicates that a light source will make objects appear very similar to how they would look under natural lighting conditions.

Without a high CRI light source, objects can appear faded, dull or inaccurate.



Big Panels-60x60-CRI>95

45w VT-6245

SKU: 8086 - 3000K Warm White
SKU: 8087 - 4000K Day White
SKU: 8088 - 6400K White

3800157648363
3800157648370
3800157648387

Emergency Pack: Available
Voltage/Frequency: AC:200-240V,50/60Hz
Luminous Flux: 3600lm
Beam Angle: 120°

LED Type: SMD
CRI: >95
PF: >0.9
Shape: Square

Body Type: Aluminium+PMMA+PP
Dimension: 595x595x14mm
Box Qty: 6 Pcs



Big Panels-60x60-IP65


40W VT-6140

SKU: 6603 - 4000K Day White

3800157652100

SKU: 6604 - 6400K White

3800157652117

IP65
RATING

Emergency Pack:	NA
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	4400lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Square

Body Type:	Aluminium+PMMA+PS
Dimension:	595x595x11mm
Box Qty:	6 Pcs



Big Panels-60x60-Lifud Driver


36W VT-6236

SKU: 8082 - 4000K Day White

3800157646857

SKU: 8081 - 6400K White

3800157646840



Emergency Pack:	Available
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	3240lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Square

Body Type:	Aluminium+PS+PP
Dimension:	595x595x8.5mm
Box Qty:	6 Pcs



Big Panels-60x60

36W VT-6237

SKU: 8083 - 3000K Warm White


3800157646925

SKU: 8084 - 4000K Day White

3800157646932

SKU: 8085 - 6400K White

3800157646949



Emergency Pack:	Available
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	3240lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Square

Body Type:	Aluminium+PS+PP
Dimension:	595x595x8.5mm
Box Qty:	6 Pcs



Big Panels-60x60

45W VT-6060-6

SKU: 60286 - 3000K Warm White


3800230624482

SKU: 60246 - 4000K Day White

3800230623652

SKU: 60256 - 6400K White

3800230623584



Emergency Pack:	Available
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	3600lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Square

Body Type:	Aluminium+PMMA+PP
Dimension:	595x595x14mm
Box Qty:	6 Pcs




Big Panels-UGR<19-60x60

45w VT-6068-6

SKU: 62206 - 3000K Warm White 3800157619516
 SKU: 62186 - 4000K Day White 3800157609265
 SKU: 62196 - 6400K White 3800157609272

LG7 Compliant
UGR < 19



Emergency Pack: Available
 Voltage/Frequency: AC:220-240V,50/60Hz
 Luminous Flux: 3600lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Square

Body Type: Aluminium+PMMA+PP
 Dimension: 595x595x14mm
 Box Qty: 6 Pcs




Big Panels-UGR<19-62x62

45w VT-6069

SKU: 6222 - 3000K Warm White 3800157604918
 SKU: 6217 - 4000K Day White 3800157604857
 SKU: 6221 - 6400K White 3800157604901

LG7 Compliant
UGR < 19



Emergency Pack: Available
 Voltage/Frequency: AC:200-240V,50/60Hz
 Luminous Flux: 3600lm
 Beam Angle: 90°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Square

Body Type: Aluminium+PMMA+PP
 Dimension: 620x620x13mm
 Box Qty: 6 Pcs




Big Panels-High Lumen-62x62

29w VT-6262

SKU: 6471 - 4000K Day White 3800157641012

120
 Lumen/W



Emergency Pack: Available
 Voltage/Frequency: AC:220-240V,50/60Hz
 Luminous Flux: 3480lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Square

Body Type: Aluminium+PMMA
 Dimension: 620x620x15.5mm
 Box Qty: 6 Pcs




Big Panels-High Lumen-60x60

29w VT-6129-6

SKU: 62406 - 3000K Warm White 3800157619608
 SKU: 62416 - 4000K Day White 3800157609289
 SKU: 62426 - 6400K White 3800157609296

120
 Lumen/W



Emergency Pack: Available
 Voltage/Frequency: AC:200-240V,50/60Hz
 Luminous Flux: 3480lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Square

Body Type: Aluminium+PMMA+PP
 Dimension: 595x595x13mm
 Box Qty: 6 Pcs




Big Panels-High Lumen-60x60

45w VT-6145-6

SKU: 63776 - 3000K Warm White 3800157622158
 SKU: 62366 - 4000K Day White 3800157615723
 SKU: 62376 - 6400K White 3800157615730

120
 Lumen/W



Emergency Pack: Available
 Voltage/Frequency: AC:200-240V,50/60Hz
 Luminous Flux: 5400lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Square

Body Type: Aluminium+PMMA+PP
 Dimension: 595x595x13mm
 Box Qty: 6 Pcs



Big Panels-High Lumen-60x60


36w VT-6136

SKU: 6376 - 3000K Warm White 3800157622141
 SKU: 6238 - 4000K Day White 3800157607636
 SKU: 6239 - 6400K White 3800157607643



Emergency Pack: Available
 Voltage/Frequency: AC:200-240V,50/60Hz
 Luminous Flux: 4320lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Square



Body Type: Aluminium+PMMA+PC
 Dimension: 595x595x13mm
 Box Qty: 6 Pcs



Big Panels-High Lumen-62x62


36w VT-6137

SKU: 62436 - 4000K Day White 3800157619622
 SKU: 63796 - 6400K White 3800157622172



Emergency Pack: Available
 Voltage/Frequency: AC:220-240V,50/60Hz
 Luminous Flux: 4320lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Square



Body Type: Aluminium+PMMA+PC
 Dimension: 620x620x13mm
 Box Qty: 6 Pcs




Surface/Recessed Panel-60x60

40w VT-6142-1

SKU: 64511 - 4000K Day White 3800157644990
 SKU: 64521 - 6500K White 3800157645003

Emergency Pack: NA
 Voltage/Frequency: AC:200-240V,50/60Hz
 Luminous Flux: 3200lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Square



Body Type: FE+PP
 Dimension: 595x595x29mm
 Box Qty: 4 Pcs




Surface/Recessed Panel-60x60

40w VT-6142

SKU: 6451 - 4000K Day White 3800157636438
 SKU: 6452 - 6500K White 3800157636421

Emergency Pack: NA
 Voltage/Frequency: AC:200-240V,50/60Hz
 Luminous Flux: 4000lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Square

Body Type: FE+PP
 Dimension: 595x595x29mm
 Box Qty: 6 Pcs




Surface/Recessed Panel-60x60

70w VT-6170

SKU: 6453 - 4000K Day White 3800157636452
 SKU: 6454 - 6500K White 3800157636445

Emergency Pack: NA
 Voltage/Frequency: AC:200-240V,50/60Hz
 Luminous Flux: 5950lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Square



Body Type: FE+PP
 Dimension: 595x595x29mm
 Box Qty: 6 Pcs



Big Panels-High Lumen-120x30


29w VT-12031

SKU: 6256 - 3000K Warm White 3800157610414
 SKU: 6257 - 4000K Day White 3800157610421
 SKU: 6258 - 6400K White 3800157610438

120
 Lumen/W

Emergency Pack: Available
 Voltage/Frequency: AC:200-240V,50/60Hz
 Luminous Flux: 3480lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Rectangle



Body Type: Aluminium+PMMA+PS
 Dimension: 1195x295x14mm
 Box Qty: 6 Pcs



Big Panel-High Lumen-120x30


45w VT-12046

SKU: 6384 - 4000K Day White 3800157624770
 SKU: 6385 - 6000K White 3800157624787

120
 Lumen/W

Emergency Pack: Available
 Voltage/Frequency: AC:220-240V,50/60Hz
 Luminous Flux: 5400lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Rectangle



Body Type: Aluminium+PMMA+PS
 Dimension: 1195x295x14mm
 Box Qty: 6 Pcs




Big Panels-120x30

45w VT-12030

SKU: 60696 - 3000K Warm White 3800157609326
 SKU: 60266 - 4000K Day White 3800230623638
 SKU: 60276 - 6400K White 3800157609319

Emergency Pack: Available
 Voltage/Frequency: AC:200-240V,50/60Hz
 Luminous Flux: 3600lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Rectangle



Body Type: Aluminium+PMMA+PS
 Dimension: 1195x295x14mm
 Box Qty: 6 Pcs



Big Panels-UGR<19-120x30


45w VT-12032

SKU: 6329 - 4000K Day White 3800157619615


LG7 Compliant
UGR < 19

Emergency Pack: Available
 Voltage/Frequency: AC:220-240V,50/60Hz
 Luminous Flux: 3600lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Rectangle



Body Type: Aluminium+PMMA+PS
 Dimension: 1195x295x14mm
 Box Qty: 6 Pcs



Big Panels-High Lumen-120x60


45w VT-12045

SKU: 6332 - 4000K Day White 3800157620321
 SKU: 6333 - 6400K White 3800157620338

120
 Lumen/W

Emergency Pack: Available
 Voltage/Frequency: AC:200-240V,50/60Hz
 Luminous Flux: 5400lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Rectangle



Body Type: Aluminium+PMMA+PS
 Dimension: 1195x595x14mm
 Box Qty: 2 Pcs




Transparent Panel-120x30

40w VT-6144

SKU: 6458 - 4000K Day White

3800157638098

5
YEAR
WARRANTY


Emergency Pack:	Available
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	3200lm
Beam Angle:	140°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Rectangle

Body Type:	Aluminium+PC
Dimension:	1210x319mm
Box Qty:	4 Pcs

DRIVERS FOR BIG PANELS

Voltage: AC:220-240V,50/60Hz



Watts:	45w
SKU:	6019
Dimmable:	Yes
EAN:	3800157604017
Box Qty:	50 Pcs



Watts:	29w
SKU:	6268
Dimmable:	Yes
EAN:	3800157614412
Box Qty:	20 Pcs



Watts:	29w
SKU:	6271
Dimmable:	No
EAN:	3800157614443
Box Qty:	50 Pcs



Watts:	36w
SKU:	6436
Dimmable:	No
EAN:	3800157629386
Box Qty:	20 Pcs



Watts:	45w
SKU:	6450
Dimmable:	No
EAN:	3800157635677
Box Qty:	50 Pcs



Watts:	45w
SKU:	6437
Dimmable:	Yes
EAN:	3800157630337
Box Qty:	20 Pcs



Watts:	45w
SKU:	6386
Dimmable:	No
EAN:	3800157624886
Box Qty:	50 Pcs



Watts:	45w
SKU:	6427
Dimmable:	No
EAN:	3800157626996
Box Qty:	50 Pcs



Watts:	45w
SKU:	6270
Dimmable:	No
EAN:	3800157614436
Box Qty:	50 Pcs




Watts:	72w
SKU:	6328
Dimmable:	No
EAN:	3800157619592
Box Qty:	50 Pcs



MOUNTING KITS FOR PANELS



Watts: 29w
SKU: 6259
Dimmable: No
EAN: 3800157610445
Box Qty: 50 Pcs



Suspended Mounting

SKU: 6018
EAN: 3800230623669
Box Qty: 100 Pcs

Adjustable height from 0.3 to 1m. This product can be used for all sizes of panels, that is

- 300 x 300
- 600 x 600
- 1200 x 300
- 1200 x 600



Surface Mounting-60x60

SKU: 9999
EAN: 3800230623676
Box Qty: 5 Pcs

Convert the recessed panel to surface panel and install it easily on solid surfaces.



Surface Mounting-62x62

SKU: 9997
EAN: 3800157633130
Box Qty: 5 Pcs

Convert the recessed panel to surface panel and install it easily on solid surfaces.



Surface Mounting-60x60

SKU: 8156
EAN: 3800157640213
Box Qty: 10 Pcs

IMPROVED
MATERIAL
MORE STRONG



Surface Mounting-62x62

SKU: 8157
EAN: 3800157640220
Box Qty: 10 Pcs

IMPROVED
MATERIAL
MORE STRONG



Surface Mounting-120x30

SKU: 9969
EAN: 3800230623683
Box Qty: 6 Pcs



Surface Mounting-120x60

SKU: 9989
EAN: 3800230623614
Box Qty: 5 Pcs



Surface Mounting-120x30

SKU: 8158
EAN: 3800157640237
Box Qty: 10 Pcs

IMPROVED
MATERIAL
MORE STRONG






Emergency Pack-6W to 24W

VT-525

SKU: 8275 3800157627474

3Hr LED emergency lighting kit, designed to suit a wide range of LED types and circuits. The models have sealed Ni-Cd batteries able to guarantee high efficiency with high temperatures.

Voltage:	DC:20-80V
Led output power:	AC:220-240V,50/60Hz
Charging time:	24 Hours
Working time:	3 hours
Battery:	Ni-Cd7.2V/2000mAh



Color of Fixture:	Silver
Body Type:	Aluminium
Size:	455x52x33mm
Emergency switch on time:	< 1s
Box Qty:	20 Pcs




Emergency Pack-29W to 45W

VT-518

SKU: 60303 3800157617451

3Hr LED emergency lighting kit, designed to suit a wide range of LED types and circuits. The models have sealed Ni-Cd batteries able to guarantee high efficiency with high temperatures.

Voltage:	DC:30-42V
Led output power:	AC:220-240V,50/60Hz
Charging time:	24 Hours
Working time:	3 Hours
Battery:	NI-CD, 7.2V, 4000 mAh



Color of Fixture:	Silver
Body Type:	Aluminium
Size:	465x52x33mm
Emergency switch on time:	< 1s
Box Qty:	12 Pcs



Linear Lights

10w VT-10001

SKU: 6401 - 3000K Warm White 3800157626620
 SKU: 6402 - 4000K Day White 3800157626637
 SKU: 6403 - 6400K White 3800157626644

Cutting Size:

138x32mm

Emergency Pack: Available

Voltage/Frequency: AC:85-265V,50/60Hz

Luminous Flux: 750lm

Beam Angle: 120°

LED Type: SMD

CRI: >80

PF: >0.5

Shape: Rectangle

Body Type: Aluminium

Dimension: 160x45x65mm

Box Qty: 20 Pcs

Linear Lights

20w VT-20001

SKU: 6404 - 3000K Warm White 3800157626651
 SKU: 6405 - 4000K Day White 3800157626668
 SKU: 6406 - 6400K White 3800157626675

Cutting Size:

270x32mm

Emergency Pack: Available

Voltage/Frequency: AC:85-265V,50/60Hz

Luminous Flux: 1600lm

Beam Angle: 120°

LED Type: SMD

CRI: >80

PF: >0.5

Shape: Rectangle

Body Type: Aluminium

Dimension: 290x45x65mm

Box Qty: 20 Pcs

Linear Lights

30w VT-30001

SKU: 6407 - 3000K Warm White 3800157626682
 SKU: 6408 - 4000K Day White 3800157626699
 SKU: 6409 - 6400K White 3800157626705

Cutting Size:

405x32mm

Emergency Pack: Available

Voltage/Frequency: AC:85-265V,50/60Hz

Luminous Flux: 2400lm

Beam Angle: 120°

LED Type: SMD

CRI: >80

PF: >0.9

Shape: Rectangle

Body Type: Aluminium

Dimension: 430x45x65mm

Box Qty: 10 Pcs

Linear Lights

10w VT-10002

SKU: 6410 - 3000K Warm White 3800157626712
 SKU: 6411 - 4000K Day White 3800157626729
 SKU: 6412 - 6400K White 3800157626736

Cutting Size:

138x32mm

Emergency Pack: Available

Voltage/Frequency: AC:85-265V,50/60Hz

Luminous Flux: 700lm

Beam Angle: 120°

LED Type: SMD

CRI: >80

PF: >0.5

Shape: Rectangle

Body Type: Aluminium

Dimension: 160x45x72mm

Box Qty: 20 Pcs

Linear Lights

20w VT-20002

SKU: 6413 - 3000K Warm White 3800157626743
 SKU: 6414 - 4000K Day White 3800157626750
 SKU: 6415 - 6400K White 3800157626767

Cutting Size:
 270x32mm

Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 1400lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.5
 Shape: Rectangle

Body Type: Aluminium
 Dimension: 290x45x72mm
 Box Qty: 20 Pcs

Linear Lights

30w VT-30002

SKU: 6416 - 3000K Warm White 3800157626774
 SKU: 6417 - 4000K Day White 3800157626781
 SKU: 6418 - 6400K White 3800157626798

Cutting Size:
 405x32mm

Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 2100lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Rectangle

Body Type: Aluminium
 Dimension: 430x45x72mm
 Box Qty: 10 Pcs




Premium Series-Round

3w VT-307RD

SKU: 6292 - 3000K Warm White 3800157616751
 SKU: 6293 - 4000K Day White 3800157616768
 SKU: 6294 - 6400K White 3800157616775

Cutting Size:
 Ø73mm



Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 210lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.5
 Shape: Round


Body Type: Aluminium
 Dimension: Ø84x12mm
 Box Qty: 40 Pcs

Premium Series-Round

6w VT-607RD

SKU: 4854 - 3000K Warm White 3800230629753
 SKU: 4855 - 4000K Day White 3800230629760
 SKU: 4856 - 6400K White 3800230629777

Cutting Size:
 Ø110mm



Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 420lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.5
 Shape: Round

Body Type: Aluminium
 Dimension: Ø120x12mm
 Box Qty: 40 Pcs




Premium Series-Round

12w VT-1207RD

SKU: 4857 - 3000K Warm White 3800230629784
 SKU: 4858 - 4000K Day White 3800230629791
 SKU: 4859 - 6400K White 3800230629807

Cutting Size:

Ø155mm



Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 1000lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.6
 Shape: Round

Body Type: Aluminium
 Dimension: Ø170x12mm
 Box Qty: 20 Pcs




Premium Series-Round

18w VT-1807RD

SKU: 4860 - 3000K Warm White 3800230629814
 SKU: 4861 - 4000K Day White 3800230629821
 SKU: 4862 - 6400K White 3800230629838

Cutting Size:

Ø210mm



Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 1500lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.6
 Shape: Round

Body Type: Aluminium
 Dimension: Ø225x12mm
 Box Qty: 20 Pcs




Premium Series-Round

22w VT-2207RD

SKU: 6422 - 3000K Warm White 3800157626941
 SKU: 6423 - 4000K Day White 3800157626958
 SKU: 6424 - 6400K White 3800157626965

Cutting Size:

Ø220 mm



Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 1800lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Round

Body Type: Aluminium
 Dimension: Ø240x12mm
 Box Qty: 20 Pcs




Premium Series-Round

24w VT-2407RD

SKU: 4872 - 3000K Warm White 3800157601559
 SKU: 4873 - 4000K Day White 3800157601566
 SKU: 4874 - 6400K White 3800157601573

Cutting Size:

Ø280mm



Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 2000lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Round

Body Type: Aluminium
 Dimension: Ø300x12mm
 Box Qty: 10 Pcs




Premium Series-Round

30w VT-3107RD

SKU: 6428 - 4000K Day White 3800157628075
 SKU: 6429 - 6400K White 3800157628082

Cutting Size:

Ø280mm



Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 2400lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Round

Body Type: Aluminium
 Dimension: Ø300x12mm
 Box Qty: 10 Pcs




Premium Series-Square

3W VT-307SQ

SKU: 6295 - 3000K Warm White 3800157616782
 SKU: 6296 - 4000K Day White 3800157616799
 SKU: 6297 - 6400K White 3800157616805

Cutting Size:
74x73mm



Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 210lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.5
 Shape: Square

Body Type: Aluminium
 Dimension: 84x84x12mm
 Box Qty: 40 Pcs




Premium Series-Square

6W VT-607SQ

SKU: 4863 - 3000K Warm White 3800230629845
 SKU: 4864 - 4000K Day White 3800230629852
 SKU: 4865 - 6400K White 3800230629869

Cutting Size:
110mm



Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 420lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.7
 Shape: Square

Body Type: Aluminium
 Dimension: 120x120x12mm
 Box Qty: 40 Pcs




Premium Series-Square

12W VT-1207SQ

SKU: 4866 - 3000K Warm White 3800230629876
 SKU: 4867 - 4000K Day White 3800230629883
 SKU: 4868 - 6400K White 3800230629890

Cutting Size:
155x155mm



Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 1000lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.6
 Shape: Square

Body Type: Aluminium
 Dimension: 170x170x12mm
 Box Qty: 20 Pcs




Premium Series-Square

18W VT-1807SQ

SKU: 4869 - 3000K Warm White 3800230629906
 SKU: 4870 - 4000K Day White 3800230629913
 SKU: 4871 - 6400K White 3800230629920

Cutting Size:
205x205mm



Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 1500lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.6
 Shape: Square

Body Type: Aluminium
 Dimension: 225x225x12mm
 Box Qty: 20 Pcs




Premium Series-Square

24W VT-2407SQ

SKU: 4887 - 3000K Warm White 3800157602198
 SKU: 4888 - 4000K Day White 3800157602204
 SKU: 4889 - 6400K White 3800157602211

Cutting Size:
280x280mm



Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 2000lm
 Beam Angle: 120°


LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Square

Body Type: Aluminium
 Dimension: 300x300x12mm
 Box Qty: 10 Pcs



Premium Series-Square

36w VT-3107SQ

SKU: 6430 - 4000K Day White
SKU: 6431 - 6400K White3800157628099
3800157628105Cutting Size:
280x280mm

Emergency Pack:	Available
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	2400lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Square

Body Type:	Aluminium
Dimension:	300x300x12mm
Box Qty:	10 Pcs




SG Series-Square

8w VT-800 SQ

SKU: 4818 - 6400K White

3800230622563

Cutting Size:
125x125mm

Emergency Pack:	Available
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	800lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Square


Body Type:	Aluminium(PKW)
Dimension:	145x145x20mm
Box Qty:	20 Pcs

SG Series-Round

8w VT-800 RD

SKU: 4821 - 6400K White

3800230622587

Cutting Size:
Ø105mm


Emergency Pack:	Available
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	800lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Round

Body Type:	Aluminium(PKW)
Dimension:	Ø120x20mm
Box Qty:	20 Pcs

SG Series-Square

15w VT-1500 SQ

SKU: 4826 - 3000K Warm White
SKU: 4824 - 6400K White3800230622617
3800230624994
3800230622600Cutting Size:
140x140mm

Emergency Pack:	Available
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	1500lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Square

Body Type:	Aluminium(PKW)
Dimension:	160x160x20mm
Box Qty:	20 Pcs




SG Series-Round

22W VT-2200 RD

SKU: 4833 - 6400K White

3800230622662

Cutting Size:
Ø220mm

Emergency Pack:	Available
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	2200lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Round


Body Type:	Aluminium(PKW)
Dimension:	Ø240x20mm
Box Qty:	20 Pcs



Trimless Panel-Round

8W VT-888RD

SKU: 4931 - 3000K Warm White 3800157606479
 SKU: 4932 - 4000K Day White 3800157606486
 SKU: 4933 - 6400K White 3800157606493

Cutting Size:
Ø75mm

Emergency Pack:	Available
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	800lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Round


Body Type:	Aluminium
Dimension:	Ø90x8mm
Box Qty:	100 Pcs



Trimless Panel-Round

15W VT-1515RD

SKU: 4934 - 3000K Warm White 3800157606509
 SKU: 4935 - 4000K Day White 3800157606516
 SKU: 4936 - 6400K White 3800157606523

Cutting Size:
Ø130mm

Emergency Pack:	Available
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	1500lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Round


Body Type:	Aluminium
Dimension:	Ø146x8mm
Box Qty:	40 Pcs



Trimless Panel-Round

22W VT-2222RD

SKU: 4937 - 3000K Warm White 3800157606530
 SKU: 4938 - 4000K Day White 3800157606547
 SKU: 4939 - 6400K White 3800157606554

Cutting Size:
Ø155mm

Emergency Pack:	Available
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	2200lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Round


Body Type:	Aluminium
Dimension:	Ø170x8mm
Box Qty:	40 Pcs



Trimless Panel-Round 29w VT-2929RD

SKU: 4940 - 3000K Warm White 3800157606561
SKU: 4941 - 4000K Day White 3800157606578
SKU: 4942 - 6400K White 3800157606585

Cutting Size:
Ø195mm



Emergency Pack: Available
Voltage/Frequency: AC:85-265V,50/60Hz
Luminous Flux: 2900lm
Beam Angle: 120°

LED Type: SMD
CRI: >80
PF: >0.9
Shape: Round


Body Type: Aluminium
Dimension: Ø220x8mm
Box Qty: 40 Pcs



Trimless Panel-Square 8w VT-888SQ

SKU: 4943 - 3000K Warm White 3800157606592
SKU: 4944 - 4000K Day White 3800157606608
SKU: 4945 - 6400K White 3800157606615

Cutting Size:
75x75mm



Emergency Pack: Available
Voltage/Frequency: AC:85-265V,50/60Hz
Luminous Flux: 800lm
Beam Angle: 120°

LED Type: SMD
CRI: >80
PF: >0.9
Shape: Square


Body Type: Aluminium
Dimension: 90x90x8mm
Box Qty: 100 Pcs



Trimless Panel-Square 15w VT-1515SQ

SKU: 4946 - 3000K Warm White 3800157606622
SKU: 4947 - 4000K Day White 3800157606639
SKU: 4948 - 6400K White 3800157606646

Cutting Size:
130x130mm



Emergency Pack: Available
Voltage/Frequency: AC:85-265V,50/60Hz
Luminous Flux: 1500lm
Beam Angle: 120°

LED Type: SMD
CRI: >80
PF: >0.9
Shape: Square


Body Type: Aluminium
Dimension: 146x146x8mm
Box Qty: 40 Pcs



Trimless Panel-Square 22w VT-2222SQ

SKU: 4949 - 3000K Warm White 3800157606653
SKU: 4797 - 4000K Day White 3800157606660
SKU: 4798 - 6400K White 3800157606677

Cutting Size:
155x155mm



Emergency Pack: Available
Voltage/Frequency: AC:85-265V,50/60Hz
Luminous Flux: 2200lm
Beam Angle: 120°

LED Type: SMD
CRI: >80
PF: >0.9
Shape: Square


Body Type: Aluminium
Dimension: 170x170x8mm
Box Qty: 40 Pcs



Trimless Panel-Square 29w VT-2929SQ

SKU: 5031 - 3000K Warm White 3800157606660
SKU: 5032 - 4000K Day White 3800157606677
SKU: 5033 - 6400K White 3800157606684

Cutting Size:
195x195mm



Emergency Pack: Available
Voltage/Frequency: AC:85-265V,50/60Hz
Luminous Flux: 2900lm
Beam Angle: 120°

LED Type: SMD
CRI: >80
PF: >0.9
Shape: Square

Body Type: Aluminium
Dimension: 220x220x8mm
Box Qty: 40 Pcs




Slim Surface-Round

6W VT-605RD

SKU: 4904 - 3000K Warm White 3800157605380
 SKU: 4905 - 4000K Day White 3800157605397
 SKU: 4906 - 6400K White 3800157605403

Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 420lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Round



Body Type: Aluminium
 Dimension: Ø90x24mm
 Box Qty: 40 Pcs




Slim Surface-Round

12W VT-1205 RD

SKU: 4910 - 3000K Warm White 3800157605441
 SKU: 4911 - 4000K Day White 3800157605458
 SKU: 4912 - 6400K White 3800157605465

Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 900lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Round



Body Type: Aluminium
 Dimension: Ø140x24mm
 Box Qty: 40 Pcs




Slim Surface-Round

18W VT-1805RD

SKU: 4916 - 3000K Warm White 3800157605502
 SKU: 4917 - 4000K Day White 3800157605519
 SKU: 4918 - 6400K White 3800157605526

Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 1440lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Round



Body Type: Aluminium
 Dimension: Ø190x24mm
 Box Qty: 20 Pcs




Slim Surface-Square

6W VT-605SQ

SKU: 4907 - 3000K Warm White 3800157605410
 SKU: 4908 - 4000K Day White 3800157605427
 SKU: 4909 - 6400K White 3800157605434

Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 420lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Square



Body Type: Aluminium
 Dimension: 90x90x24mm
 Box Qty: 40 Pcs




Slim Surface-Square

12w VT-1205 SQ

SKU: 4913 - 3000K Warm White 3800157605472
 SKU: 4914 - 4000K Day White 3800157605489
 SKU: 4915 - 6400K White 3800157605496

Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **900lm**
 Beam Angle: **120°**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.9**
 Shape: **Square**



Body Type: **Aluminium**
 Dimension: **140x140x24mm**
 Box Qty: **40 Pcs**




Slim Surface-Square

18w VT-1805SQ

SKU: 4919 - 3000K Warm White 3800157605533
 SKU: 4920 - 4000K Day White 3800157605540
 SKU: 4921 - 6400K White 3800157605557

Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **1440lm**
 Beam Angle: **120°**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.9**
 Shape: **Square**



Body Type: **Aluminium**
 Dimension: **190x190x24mm**
 Box Qty: **20 Pcs**




Surface Series-Round

8w VT-1408 RD

SKU: 4805 - 3000K Warm White 3800230622730
 SKU: 4804 - 4000K Day White 3800230622723
 SKU: 4803 - 6400K White 3800230622716

Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **800lm**
 Beam Angle: **120°**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.9**
 Shape: **Round**



Body Type: **Aluminium**
 Dimension: **Ø110x35mm**
 Box Qty: **20 Pcs**




Surface Series-Round

15w VT-1415 RD

SKU: 4811 - 3000K Warm White 3800230622792
 SKU: 4810 - 4000K Day White 3800230622785
 SKU: 4809 - 6400K White 3800230622778

Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **1500lm**
 Beam Angle: **120°**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.9**
 Shape: **Round**



Body Type: **Aluminium**
 Dimension: **Ø160x35mm**
 Box Qty: **20 Pcs**




Surface Series-Round

22w VT-1422 RD

SKU: 4817 - 3000K Warm White 3800230622853
 SKU: 4816 - 4000K Day White 3800230622846
 SKU: 4815 - 6400K White 3800230622839

Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **2200lm**
 Beam Angle: **120°**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.9**
 Shape: **Round**



Body Type: **Aluminium**
 Dimension: **Ø205x35mm**
 Box Qty: **20 Pcs**




Surface Series-Square

8W VT-1408 SQ

SKU: 4802 - 3000K Warm White 3800230622709
 SKU: 4801 - 4000K Day White 3800230622693
 SKU: 4800 - 6400K White 3800230622686

Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 800lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Square



Body Type: Aluminium
 Dimension: 107x107x35mm
 Box Qty: 40 Pcs




Surface Series-Square

15W VT-1415 SQ

SKU: 4808 - 3000K Warm White 3800230622761
 SKU: 4807 - 4000K Day White 3800230622754
 SKU: 4806 - 6400K White 3800230622747

Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 1500lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Square



Body Type: Aluminium
 Dimension: 155x155x35mm
 Box Qty: 20 Pcs




Surface Series-Square

22W VT-1422 SQ

SKU: 4814 - 3000K Warm White 3800230622822
 SKU: 4813 - 4000K Day White 3800230622815
 SKU: 4812 - 6400K White 3800230622808

Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 2200lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Square



Body Type: Aluminium
 Dimension: 205x205x35mm
 Box Qty: 20 Pcs



Slim Series-Chrome-Round


12W VT-1207CH

SKU: 6340 - 3000K Warm White 3800157621243

Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 1000lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.5
 Shape: Round

Cutting Size:
 Ø155mm



Body Type: Aluminium+Chrome
 Dimension: Ø170x25mm
 Box Qty: 20 Pcs


Slim Series-Chrome-Round

18w VT-1807CH

SKU: 6346 - 3000K Warm White 3800157621304
 SKU: 6347 - 4000K Day White 3800157621311
 SKU: 6348 - 6400K White 3800157621328

Cutting Size:

Ø205mm



Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 1500lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.5
 Shape: Round

Body Type: Aluminium+Chrome
 Dimension: Ø225x25mm
 Box Qty: 20 Pcs


Slim Series-Chrome-Round

24w VT-2407CH

SKU: 6352 - 3000K Warm White 3800157621366
 SKU: 6353 - 4000K Day White 3800157621373
 SKU: 6354 - 6400K White 3800157621380

Cutting Size:

Ø285mm



Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 2000lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.5
 Shape: Round

Body Type: Aluminium+Chrome
 Dimension: Ø300x25mm
 Box Qty: 10 Pcs


Slim Series-Satin Nickel-Round

24w VT-2407SN

SKU: 6355 - 3000K Warm White 3800157621397
 SKU: 6356 - 4000K Day White 3800157621403
 SKU: 6357 - 6400K White 3800157621410

Cutting Size:

Ø285mm



Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 2000lm
 Beam Angle: 120°


LED Type: SMD
 CRI: >80
 PF: >0.5
 Shape: Round

Body Type: Aluminium+Satin Nickel
 Dimension: Ø300x25mm
 Box Qty: 10 Pcs

Slim Surface-Chrome-Round

6w VT-605CH

SKU: 6358 - 3000K Warm White 3800157621427



Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 420lm
 Beam Angle: 120°


LED Type: SMD
 CRI: >80
 PF: >0.5
 Shape: Round

Body Type: Aluminium+Chrome
 Dimension: Ø90x24mm
 Box Qty: 40 Pcs

Slim Surface-Chrome-Round

12w VT-1205CH

SKU: 6364 - 3000K Warm White 3800157621489
 SKU: 6365 - 4000K Day White 3800157621496
 SKU: 6366 - 6400K White 3800157621502



Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 1000lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.6
 Shape: Round

Body Type: Aluminium+Chrome
 Dimension: Ø140x24mm
 Box Qty: 40 Pcs




Slim Surface-Chrome-Round

18w VT-1805CH

SKU: 6370 - 3000K Warm White 3800157621540
SKU: 6372 - 6400K White 3800157621564

Emergency Pack:	Available
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	1500lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.6
Shape:	Round



Body Type:	Aluminium+Chrome
Dimension:	Ø190x24mm
Box Qty:	20 Pcs




Slim Surface-Satin Nickel-Round

6w VT-605SN

SKU: 6361 - 3000K Warm White 3800157621458

Emergency Pack:	Available
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	420lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.5
Shape:	Round



Body Type:	Aluminium+Satin Nickel
Dimension:	Ø90x24mm
Box Qty:	40 Pcs




Slim Surface-Satin Nickel-Round

12w VT-1205SN


SKU: 6367 - 3000K Warm White 3800157621519
SKU: 6369 - 6400K White 3800157621533

Emergency Pack:	Available
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	1000lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.6
Shape:	Round



Body Type:	Aluminium+Satin Nickel
Dimension:	Ø140x24mm
Box Qty:	40 Pcs




Twin LED-Square

8w VT-809SQ

SKU: 4922 - 3000K Warm White 3800157605564
SKU: 4923 - 4000K Day White 3800157605571
SKU: 4924 - 6400K White 3800157605588

Emergency Pack:	Available
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	800lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Square



Body Type:	Aluminium
Dimension:	142x142x40mm
Box Qty:	20 Pcs




Twin LED-Square

15w VT-1509SQ

SKU: 4925 - 3000K Warm White 3800157605595
 SKU: 4926 - 4000K Day White 3800157605601
 SKU: 4927 - 6400K White 3800157605618

Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 1500lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Square



Body Type: Aluminium
 Dimension: 192x192x40mm
 Box Qty: 20 Pcs




Twin LED-Square

22w VT-2209SQ

SKU: 4928 - 3000K Warm White 3800157605625
 SKU: 4929 - 4000K Day White 3800157605632
 SKU: 4930 - 6400K White 3800157605649

Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 2200lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Square



Body Type: Aluminium
 Dimension: 240x240x40mm
 Box Qty: 20 Pcs




Twin LED-Round

8w VT-809RD

SKU: 4890 - 3000K Warm White 3800157602594
 SKU: 4891 - 4000K Day White 3800157602600
 SKU: 4892 - 6400K White 3800157602617

Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 800lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Round



Body Type: Aluminium
 Dimension: 142x40mm
 Box Qty: 20 Pcs




Twin LED-Round

15w VT-1509RD

SKU: 4893 - 3000K Warm White 3800157602624
 SKU: 4894 - 4000K Day White 3800157602631
 SKU: 4895 - 6400K White 3800157602648

Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 1500lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Round



Body Type: Aluminium
 Dimension: 192x40mm
 Box Qty: 20 Pcs




Twin LED-Round

22w VT-2209RD

SKU: 4896 - 3000K Warm White 3800157602655
 SKU: 4897 - 4000K Day White 3800157602662
 SKU: 4898 - 6400K White 3800157602679

Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 2200lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Round



Body Type: Aluminium
 Dimension: 240x40mm
 Box Qty: 20 Pcs

GLASS LED PANELS




Glass Panel-Round

6w VT-602G RD

SKU: 4740 - 3000K Warm White 3800230622891
 SKU: 6277 - 4000K Day White 3800157615754
 SKU: 4739 - 6400K White 3800230622884

Cutting Size:
 Ø75mm



Emergency Pack: Available
 Voltage/Frequency: AC:100-240V,50/60Hz
 Luminous Flux: 420lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Round

Body Type: Aluminium+Glass
 Dimension: Ø100x40mm
 Box Qty: 40 Pcs




Glass Panel-Round

12w VT-1202G RD

SKU: 4744 - 3000K Warm White 3800230622938
 SKU: 6279 - 4000K Day White 3800157615778
 SKU: 4743 - 6400K White 3800230622921

Cutting Size:
 Ø120mm



Emergency Pack: Available
 Voltage/Frequency: AC:100-240V,50/60Hz
 Luminous Flux: 840lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Round

Body Type: Aluminium+Glass
 Dimension: Ø160x40mm
 Box Qty: 20 Pcs




Glass Panel-Round

18w VT-1881G RD

SKU: 4760 - 3000K Warm White 3800230622976
 SKU: 6281 - 4000K Day White 3800157615792
 SKU: 4759 - 6400K White 3800230622969


Cutting Size:
 Ø145mm



Emergency Pack: Available
 Voltage/Frequency: AC:100-240V,50/60Hz
 Luminous Flux: 1260lm
 Beam Angle: 120°

LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Round

Body Type: Aluminium+Glass
 Dimension: Ø198x40mm
 Box Qty: 20 Pcs




Glass Panel-Square

6w VT-602G SQ

SKU: 4738 - 3000K Warm White 3800230622877
 SKU: 6276 - 4000K Day White 3800157615747
 SKU: 4737 - 6400K White 3800230622860


Cutting Size:
 75x75mm



Emergency Pack: Available
 Voltage/Frequency: AC:100-240V,50/60Hz
 Luminous Flux: 420lm
 Beam Angle: 120°


LED Type: SMD
 CRI: >80
 PF: >0.9
 Shape: Square

Body Type: Aluminium+Glass
 Dimension: 100x100x40mm
 Box Qty: 40 Pcs




Glass Panel-Square
12w VT-1202G SQ

SKU: 4742 - 3000K Warm White 3800230622914
SKU: 6278 - 4000K Day White 3800157615761
SKU: 4741 - 6400K White 3800230622907




Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium+Glass
Voltage/Frequency:	AC:100-240V,50/60Hz	CRI:	>80	Dimension:	160x160x40mm
Luminous Flux:	840lm	PF:	>0.9	Box Qty:	20 Pcs
Beam Angle:	120°	Shape:	Square		



Glass Panel-Square
18w VT-1881G SQ

SKU: 4746 - 3000K Warm White 3800230622952
SKU: 6280 - 4000K Day White 3800157615785
SKU: 4745 - 6400K White 3800230622945



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium+Glass
Voltage/Frequency:	AC:100-240V,50/60Hz	CRI:	>80	Dimension:	198x198x40mm
Luminous Flux:	1260lm	PF:	>0.9	Box Qty:	20 Pcs
Beam Angle:	120°	Shape:	Square		

DRIVERS FOR MINI PANELS Voltage: AC:180-240V,50/60Hz



Watts:	6w
SKU:	8073
Dimmable:	Yes
EAN:	3800157605823
Box Qty:	200 Pcs



DIMMABLE



Watts:	12w
SKU:	8074
Dimmable:	Yes
EAN:	3800157605830
Box Qty:	200 Pcs



DIMMABLE



Watts:	18w
SKU:	8075
Dimmable:	Yes
EAN:	3800157605847
Box Qty:	200 Pcs



DIMMABLE



Watts:	18/24w
SKU:	8070
Dimmable:	Yes
EAN:	3800157616836
Box Qty:	50 Pcs



DIMMABLE



Watts:	24w
SKU:	8076
Dimmable:	Yes
EAN:	3800157605946
Box Qty:	200 Pcs



DIMMABLE



LED Tube Lights

V-TAC's LED Tube Series fits perfectly into existing linear fixtures, providing better light quality and energy efficiency compared to linear fluorescent systems.

Product Features

- Cost effective, safe retrofit for T8 Tubes
- Perfectly matches with the traditional daylight tube fixture
- Easy Installation
- No Lead or mercury content hence environment friendly
- No Ultraviolet or Infrared rays
- Long lifespan, low maintenance and energy saving
- Available in 60 cm, 120 cm, 150 cm & 180 cm

Applications



Widely used for domestic and commercial lighting, offices, supermarkets, shops, hotels & similar environment.

T8-Nano Plastic-Rotatable-60cm

10w VT-6072-R

SKU: 6229 - 3000K Warm White 3800157605212
SKU: 6231 - 6400K White 3800157605236

3
YEAR
WARRANTY

**Dummy Starter
Included**


EQ. Watts:	18w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	850lm
LED Type:	SMD
CRI:	>80

PF:	>0.5
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	125g
Dimension:	27.9x600mm
Box Qty:	25 Pcs




T8-Nano Plastic-60cm

10w VT-6072-NR

SKU: 6392 - 3000K Warm White 3800157625296
SKU: 6393 - 4000K Day White 3800157625302
SKU: 6394 - 6400K White 3800157625319

3
YEAR
WARRANTY

**Dummy Starter
Included**


EQ. Watts:	18w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	850lm
LED Type:	SMD
CRI:	>80

PF:	>0.5
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	126.4g
Dimension:	27.9x600mm
Box Qty:	25 Pcs




T8-Nano Plastic-90cm

14w VT-9077

SKU: 6272 - 4000K Day White 3800157615419
SKU: 6262 - 6400K White 3800157612128

3
YEAR
WARRANTY

**Dummy Starter
Included**


EQ. Watts:	25w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1200lm
LED Type:	SMD
CRI:	>80

PF:	>0.5
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	145.6g
Dimension:	27.9x900mm
Box Qty:	25 Pcs





T8-Nano Plastic-120cm

18w VT-1277

SKU: 6263 - 3000K Warm White 3800157612135
SKU: 6273 - 4000K Day White 3800157615426
SKU: 6264 - 6400K White 3800157612142

3
YEAR
WARRANTY

**Dummy Starter
Included**


EQ. Watts:	36w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1700lm
LED Type:	SMD
CRI:	>80

PF:	>0.5
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	200g
Dimension:	27.9x1200mm
Box Qty:	25 Pcs





T8-Nano Plastic-150cm

22W VT-1577

SKU: 6265 - 3000K Warm White 3800157612159
 SKU: 6309 - 4000K Day White 3800157617437
 SKU: 6310 - 6400K White 3800157617444

3
 YEAR
 WARRANTY

 Dummy Starter
 Included


EQ. Watts:	58w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	2000lm
LED Type:	SMD
CRI:	>80



PF:	>0.5
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	30,000 Hours
Gross weight:	283.4g
Dimension:	27.9x1500mm
Box Qty:	25 Pcs

T5-Glass Plastic-60cm

8W VT-6005

SKU: 6318 - 4000K Day White 3800157619271
 SKU: 6319 - 6500K White 3800157619288



EQ. Watts:	14w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	800lm
LED Type:	SMD
CRI:	>80



PF:	>0.5
Beam Angle:	160°
Body Type:	Glass with PET
Holder:	G5
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	120g
Dimension:	18.4x549mm
Box Qty:	25 Pcs

T5-Glass Plastic-120cm

16w VT-1225

SKU: 6320 - 4000K Day White 3800157619295
 SKU: 6321 - 6500K White 3800157619301



EQ. Watts:	28w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1600lm
LED Type:	SMD
CRI:	>80

PF:	>0.5
Beam Angle:	160°
Body Type:	Glass with PET
Holder:	G5
Instant start :	0-100% in < 1s


On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	208g
Dimension:	18.4x1149mm
Box Qty:	25 Pcs

T8 Bread Tube-120cm

18w VT-1228-B

SKU: 6322 3800157619318

EQ. Watts:	36w
Voltage/Frequency:	AC:180-240V,50Hz
Luminous Flux:	1530lm
LED Type:	SMD
CRI:	>95
PF:	>0.9
Beam Angle:	160°
Body Type:	Glass with PET
Holder:	G13
Instant start :	0-100% in < 1s
On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	320g
Dimension:	26x1200mm
Box Qty:	25 Pcs




T8 Vegetable Tube-120cm

18w VT-1228-V

SKU: 6324 3800157619332

EQ. Watts:	36w
Voltage/Frequency:	AC:180-240V,50Hz
Luminous Flux:	1530lm
LED Type:	SMD
CRI:	>95
PF:	>0.9
Beam Angle:	160°
Body Type:	Glass with PET
Holder:	G13
Instant start :	0-100% in < 1s
On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	320g
Dimension:	26x1200mm
Box Qty:	25 Pcs




T8 Seafood Tube-120cm

18w VT-1228-S

SKU: 6325 3800157619349

EQ. Watts:	36w
Voltage/Frequency:	AC:180-240V,50/60Hz
Luminous Flux:	1530lm
LED Type:	SMD
CRI:	>95
PF:	>0.9
Beam Angle:	160°
Body Type:	Glass with PET
Holder:	G13
Instant start :	0-100% in < 1s
On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	320g
Dimension:	26x1200mm
Box Qty:	25 Pcs



Tube-Batten Fitting VT-16010



SKU:	6052
Body Type:	Iron
Size:	600mm
EAN:	3800230624642
Box Qty:	20 Pcs

Tube-Batten Fitting VT-12020



SKU:	6054
Body Type:	Iron
Size:	1200mm
EAN:	3800230624666
Box Qty:	20 Pcs

Tube-Batten Fitting VT-15020



SKU:	6056
Body Type:	Iron
Size:	1500mm
EAN:	3800230624680
Box Qty:	20 Pcs

Tube-Batten Fitting VT-16011



SKU:	6053
Body Type:	Iron
Size:	600x2mm
EAN:	3800230624659
Box Qty:	20 Pcs

Tube-Batten Fitting VT-12021



SKU:	6055
Body Type:	Iron
Size:	1200x2mm
EAN:	3800230624673
Box Qty:	12 Pcs

Tube-Batten Fitting VT-15021



SKU:	6057
Body Type:	Iron
Size:	1500x2mm
EAN:	3800230624697
Box Qty:	12 Pcs



T8-Nano Plastic-60cm 18w VT-6077

SKU: 6313 - 4000K Day White 3800157618656
SKU: 6314 - 6400K White 3800157618663



EQ. Watts:	36w
Voltage/Frequency:	AC:200-240V,50Hz
Luminous Flux:	2500lm
LED Type:	SMD
CRI:	>80

PF:	>0.9
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	290g
Dimension:	18.5x549mm
Box Qty:	10 Pcs



Cabinet Fitting

10w VT-8112

SKU: 5068 - 3000K Warm White 3800157606714
SKU: 5070 - 6000K White 3800157606738

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	800lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	110°
Body Type:	Aluminium Body, Plastic Diffuser
On/Off:	>10,000
Life span:	20,000 Hours
Gross weight:	600g
Dimension:	579x78x35mm
Box Qty:	12 Pcs




Wall Fitting-60cm

10w VT-8111

SKU: 5071 - 3000K Warm White 3800157606745
SKU: 5072 - 4500K Day White 3800157606752
SKU: 5073 - 6000K White 3800157606769

Sensor Compatible:	Yes
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	900lm
LED Type:	SMD
CRI:	>80
PF:	>0.6
Beam Angle:	120°
Body Type:	Aluminium+PC
On/Off:	>10,000
Life span:	20,000 Hours
Gross weight:	240g
Dimension:	600x32x25mm
Box Qty:	25 Pcs




Wall Fitting-120cm

20w VT-8121

SKU: 5074 - 3000K Warm White 3800157606776
SKU: 5076 - 6000K White 3800157606790

Sensor Compatible:	Yes
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	1800lm
LED Type:	SMD
CRI:	>80
PF:	>0.6
Beam Angle:	120°
Body Type:	Aluminium+PC
On/Off:	>10,000
Life span:	20,000 Hours
Gross weight:	370g
Dimension:	1200x32x25mm
Box Qty:	25 Pcs





LED Waterproof Fittings

Introducing our complete Essentials range of IP65-rated waterproof tubes. Built with a tough, air-tight enclosure allowing it to resist jets of water and dust — an essential feature for outdoor lighting.

Product Features

- Easy to install
- IP65, free from water and dirt
- Direct wiring easily accessible when necessary
- Perfect replacement for the whole set of T8 fluorescent lighting fixture
- Save up to 80% in electricity consumption compared to fluorescent lighting fixture

Applications

Widely used for Domestic and Commercial Lighting, Offices, Supermarkets, Shops, Hotels & similar environment.

**IP65
RATING****1 LED TUBE INCLUDED**

Waterproof Fitting-Tubes

10w VT-6028


SKU: 6463 - 4000K Day White 3800157639767
SKU: 6464 - 6400K White 3800157639750

Voltage/Frequency: **AC:200-240V,50/60Hz**Luminous Flux: **850lm**LED Type: **SMD**CRI: **>80**PF: **>0.5**Beam Angle: **120°**Body Type: **Plastic+ABS**On/Off: **>15,000**Life span: **20,000 Hours**Gross weight: **0.70 kg**Dimension: **666x68x58mm**Box Qty: **16pcs****IP65
RATING****2 LED TUBES INCLUDED**

Waterproof Fitting-Tubes

2x10w VT-6029


SKU: 6465 - 4000K Day White 3800157639781
SKU: 6466 - 6400K White 3800157639774

Voltage/Frequency: **AC:200-240V,50/60Hz**Luminous Flux: **1700lm**LED Type: **SMD**CRI: **>80**PF: **>0.5**Beam Angle: **120°**Body Type: **Plastic+ABS**On/Off: **>15,000**Life span: **20,000 Hours**Gross weight: **1 kg**Dimension: **666x96x58mm**Box Qty: **12pcs****IP65
RATING****1 LED TUBE INCLUDED**

Waterproof Fitting-Tubes

18w VT-12028

SKU: 6459 - 4000K Day White 3800157639729
SKU: 6460 - 6400K White 3800157639712

Voltage/Frequency: **AC:200-240V,50/60Hz**Luminous Flux: **1700lm**LED Type: **SMD**CRI: **>80**PF: **>0.5**Beam Angle: **120°**Body Type: **Plastic+ABS**On/Off: **>15,000**Life span: **20,000 Hours**Gross weight: **1 kg**Dimension: **1276x68x58mm**Box Qty: **16pcs****IP65
RATING****1 LED TUBE INCLUDED**

Waterproof Fitting-Tubes

22w VT-15028

SKU: 6461 - 4000K Day White 3800157639743
SKU: 6462 - 6400K White 3800157639736

Voltage/Frequency: **AC:200-240V,50/60Hz**Luminous Flux: **2000lm**LED Type: **SMD**CRI: **>80**PF: **>0.5**Beam Angle: **120°**Body Type: **Plastic+ABS**On/Off: **>15,000**Life span: **20,000 Hours**Gross weight: **1.2 kg**Dimension: **1576x68x58mm**Box Qty: **16pcs**

Waterproof Fitting-Tubes

36w VT-12023



SKU: 6387 - 4000K Day White 3800157625036
SKU: 6399 - 6400K White 3800157626385

2 LED TUBES INCLUDED

Voltage/Frequency: AC:200-240V,50/60Hz

Luminous Flux: 3400lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

Body Type: Plastic+ABS


On/Off: >10,000

Life span: 30,000 Hours

Gross weight: 1.33 kg

Dimension: 1290x116x66mm

Box Qty: 10 Pcs



Waterproof Fitting-Tubes

44w VT-15022



SKU: 6388 - 4000K Day White 3800157625043
SKU: 6400 - 6400K White 3800157626392

2 LED TUBES INCLUDED

Voltage/Frequency: AC:200-240V,50/60Hz

Luminous Flux: 4000lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

Body Type: Plastic+ABS


On/Off: >10,000

Life span: 30,000 Hours

Gross weight: 1.65 kg

Dimension: 1590x116x66mm

Box Qty: 10 Pcs



Waterproof Fitting-G Series

18w VT-6076



SKU: 6283 - 4000K Day White 3800157616478
SKU: 6282 - 6400K White 3800157616461

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 1440lm

LED Type: SMD

CRI: >70

PF: >0.5

Beam Angle: 120°

Body Type: Plastic


On/Off: >10,000

Life span: 20,000 Hours

Gross weight: 0.60 kg

Dimension: 600x65x58mm

Box Qty: 12 Pcs



Waterproof Fitting-G Series

36w VT-1249



SKU: 6285 - 4000K Day White 3800157616492
SKU: 6284 - 6400K White 3800157616485

Voltage/Frequency: AC:200-240V,50/60Hz

Luminous Flux: 2880lm

LED Type: SMD

CRI: >70

PF: >0.9

Beam Angle: 120°

Body Type: Plastic


On/Off: >10,000

Life span: 20,000 Hours

Gross weight: 0.60 kg

Dimension: 1200x65x58mm

Box Qty: 12 Pcs



Waterproof Fitting-G Series

48w VT-1574



SKU: 6287 - 4000K Day White 3800157616515
SKU: 6286 - 6400K White 3800157616508

Voltage/Frequency: AC:200-240V,50/60Hz

Luminous Flux: 3840lm

LED Type: SMD

CRI: >70

PF: >0.9

Beam Angle: 120°

Body Type: Plastic


On/Off: >10,000

Life span: 20,000 Hours

Gross weight: 1.1 kg

Dimension: 1500x65x58mm

Box Qty: 12 Pcs



Waterproof Fitting-S Series

18W VT-1518

SKU: 6472 - 4000K Day White 3800157647199
SKU: 6473 - 6500K White 3800157647205



Voltage/Frequency: AC:200-240V,50/60Hz

Luminous Flux: 1530lm

LED Type: SMD2835

CRI: >80

PF: >0.9

Beam Angle: 120°

Body Type: PC


On/Off: >15,000

Life span: 20,000 Hours

Gross weight: 0.25 kg

Dimension: 600x60x35mm

Box Qty: 20 Pcs



Waterproof Fitting-S Series

36W VT-1239

SKU: 6469 - 4000K Day White 3800157640992
SKU: 6470 - 6500K White 3800157641005



Voltage/Frequency: AC:200-240V,50/60Hz

Luminous Flux: 3000lm

LED Type: SMD2835

CRI: >80

PF: >0.9

Beam Angle: 120°

Body Type: PC


On/Off: >15,000

Life span: 20,000 Hours

Gross weight: 0.448 kg

Dimension: 1200x60x35mm

Box Qty: 20 Pcs



Waterproof Fitting-S Series

48W VT-1549

SKU: 6467 - 4000K Day White 3800157640978
SKU: 6468 - 6500K White 3800157640985



Voltage/Frequency: AC:200-240V,50/60Hz

Luminous Flux: 4000lm

LED Type: SMD2835

CRI: >80

PF: >0.9

Beam Angle: 120°

Body Type: PC


On/Off: >15,000

Life span: 20,000 Hours

Gross weight: 0.558 kg

Dimension: 1500x60x35mm

Box Qty: 20 Pcs



Waterproof-Emergency Kit

36W VT-1250

SKU: 6448 - 4000K Day White 3800157632126
SKU: 6449 - 6400K White 3800157632133



**Waterproof
Emergency Kit**

Charging Time: 24 Hours

Emergency Operation Time: 3 Hours

Emergency Switch on time: <1 Second

Voltage/Frequency: AC:220-240V,50/60Hz

Luminous Flux: 2880lm

LED Type: SMD

CRI: >70

PF: >0.9

Beam Angle: 120°

Body Type: Plastic+ABS


On/Off: >10,000

Life span: 20,000 Hours

Gross weight: 1.9 kg

Dimension: 1200x76x66mm

Box Qty: 12 Pcs



Waterproof-Emergency Kit

48W VT-1550

SKU: 6446 - 4000K Day White 3800157632102
SKU: 6447 - 6400K White 3800157632119



**Waterproof
Emergency Kit**

Charging Time: 24 Hours

Emergency Operation Time: 3 Hours

Emergency Switch on time: <1 Second

Voltage/Frequency: AC:220-240V,50/60Hz

Luminous Flux: 3920lm

LED Type: SMD

CRI: >70

PF: >0.9

Beam Angle: 120°

Body Type: ABS+PC


On/Off: >10,000

Life span: 20,000 Hours

Gross weight: 2.35 kg

Dimension: 1500x76x66mm

Box Qty: 12 Pcs



Waterproof Fitting 18w VT-6048

SKU: 6198 - 4500K Day White 3800157603256
SKU: 6199 - 6000K White 3800157603263

Voltage/Frequency: AC:200-240V,50Hz

Luminous Flux: 1440lm

LED Type: SMD

CRI: >70

PF: >0.9

Beam Angle: 120°

Body Type: Plastic+ABS


On/Off: >10,000

Life span: 20,000 Hours

Gross weight: 0.80 kg

Dimension: 600x76x66mm

Box Qty: 12 Pcs



Waterproof Fitting 36w VT-1248

SKU: 6200 - 4500K Day White 3800157603270
SKU: 6201 - 6000K White 3800157603287

Voltage/Frequency: AC:200-240V,50Hz

Luminous Flux: 2880lm

LED Type: SMD

CRI: >70

PF: >0.9

Beam Angle: 120°

Body Type: Plastic+ABS


On/Off: >10,000

Life span: 20,000 Hours

Gross weight: 1.42 kg

Dimension: 1200x76x66mm

Box Qty: 12 Pcs



Waterproof Fitting 48w VT-1548

SKU: 6184 - 4500K Day White 3800157602389
SKU: 6185 - 6000K White 3800157602396

Voltage/Frequency: AC:200-240V,50/60Hz

Luminous Flux: 3840lm

LED Type: SMD

CRI: >70

PF: >0.7

Beam Angle: 120°

Body Type: Plastic+ABS



On/Off: >10,000

Life span: 20,000 Hours

Gross weight: 1.86 kg

Dimension: 1480x76x66mm

Box Qty: 12 Pcs



Waterproof Suspension Kit

SKU: 8119

EAN: 3800157624763

Box Qty: 50 Pcs

suspension kit for all waterproof fittings



LED Track Lights

V-TAC's extensive range of modern LED track lights are the perfect ecological alternative to old, inefficient Halogen lights. Delivering high performance, excellent durability and remarkable light output to serve the general Commercial and Retail market.

Product Features

- Saves 80% energy
- No Ultraviolet or Infrared Rays
- Totally flexible, compact & adjustable design
- No Lead or mercury content hence environment-friendly
- Provides uniform radiance & enhances appeal of retail environment
- Enhances measurable levels of performance as compared to older versions of high wattage Halogen & HID light sources in retail & commercial lighting applications

Applications

Perfect choice for exhibition stands, hotels, bars, commercial & residential lighting.



Tracklights-Smart Color Changing



15w VT-7715-W

SKU: 1456 - 3 IN 1

3800157637909

Sensor Compatible:	
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	650
LED Type:	COB
CRI:	>80
PF:	>0.5

Beam Angle:	18°-48°
Color of Fixture:	White
Body Type:	Aluminium
Life span:	30,000 Hours
Dimension:	215x141x60mm
Box Qty:	20 Pcs

CCT and Dimming
VIA SMART PHONE APPCCT Adjustable
2800K/4000K/6000K

Tracklights-Smart Color Changing



15w VT-7715-B

SKU: 1457 - 3 IN 1

3800157637916

Sensor Compatible:	
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	500
LED Type:	COB
CRI:	>80
PF:	>0.5

Beam Angle:	18°-48°
Color of Fixture:	Black
Body Type:	Aluminium
Life span:	30,000 Hours
Dimension:	215x141x60mm
Box Qty:	20 Pcs

CCT and Dimming
VIA SMART PHONE APPCCT Adjustable
2800K/4000K/6000K

Tracklights-Smart Color Changing



35w VT-7735-W

SKU: 1458 - 3 IN 1

3800157637923

Sensor Compatible:	
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	2350
LED Type:	COB
CRI:	>80
PF:	>0.9

Beam Angle:	16°-53°
Color of Fixture:	White
Body Type:	Aluminium
Life span:	30,000 Hours
Dimension:	215x183x93mm
Box Qty:	20 Pcs

CCT and Dimming
VIA SMART PHONE APPCCT Adjustable
2800K/4000K/6000K

Tracklights-Smart Color Changing



35w VT-7735-B

SKU: 1459 - 3 IN 1

3800157637930

Sensor Compatible:	
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1950
LED Type:	COB
CRI:	>80
PF:	>0.9

Beam Angle:	16°-53°
Color of Fixture:	Black
Body Type:	Aluminium
Life span:	30,000 Hours
Dimension:	215x183x93mm
Box Qty:	20 Pcs

CCT and Dimming
VIA SMART PHONE APPCCT Adjustable
2800K/4000K/6000K



Tracklights-Color Changing

18w VT-4718-W

SKU: 1410 - 3 IN 1


3800157629324

CCT Adjustable
2800K/4000K/6000KLens Angle Adjustable
20°~60°

Triac Dimmable

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1450lm
LED Type:	COB
CRI:	>95
PF:	>0.9

Beam Angle:	20° ~ 60° (Adjustable)
Color of Fixture:	White
Body Type:	Aluminium
Life span:	30,000 Hours
Dimension:	Ø93x93.5x230mm
Box Qty:	20 Pcs

5 YEAR
WARRANTY

Tracklights-Color Changing

18w VT-4718-B

SKU: 1411 - 3 IN 1


3800157629331

CCT Adjustable
2800K/4000K/6000KLens Angle Adjustable
20°~60°

Triac Dimmable

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1450lm
LED Type:	COB
CRI:	>95
PF:	>0.9

Beam Angle:	20° ~ 60° (Adjustable)
Color of Fixture:	Black
Body Type:	Aluminium
Life span:	30,000 Hours
Dimension:	Ø93x93.5x230mm
Box Qty:	20 Pcs

5 YEAR
WARRANTY

Tracklights-Color Changing

35w VT-4745-W

SKU: 1412 - 3 IN 1


3800157629348

CCT Adjustable
2800K/4000K/6000KLens Angle Adjustable
20°~60°

Triac Dimmable

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	3000lm
LED Type:	COB
CRI:	>95
PF:	>0.9

Beam Angle:	20° ~ 60° (Adjustable)
Color of Fixture:	White
Body Type:	Aluminium
Life span:	30,000 Hours
Dimension:	Ø100x196x262mm
Box Qty:	8 Pcs

5 YEAR
WARRANTY

Tracklights-Color Changing

35w VT-4745-B

SKU: 1413 - 3 IN 1


3800157629355

CCT Adjustable
2800K/4000K/6000KLens Angle Adjustable
20°~60°

Triac Dimmable

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	3000lm
LED Type:	COB
CRI:	>95
PF:	>0.9

Beam Angle:	20° ~ 60° (Adjustable)
Color of Fixture:	Black
Body Type:	Aluminium
Life span:	30,000 Hours
Dimension:	Ø100x196x262mm
Box Qty:	8 Pcs

5 YEAR
WARRANTY



Tracklights-Black-White Body



10w VT-4512

SKU: 1332 - 3000K Warm White
SKU: 1333 - 4000K Day White
SKU: 1334 - 6000K White

3800157620604
3800157620611
3800157620628

5 YEAR
WARRANTY

Sensor Compatible:	Yes	Beam Angle:	24°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	Black+White
Luminous Flux:	800lm	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>80	Dimension:	209x65x163mm
PF:	>0.9	Box Qty:	40 Pcs



Tracklights-Black-White Body



25w VT-4528

SKU: 1335 - 3000K Warm White
SKU: 1336 - 4000K Day White
SKU: 1337 - 6000K White

3800157620635
3800157620642
3800157620659

5 YEAR
WARRANTY

Sensor Compatible:	Yes	Beam Angle:	24°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	Black+White
Luminous Flux:	2100lm	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>80	Dimension:	209x85x187mm
PF:	>0.9	Box Qty:	20 Pcs



Tracklights-Black-White Body



35w VT-4537

SKU: 1338 - 3000K Warm White
SKU: 1339 - 4000K Day White
SKU: 1340 - 6000K White

3800157620666
3800157620673
3800157620680

5 YEAR
WARRANTY

Sensor Compatible:	Yes	Beam Angle:	24°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	Black+White
Luminous Flux:	2850lm	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>80	Dimension:	224x100x215mm
PF:	>0.9	Box Qty:	10 Pcs



Tracklights-White Body



15w VT-4615W

SKU: 1300 - 6400K White

3800157619875


5 YEAR
WARRANTY

Sensor Compatible:	Yes	Beam Angle:	24°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	1350lm	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>95	Dimension:	Ø180x97x155mm
PF:	>0.9	Box Qty:	20 Pcs







Tracklights-Black Body 15w VT-4615B

SKU: 1303 - 6400K White

3800157619905

Sensor Compatible:	Yes	Beam Angle:	24°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	1350lm	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>95	Dimension:	180x97x155mm
PF:	>0.9	Box Qty:	20 Pcs




5 YEAR
WARRANTY*


Tracklights-White Body 30w VT-4635W

SKU: 1294 - 6400K White

3800157619813

Sensor Compatible:	Yes	Beam Angle:	24°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	2700lm	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>95	Dimension:	180x140x215mm
PF:	>0.9	Box Qty:	20 Pcs




5 YEAR
WARRANTY*


Tracklights-Black Body 30w VT-4635B

SKU: 1297 - 6400K White

3800157619844

Sensor Compatible:	Yes	Beam Angle:	24°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	2700lm	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>95	Dimension:	180x140x215mm
PF:	>0.9	Box Qty:	20 Pcs



5 YEAR
WARRANTY*


Tracklights-Black Body 33w VT-4535

 SKU: 1233 - 3000K Warm White
 SKU: 1234 - 4000K Day White
 SKU: 1235 - 5000K White

 3800157603720
 3800157603737
 3800157603744

Sensor Compatible:	Yes	Beam Angle:	25°
Voltage/Frequency:	AC:100-240V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	1800lm	Body Type:	Die Cast Aluminium
LED Type:	COB	Life span:	20,000 Hours
CRI:	>95	Dimension:	112x165x205mm
PF:	>0.9	Box Qty:	8 Pcs







Tracklights-Black Body
45W VT-4545

SKU: 1236 - 3000K Warm White
SKU: 1237 - 4000K Day White
SKU: 1238 - 5000K White

3800157603751
3800157603768
3800157603775




Sensor Compatible:	Yes	Beam Angle:	25°
Voltage/Frequency:	AC:100-240V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	2300lm	Body Type:	Die Cast Aluminium
LED Type:	COB	Life span:	20,000 Hours
CRI:	>95	Dimension:	123x165x218mm
PF:	>0.9	Box Qty:	8 Pcs




Tracklights-Black Body
40W VT-4540T

SKU: 1192 - 5000K Day White

3800230629555




Sensor Compatible:	Yes	Beam Angle:	22°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	2600lm	Body Type:	Aluminium
LED Type:	COB	Life span:	20,000 Hours
CRI:	>70	Dimension:	225x185x138mm
PF:	>0.9	Box Qty:	8 Pcs




Tracklights-Black Body
33W VT-4534B

SKU: 1232 - 5000K White

3800157602532




Sensor Compatible:	Yes	Beam Angle:	22°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	2300lm	Body Type:	Die Cast Aluminium
LED Type:	COB	Life span:	20,000 Hours
CRI:	>80	Dimension:	106x208x206mm
PF:	>0.9	Box Qty:	8 Pcs




Tracklights-White Body
35W VT-4536W

SKU: 1255 - 3000K Warm White
SKU: 1256 - 4500K Day White
SKU: 1257 - 6000K White

3800157607551
3800157607568
3800157607575



Sensor Compatible:	Yes	Beam Angle:	24°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	3500lm	Body Type:	Aluminium
LED Type:	COB	Life span:	20,000 Hours
CRI:	>80	Dimension:	92x165x192mm
PF:	>0.9	Box Qty:	20 Pcs



Tracklights-Black Body

35w VT-4536B

SKU: 1285 - 3000K Warm White

SKU: 1286 - 4000K Day White

SKU: 1287 - 6000K White

3800157618694

3800157618700

3800157618717



Sensor Compatible: Yes

Voltage/Frequency: AC:220-240V,50/60Hz

Luminous Flux: 3500lm

LED Type: COB

CRI: >80

PF: >0.9

Beam Angle: 24°


Color of Fixture: Black

Body Type: Aluminium


Life span: 20,000 Hours

Dimension: 92x165x192mm

Box Qty: 20 Pcs



LUMINOUS INTENSITY DISTRIBUTION



TRACK LIGHT ACCESSORIES

 Track-Connectors-4I SKU : 3522 EAN : 3800230623232 Box Qty: 50 Pcs	 Track-Connectors-4I SKU : 3523 EAN : 3800230623195 Box Qty: 50 Pcs	 Track-Connectors-4T SKU : 3524 EAN : 3800230623201 Box Qty: 25 Pcs	 Track-Connectors-4T SKU : 3525 EAN : 3800230623249 Box Qty: 25 Pcs	 Track-Connectors-4X SKU : 3526 EAN : 3800230623218 Box Qty: 10 Pcs	 4 Wired Y Series-Connectors SKU : 3655 EAN : 3800157619103 Box Qty: 100 Pcs
 4 Wired Y Series-Connectors SKU : 3656 EAN : 3800157619110 Box Qty: 100 Pcs	 End Cap-White SKU : 3657 EAN : 3800157619127 Box Qty: 200 Pcs	 End Cap-Black SKU : 3658 EAN : 3800157619134 Box Qty: 200 Pcs	 4 Wired Y Series-Adaptor SKU : 3659 EAN : 3800157619141 Box Qty: 50 Pcs	 4 Wired Y Series-Adaptor SKU : 3660 EAN : 3800157619158 Box Qty: 50 Pcs	 Track-Connectors-4X SKU : 3527 EAN : 3800230623256 Box Qty: 10 Pcs
 Track-Connectors-4L SKU : 3528 EAN : 3800230623225 Box Qty: 25 Pcs	 Track-Connectors-4L SKU : 3529 EAN : 3800230623263 Box Qty: 25 Pcs	 Flexible Joint-4 Line SKU : 3559 EAN : 3800230628442 Box Qty: 20 Pcs	 Flexible Joint-4 Line SKU : 3560 EAN : 3800230628459 Box Qty: 20 Pcs	 Hanging Trackline Kit-1 Meter SKU : 3565 EAN : 3800157600019 Box Qty: 100 Pcs	 Hanging Trackline Kit-1 Meter SKU : 3566 EAN : 3800157600026 Box Qty: 100 Pcs
 4 Core Track-1 Meter SKU : 9944 EAN : 3800230623133 Box Qty: 10 Pcs	 4 Core Track-1 Meter SKU : 9945 EAN : 3800230623164 Box Qty: 10 Pcs	 4 Core Track-1.5 Meter SKU : 9952 EAN : 3800230623140 Box Qty: 10 Pcs	 4 Core Track-1.5 Meter SKU : 9953 EAN : 3800230623171 Box Qty: 10 Pcs	 4 Core Track-2 Meter SKU : 9954 EAN : 3800230623157 Box Qty: 10 Pcs	 4 Core Track-2 Meter SKU : 9955 EAN : 3800230623188 Box Qty: 10 Pcs



LED Downlights

Swap outdated CFL Lights with high quality LED Down Lights for long lasting and energy efficient lighting. Choose from a wide range of 3w to 4w variations.

Product Features

- Innumerable styles & elegant appearance
- Non - Flickering
- Premium quality power driver with lowest power factor saver & high RA
- Easy Installation
- Varied finishes with strong die cast aluminium body
- Low maintenance
- All down lights come with premium quality power

Applications

Residences, showrooms, hotels & boutiques etc.

UGR < 19




Adjustable Angle
0-27°



Hotel Downlight-COB

6w VT-2907

SKU: 1479 - 3000K Warm White 3800157644242
SKU: 1480 - 4000K Day White 3800157644259



Cutting Size
Ø55mm


Sensor Compatible: Yes
Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 400lm
LED Type: COB-CREE
CRI: >95
PF: >0.6

Beam Angle: 0-27°
Body Type: Aluminium
Dimension: Ø65x82mm
Cutting Size: Ø55mm
Box Qty: 24 Pcs

Hotel Downlight-COB

10w VT-2911

SKU: 1481 - 3000K Warm White 3800157644068
SKU: 1482 - 4000K Day White 3800157644075



Cutting Size
Ø75mm


Sensor Compatible: Yes
Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 650lm
LED Type: COB-CREE
CRI: >95
PF: >0.6

Beam Angle: 0-27°
Body Type: Aluminium
Dimension: Ø85x96mm
Cutting Size: Ø75mm
Box Qty: 16 Pcs

Hotel Downlight-COB

15w VT-2916

SKU: 1483 - 3000K Warm White 3800157644082
SKU: 1484 - 4000K Day White 3800157644099



Cutting Size
Ø95mm


Sensor Compatible: Yes
Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 1000lm
LED Type: COB-CREE
CRI: >95
PF: >0.6

Beam Angle: 0-27°
Body Type: Aluminium
Dimension: Ø105x113mm
Cutting Size: Ø95mm
Box Qty: 12 Pcs

Hotel Downlight-COB

35w VT-2936

SKU: 1477 - 3000K Warm White 3800157644105
SKU: 1478 - 4000K Day White 3800157644112



Cutting Size
Ø150mm

Sensor Compatible: Yes
Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 2300lm
LED Type: COB-CREE
CRI: >95
PF: >0.6

Beam Angle: 0-27°
Body Type: Aluminium
Dimension: Ø160x176mm
Cutting Size: Ø150mm
Box Qty: 8 Pcs



Side Light

3w VT-2903

SKU: 1485 - 3000K Warm White 3800157642675

Sensor Compatible:	Yes	Beam Angle:	30°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	Die Cast Aluminium
Luminous Flux:	180lm	Color of Fixture:	Black
LED Type:	COB-CREE	Dimension:	80x80x25mm
CRI:	>80	Cutting Size:	N/A
PF	>0.6	Box Qty:	40 Pcs



Side Light

3w VT-2913

SKU: 1486 - 3000K Warm White 3800157644327

Sensor Compatible:	Yes	Beam Angle:	30°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	Die Cast Aluminium
Luminous Flux:	180lm	Color of Fixture:	White
LED Type:	COB-CREE	Dimension:	90x60x30mm
CRI:	>80	Cutting Size:	N/A
PF	>0.6	Box Qty:	40 Pcs



Side Light

3w VT-2943

SKU: 1487 - 3000K Warm White 3800157644334

Sensor Compatible:	Yes	Beam Angle:	30°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	Die Cast Aluminium
Luminous Flux:	180lm	Color of Fixture:	White
LED Type:	COB-CREE	Dimension:	120x120x45mm
CRI:	>80	Cutting Size:	N/A
PF	>0.6	Box Qty:	20 Pcs



Side Light

3+6w VT-2953

SKU: 1488 - 3000K Warm White 3800157644341

Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	Die Cast Aluminium
Luminous Flux:	180+500lm	Color of Fixture:	White
LED Type:	CREE Chip	Dimension:	300x50x35mm
CRI:	>80	Cutting Size:	N/A
PF	>0.6	Box Qty:	30 Pcs



Side Light

3+6w VT-2963

SKU: 1489 - 3000K Warm White 3800157644358

Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	Die Cast Aluminium
Luminous Flux:	180+500lm	Color of Fixture:	White
LED Type:	COB-CREE	Dimension:	140x30mm
CRI:	>80	Cutting Size:	N/A
PF	>0.6	Box Qty:	30 Pcs


Reflector Series - High Lumen

10W VT-26101

SKU: 1270 - 3000K Warm White 3800157611923
 SKU: 1271 - 4000K Day White 3800157611930
 SKU: 1272 - 6400K White 3800157611947



120
Lumen/W



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-277V,50/60Hz
Luminous Flux:	1200lm
LED Type:	COB
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Body Type:	PKW
Color of Fixture:	White
Shape:	Round
Dimension:	Ø135x71mm
Cutting Size:	Ø120mm
Box Qty:	27 Pcs


Reflector Series - High Lumen

20W VT-26201

SKU: 1273 - 3000K Warm White 3800157611954
 SKU: 1274 - 4000K Day White 3800157611961
 SKU: 1275 - 6400K White 3800157611978



120
Lumen/W



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-277V,50/60Hz
Luminous Flux:	2400lm
LED Type:	COB
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Body Type:	PKW
Color of Fixture:	White
Shape:	Round
Dimension:	Ø180x83mm
Cutting Size:	Ø167mm
Box Qty:	18 Pcs


Reflector Series - High Lumen

30W VT-26301

SKU: 1276 - 3000K Warm White 3800157611985
 SKU: 1277 - 4000K Day White 3800157611992
 SKU: 1278 - 6400K White 3800157612005



120
Lumen/W



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-277V,50/60Hz
Luminous Flux:	3600lm
LED Type:	COB
CRI:	>80
PF:	>0.9

Beam Angle:	120°
Body Type:	PKW
Color of Fixture:	White
Shape:	Round
Dimension:	Ø220x103mm
Cutting Size:	Ø207mm
Box Qty:	12 Pcs


Reflector Series - High Lumen

40W VT-26451

SKU: 1453 - 3000K Warm White 3800157635561
 SKU: 1279 - 4500K Day White 3800157612012
 SKU: 1280 - 6400K White 3800157612029



120
Lumen/W



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-270V,50/60Hz
Luminous Flux:	4800lm
LED Type:	COB
CRI:	>80
PF:	>0.9

Beam Angle:	120°
Body Type:	PKW
Color of Fixture:	PKW
Shape:	Round
Dimension:	Ø220x103mm
Cutting Size:	Ø207mm
Box Qty:	12 Pcs


Reflector Series

10W VT-2610

SKU: 1100 - 6000K White 3800230622372



120
Lumen/W




Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	730lm
LED Type:	COB
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Body Type:	PKW
Color of Fixture:	PKW
Shape:	Round
Dimension:	Ø135x71mm
Cutting Size:	Ø105mm
Box Qty:	27 Pcs



Zoom Series - Round

33W VT-2933

 SKU: 1304 - 3000K Warm White 3800157619912
 SKU: 1305 - 4500K Day White 3800157619929


Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	2650lm
LED Type:	COB
CRI:	>80
PF	>0.9


Beam Angle:	24°
Body Type:	Die Cast Aluminum
Color of Fixture:	White
Shape:	Round
Dimension:	Ø165x140mm
Cutting Size:	Ø115mm
Box Qty:	20 Pcs



Step Light With Sensor

3W VT-8035

SKU: 5570 - 4000K Day White 3800157617291



Sensor Compatible:	Sensor Included
Voltage/Frequency:	AC:100-240V, 50/60Hz
Luminous Flux:	100lm
LED Type:	SMD
CRI:	>80
PF	>0.5


Beam Angle:	45°
Body Type:	Die cast Aluminum
Color of Fixture:	White
Shape:	Square
Dimension:	85x85x42mm
Cutting Size:	85x85mm
Box Qty:	100 Pcs



Steplight-Square

3W VT-1143

SKU: 1284 - 4000K Day White 3800157617307




Sensor Compatible:	Yes
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	100lm
LED Type:	SMD
CRI:	>80
PF	>0.5

Beam Angle:	83°
Body Type:	Die Cast Aluminium
Color of Fixture:	White
Shape:	Square
Dimension:	84x84x43mm
Cutting Size:	72x72mm
Box Qty:	100 Pcs



Steplight-Square

3W VT-1109

 SKU: 1209 - 3000K Warm White 3800157600255
 SKU: 1210 - 4200K Day White 3800157600262



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	120lm
LED Type:	COB
CRI:	>80
PF	>0.5

Beam Angle:	15°
Body Type:	Aluminium
Color of Fixture:	White
Shape:	Square
Dimension:	80x80x51mm
Cutting Size:	Ø62mm
Box Qty:	100 Pcs



Steplight-Round

3W VT-1109RD

 SKU: 1207 - 3000K Warm White 3800157600231
 SKU: 1208 - 4200K Day White 3800157600248


Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	120lm
LED Type:	COB
CRI:	>80
PF	>0.5

Beam Angle:	15°
Body Type:	Aluminium
Color of Fixture:	White
Shape:	Round
Dimension:	Ø80x51mm
Cutting Size:	Ø62mm
Box Qty:	100 Pcs

Steplight-Rectangle

6W VT-856-B

 SKU: 8348 - 3000K Warm White 3800157633383
 SKU: 8349 - 4000K Day White 3800157633390


Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	Aluminium
Luminous Flux:	240lm	Color of Fixture:	Black
LED Type:	SMD	Shape:	Rectangle
CRI:	>70	Dimension:	210x65x60mm
PF	>0.6	Cutting Size:	195x46mm
		Box Qty:	50 Pcs

Steplight-Rectangle


6W VT-856-G

 SKU: 8350 - 3000K Warm White 3800157633406
 SKU: 8351 - 4000K Day White 3800157633413


Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	Aluminium
Luminous Flux:	240lm	Color of Fixture:	Grey
LED Type:	SMD	Shape:	Rectangle
CRI:	>70	Dimension:	210x65x60mm
PF	>0.6	Cutting Size:	195x46mm
		Box Qty:	50 Pcs

Steplight-Rectangle

6W VT-856-W

 SKU: 8352 - 3000K Warm White 3800157633420
 SKU: 8353 - 4000K Day White 3800157633437


Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	Aluminium
Luminous Flux:	240lm	Color of Fixture:	White
LED Type:	SMD	Shape:	Rectangle
CRI:	>70	Dimension:	210x65x60mm
PF	>0.6	Cutting Size:	195x46mm
		Box Qty:	50 Pcs

Step Light-Rectangle-IP65


3W VT-1162-W

 SKU: 1327 - 3000K Warm White 3800157620550
 SKU: 1326 - 4000K Day White 3800157620543


Sensor Compatible:	Yes	Beam Angle:	55°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	PC
Luminous Flux:	110lm	Color of Fixture:	White
LED Type:	SMD	Shape:	Rectangle
CRI:	>80	Dimension:	230x80x28mm
PF	>0.5	Cutting Size:	N/A
		Box Qty:	50 Pcs

Step Light-Rectangle-IP65

3W VT-1162-B

 SKU: 1329 - 3000K Warm White 3800157620574
 SKU: 1328 - 4000K Day White 3800157620567


Sensor Compatible:	Yes	Beam Angle:	55°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	PC
Luminous Flux:	110lm	Color of Fixture:	Black
LED Type:	SMD	Shape:	Rectangle
CRI:	>80	Dimension:	230x80x28mm
PF	>0.5	Cutting Size:	N/A
		Box Qty:	50 Pcs



Step Light-Rectangle-IP65

3w VT-1162-G

 SKU: 1331 - 3000K Warm White 3800157620598
 SKU: 1330 - 4000K Day White 3800157620581
IP65
RATING


Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	110lm
LED Type:	SMD
CRI:	>80
PF	>0.5

Beam Angle:	55°
Body Type:	PC
Color of Fixture:	Grey
Shape:	Rectangle
Dimension:	230x80x28mm
Cutting Size:	N/A
Box Qty:	50 Pcs



Step Light-Round-IP65

2w VT-1142-W

 SKU: 1315 - 3000K Warm White 3800157620437
 SKU: 1314 - 4000K Day White 3800157620420
IP65
RATING


Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	60lm
LED Type:	SMD
CRI:	>80
PF	>0.5

Beam Angle:	55°
Body Type:	PC
Color of Fixture:	White
Shape:	Round
Dimension:	150x27mm
Cutting Size:	N/A
Box Qty:	50 Pcs




Step Light-Round-IP65

2w VT-1142-B

 SKU: 1317 - 3000K Warm White 3800157620451
 SKU: 1316 - 4000K Day White 3800157620444
IP65
RATING


Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	60lm
LED Type:	SMD
CRI:	>80
PF	>0.5

Beam Angle:	55°
Body Type:	PC
Color of Fixture:	Black
Shape:	Round
Dimension:	150x27mm
Cutting Size:	N/A
Box Qty:	50 Pcs



Step Light-Round-IP65

2w VT-1142-G

 SKU: 1319 - 3000K Warm White 3800157620475
 SKU: 1318 - 4000K Day White 3800157620468
IP65
RATING


Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	60lm
LED Type:	SMD
CRI:	>80
PF	>0.5

Beam Angle:	55°
Body Type:	PC
Color of Fixture:	Grey
Shape:	Round
Dimension:	150x27mm
Cutting Size:	N/A
Box Qty:	50 Pcs



Step Light-Square-IP65

2w VT-1152-W

 SKU: 1321 - 3000K Warm White 3800157620499
 SKU: 1320 - 4000K Day White 3800157620482
IP65
RATING


Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	60lm
LED Type:	SMD
CRI:	>80
PF	>0.5

Beam Angle:	55°
Body Type:	PC
Color of Fixture:	White
Shape:	Square
Dimension:	124x124x27mm
Cutting Size:	N/A
Box Qty:	50 Pcs



Step Light-Square-IP65

2W VT-1152-B

 SKU: 1323 - 3000K Warm White 3800157620512
 SKU: 1322 - 4000K Day White 3800157620505



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	60lm
LED Type:	SMD
CRI:	>80
PF	>0.5

Beam Angle:	55°
Body Type:	PC
Color of Fixture:	Black
Shape:	Square
Dimension:	124x124x27mm
Cutting Size:	N/A
Box Qty:	50 Pcs



Step Light-Square-IP65

2W VT-1152-G

 SKU: 1325 - 3000K Warm White 3800157620536
 SKU: 1324 - 4000K Day White 3800157620529


Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	60lm
LED Type:	SMD
CRI:	>80
PF	>0.5

Beam Angle:	55°
Body Type:	PC
Color of Fixture:	Grey
Shape:	Square
Dimension:	124x124x27mm
Cutting Size:	N/A
Box Qty:	50 Pcs



Step Light - IP65

3W VT-1172-B

 SKU: 1398 - 3000K Warm White 3800157628310
 SKU: 1399 - 4000K Day White 3800157628327


Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	210lm
LED Type:	SMD
CRI:	>80
PF	>0.5

Beam Angle:	90°
Body Type:	PC
Color of Fixture:	Black
Shape:	Square
Dimension:	151x72x154mm
Cutting Size:	N/A
Box Qty:	20 Pcs



Step Light - IP65

3W VT-1172-G

 SKU: 1400 - 3000K Warm White 3800157628334
 SKU: 1401 - 4000K Day White 3800157628341


Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	210lm
LED Type:	SMD
CRI:	>80
PF	>0.5

Beam Angle:	90°
Body Type:	PC
Color of Fixture:	Grey
Shape:	Square
Dimension:	151x72x154mm
Cutting Size:	N/A
Box Qty:	20 Pcs



Step Light - IP65

3W VT-1172-W

 SKU: 1402 - 3000K Warm White 3800157628358
 SKU: 1403 - 4000K Day White 3800157628365


Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	210lm
LED Type:	SMD
CRI:	>80
PF	>0.5

Beam Angle:	90°
Body Type:	PC
Color of Fixture:	White
Shape:	Square
Dimension:	151x72x154mm
Cutting Size:	N/A
Box Qty:	20 Pcs



Step Light-Round-IP65
3w VT-1182-B



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	210lm
LED Type:	SMD
CRI:	>80
PF	>0.5

Beam Angle:	90°
Body Type:	PC
Color of Fixture:	Black
Shape:	Round
Dimension:	Ø166x94mm
Cutting Size:	N/A
Box Qty:	20 Pcs

SKU: 1404 - 3000K Warm White 3800157628372
SKU: 1405 - 4000K Day White 3800157628389



Step Light-Round-IP65
3w VT-1182-G



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	210lm
LED Type:	SMD
CRI:	>80
PF	>0.5

Beam Angle:	90°
Body Type:	PC
Color of Fixture:	Grey
Shape:	Round
Dimension:	Ø166x94mm
Cutting Size:	N/A
Box Qty:	20 Pcs

SKU: 1406 - 3000K Warm White 3800157628396
SKU: 1407 - 4000K Day White 3800157628402



Step Light-Round-IP65
3w VT-1182-W




Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	210lm
LED Type:	SMD
CRI:	>80
PF	>0.5

Beam Angle:	90°
Body Type:	PC
Color of Fixture:	White
Shape:	Round
Dimension:	Ø166x94mm
Cutting Size:	N/A
Box Qty:	20 Pcs

SKU: 1408 - 3000K Warm White 3800157628419
SKU: 1409 - 4000K Day White 3800157628426





LED Dome Lights

Create a better ambience in any environment with V-TAC's LED Dome Lights. These compact and easy to install lights make a perfect replacement for traditional dome lights.

Product Features

- Non - flickering
- No uv radiation
- Easy installation
- Premium quality LED chip
- Premium quality power driver
- Instant start 0-100% in 0.01 seconds
- Extreme weather toleration (-20 to + 45 degrees centigrade)


Applications

Mostly used in parking lots, passage's in big areas, exterior walls of prestigious buildings for ambience, airports, ports and malls.

NEW

STARY COVER

EASY TOGGLE SWITCH



3000K 4000K 6400K


EASY ACCESS FOR
COLOR CHANGING
WITH BUTTON

31

COLOR
CHANGINGSmart Domelight-CCT Changeable by
Switch

12w VT-8412-S

SKU: 7602 - 3IN1 3800157652179




Sensor Compatible:	Yes
Voltage/Frequency:	AC:175-265V,50/60Hz
Luminous Flux:	720lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic
Shape:	Round
Dimension:	Ø255x55mm
Box Qty:	5 Pcs

Smart Domelight-CCT Changeable by
Switch

18w VT-8418-S

SKU: 7604 - 3IN1 3800157652193




Sensor Compatible:	Yes
Voltage/Frequency:	AC:175-265V,50/60Hz
Luminous Flux:	1080lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic
Shape:	Round
Dimension:	Ø310x55mm
Box Qty:	5 Pcs

Smart Domelight-CCT Changeable by
Switch

24w VT-8424-S

SKU: 7606 - 3IN1 3800157652216




Sensor Compatible:	Yes
Voltage/Frequency:	AC:175-265V,50/60Hz
Luminous Flux:	1440lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic
Shape:	Round
Dimension:	Ø350x55mm
Box Qty:	5 Pcs

Smart Domelight-CCT Changeable by
Switch

36w VT-8436-S

SKU: 7608 - 3IN1 3800157652230




Sensor Compatible:	Yes
Voltage/Frequency:	AC:175-265V,50/60Hz
Luminous Flux:	2160lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic
Shape:	Round
Dimension:	Ø480x65mm
Box Qty:	5 Pcs

NEW

MILKY COVER

EASY TOGGLE SWITCH



3000K 4000K 6400K


EASY ACCESS FOR
COLOR CHANGING
WITH BUTTON

31 IN COLOR
CHANGING

Smart Domelight-CCT Changeable by
Switch

12w VT-8412-M

SKU: 7603 - 3IN1 3800157652186




Sensor Compatible:	Yes
Voltage/Frequency:	AC:175-265V,50/60Hz
Luminous Flux:	720lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic
Shape:	Round
Dimension:	Ø255x55mm
Box Qty:	5 Pcs

Smart Domelight-CCT Changeable by
Switch

18w VT-8418-M

SKU: 7605 - 3IN1 3800157652209




Sensor Compatible:	Yes
Voltage/Frequency:	AC:175-265V,50/60Hz
Luminous Flux:	1080lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic
Shape:	Round
Dimension:	Ø310x55mm
Box Qty:	5 Pcs

Smart Domelight-CCT Changeable by
Switch

24w VT-8424-M

SKU: 7607 - 3IN1 3800157652223




Sensor Compatible:	Yes
Voltage/Frequency:	AC:175-265V,50/60Hz
Luminous Flux:	1440lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic
Shape:	Round
Dimension:	Ø350x55mm
Box Qty:	5 Pcs

Smart Domelight-CCT Changeable by
Switch

36w VT-8436-M

SKU: 7609 - 3IN1 3800157652247



Sensor Compatible:	Yes
Voltage/Frequency:	AC:175-265V,50/60Hz
Luminous Flux:	2160lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic
Shape:	Round
Dimension:	Ø480x65mm
Box Qty:	5 Pcs

NEW

HUGE SIZE Ø83 CM




Domelight-Remote Control-CCT Changeable

72W VT-8472

SKU: 1495 - 3IN1

3800157648783



Sensor Compatible:	Yes
Voltage/Frequency:	AC:175-265V,50/60Hz
Luminous Flux:	5040lm
IP Rating:	IP20
CRI:	>80
PF:	>0.9

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic+Metal
Shape:	Round
Dimension:	Ø670x75mm
Box Qty:	5 Pcs


DIMMABLE
WITH REMOTECCT CHANGING
With Remote Control

Domelight-Remote Control-CCT Changeable

80W VT-8480

SKU: 1496 - 3IN1

3800157648790



Sensor Compatible:	Yes
Voltage/Frequency:	AC:175-265V,50/60Hz
Luminous Flux:	5600lm
IP Rating:	IP20
CRI:	>80
PF:	>0.9

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic+Metal
Shape:	Round
Dimension:	Ø830x85mm
Box Qty:	2 Pcs

DIMMABLE
WITH REMOTECCT CHANGING
With Remote Control

NEW


DIAMOND COVER



Domelight-Remote Control-CCT Changeable

40w VT-8404

SKU: 1493 - 3IN1 3800157648769



Sensor Compatible:	Yes
Voltage/Frequency:	AC:175-265V,50/60Hz
Luminous Flux:	2800lm
IP Rating:	IP20
CRI:	>80
PF:	>0.9

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic+Metal
Shape:	Diamond Cover
Dimension:	Ø388.5x70mm
Box Qty:	5 Pcs




CCT CHANGING
With Remote Control

Domelight-Remote Control-CCT Changeable

60w VT-8557

SKU: 1492 - 3IN1 3800157648752



Sensor Compatible:	Yes
Voltage/Frequency:	AC:175-265V,50/60Hz
Luminous Flux:	4200lm
IP Rating:	IP20
CRI:	>80
PF:	>0.9

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic+Metal
Shape:	Diamond Cover
Dimension:	Ø496.6x70mm
Box Qty:	5 Pcs



CCT CHANGING
With Remote Control

NEW

STARY COVER




Domelight-Remote Control-CCT Changeable

40w VT-8405

SKU: 1494 - 3IN1

3800157648776



Sensor Compatible:	Yes
Voltage/Frequency:	AC:175-265V,50/60Hz
Luminous Flux:	2800lm
IP Rating:	IP20
CRI:	>80
PF:	>0.9

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic+Metal
Shape:	Round
Dimension:	Ø393x70mm
Box Qty:	5 Pcs


DIMMABLE
WITH REMOTECCT CHANGING
With Remote Control

Domelight-Remote Control-CCT Changeable

60w VT-8556

SKU: 1491 - 3IN1

3800157648745



Sensor Compatible:	Yes
Voltage/Frequency:	AC:175-265V,50/60Hz
Luminous Flux:	4200lm
IP Rating:	IP20
CRI:	>80
PF:	>0.9

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic+Metal
Shape:	Round
Dimension:	Ø493.9x70mm
Box Qty:	5 Pcs

DIMMABLE
WITH REMOTECCT CHANGING
With Remote Control




Domelight-Remote Control-CCT Changeable

48w VT-8448

SKU: 7600 - 3IN1

3800157649490



Sensor Compatible:	Yes	Beam Angle:	150°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	2400lm	Body Type:	PMMA+Metal
IP Rating:	IP20	Shape:	Round
CRI:	>80	Dimension:	Ø492x100mm
PF:	>0.9	Box Qty:	6 Pcs




Domelight-Remote Control-CCT Changeable

65w VT-8473

SKU: 7601 - 3IN1

3800157649506

Sensor Compatible:	Yes	Beam Angle:	150°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	3500lm	Body Type:	PMMA+Metal
IP Rating:	IP20	Shape:	Round
CRI:	>80	Dimension:	Ø480x75mm
PF:	>0.9	Box Qty:	6 Pcs


Smart Domelight-Speaker-CCT Changeable
36w VT-5500

SKU:1490- RGB+3IN1

3800157645386



Sensor Compatible:	N/A
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	3400lm
IP Rating:	IP20
CRI:	>80
PF:	>0.9

Beam Angle:	180°
Color of Fixture:	White
Body Type:	PC
Shape:	Round
Dimension:	Ø500x65mm
Box Qty:	8 Pcs


Domelight-Remote Control-CCT Changeable
60w VT-8555

SKU:1455- 3IN1


3800157637701



Sensor Compatible:	Yes
Voltage/Frequency:	AC:175-265V,50/60Hz
Luminous Flux:	4200lm
IP Rating:	IP20
CRI:	>80
PF:	>0.9

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Iron+PMMA
Shape:	Round
Dimension:	Ø572.5x70mm
Box Qty:	6 Pcs


CCT CHANGING
With Remote Control




Domelight-Remote Control-CCT Changeable

40w VT-8401

SKU:1474- 3IN1

3800157643559



Sensor Compatible:	Yes
Voltage/Frequency:	AC:175-265V,50/60Hz
Luminous Flux:	2800lm
IP Rating:	IP20
CRI:	>80
PF:	>0.6

Beam Angle:	120°
Color of Fixture:	White
Body Type:	PC+Metal
Shape:	Round
Dimension:	D:467x70mm
Box Qty:	10 Pcs



DIMMABLE
WITH REMOTE




CCT CHANGING
With Remote Control

Domelight-Remote Control-CCT Changeable

65w VT-8501

SKU:1473- 3IN1

3800157643542



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	4900lm
IP Rating:	IP20
CRI:	>80
PF:	>0.6


Beam Angle:	180°
Color of Fixture:	White
Body Type:	PC+Metal
Shape:	Round
Dimension:	D:500mm
Box Qty:	8 Pcs



DIMMABLE
WITH REMOTE



CCT CHANGING
With Remote Control




Domelight-Remote Control-CCT Changeable

40w VT-8402

SKU:1476- 3IN1

3800157643573



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	2200lm
IP Rating:	IP20
CRI:	>80
PF:	>0.6

Beam Angle:	180°
Color of Fixture:	White
Body Type:	PC+Metal
Shape:	Round
Dimension:	D:400x60mm
Box Qty:	10 Pcs


DIMMABLE
WITH REMOTECCT CHANGING
With Remote Control

Domelight-Remote Control-CCT Changeable

65w VT-8502

SKU:1475- 3IN1

3800157643566



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	3500lm
IP Rating:	IP20
CRI:	>80
PF:	>0.6

Beam Angle:	180°
Color of Fixture:	White
Body Type:	PC+Metal
Shape:	Round
Dimension:	D:500x70mm
Box Qty:	6 Pcs


DIMMABLE
WITH REMOTECCT CHANGING
With Remote Control



Domelight-Remote Control-CCT Changeable

40w VT-8403

SKU:1460- 3IN1 3800157643580




Sensor Compatible:	Yes	Beam Angle:	180°
Voltage/Frequency:	AC:200-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	3200lm	Body Type:	PC+Metal
IP Rating:	IP20	Shape:	Round
CRI:	>80	Dimension:	D:400x60mm
PF:	>0.6	Box Qty:	10 Pcs



Domelight-Remote Control-CCT Changeable


65w VT-8503

SKU:1461- 3IN1 3800157643597




Sensor Compatible:	Yes	Beam Angle:	180°
Voltage/Frequency:	AC:200-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	4900lm	Body Type:	PC+Metal
IP Rating:	IP20	Shape:	Round
CRI:	>80	Dimension:	D:500x65mm
PF:	>0.6	Box Qty:	10 Pcs





CCT CHANGING
With Remote Control



Domelight-Remote Control-CCT Changeable

65w VT-8504

SKU:1462- 3IN1

3800157643603

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:200-240V,50/60Hz**
Luminous Flux: **4900lm**
IP Rating: **IP20**
CRI: **>80**
PF: **>0.6**

Beam Angle: **180°**
Color of Fixture: **White**
Body Type: **PC+Metal**
Shape: **Round**
Dimension: **D:510x90mm**
Box Qty: **6 Pcs**

Ceiling Lights - Square

15w VT-8033SQ


SKU: 1390 - 3000K Warm White 3800157626477
SKU: 5567 - 4000K Day White 3800157610360
SKU: 1391 - 6400K White 3800157626484

TRIMLESS
Luxurious Finish
SURFACE MOUNTED



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **1250lm**
IP Rating: **IP44**
CRI: **>80**
PF: **>0.6**

Beam Angle: **110°**
Color of Fixture: **White**
Body Type: **PC**
Shape: **Square**
Dimension: **200x200x47.5**
Box Qty: **20 Pcs**



Ceiling Lights - Round

15w VT-8033RD

SKU: 1388 - 3000K Warm White 3800157626453
SKU: 5566 - 4000K Day White 3800157610353
SKU: 1389 - 6400K White 3800157626460

TRIMLESS
Luxurious Finish
SURFACE MOUNTED



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **1250lm**
IP Rating: **IP44**
CRI: **>80**
PF: **>0.6**

Beam Angle: **110°**
Color of Fixture: **White**
Body Type: **PC**
Shape: **Round**
Dimension: **Ø200x47.5mm**
Box Qty: **20 Pcs**



Ceiling Lights - Square

25W VT-8066SQ


SKU: 1395 - 3000K Warm White 3800157628280
SKU: 1396 - 4200K Day White 3800157628297
SKU: 1397 - 6500K White 3800157628303

TRIMLESS
Luxurious Finish
SURFACE MOUNTED



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	2000lm
IP Rating:	IP44
CRI:	>80
PF:	>0.9

Beam Angle:	110°
Color of Fixture:	White
Body Type:	PC
Shape:	Square
Dimension:	300x300x50mm
Box Qty:	10 Pcs



Ceiling Lights - Round

25W VT-8066RD


SKU: 1392 - 3000K Warm White 3800157628259
SKU: 1393 - 4200K Day White 3800157628266
SKU: 1394 - 6500K White 3800157628273

TRIMLESS
Luxurious Finish
SURFACE MOUNTED



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	2000lm
IP Rating:	IP44
CRI:	>80
PF:	>0.9

Beam Angle:	110°
Color of Fixture:	White
Body Type:	PC
Shape:	Round
Dimension:	Ø300x50mm
Box Qty:	10 Pcs



Dome Series - Rectangle Oval


8W VT-8038-B

SKU: 1308 - 3000K Warm White 3800157620260
SKU: 1309 - 4500K Day White 3800157620277
SKU: 1310 - 6000K White 3800157620284



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	560lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	Black
Body Type:	PC
Shape:	Rectangle
Dimension:	190x100x55mm
Box Qty:	20 Pcs



Dome Series - Rectangle Oval


8W VT-8038-W

SKU: 1311 - 3000K Warm White 3800157620291
SKU: 1312 - 4000K Day White 3800157620307
SKU: 1313 - 6000K White 3800157620314



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	560lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	PC
Shape:	Rectangle
Dimension:	190x100x55mm
Box Qty:	20 Pcs



Bling Star 12W VT-8062




SKU: 1375 - 6400K White

3800157626316

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	840lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Iron+PMMA
Shape:	Round
Dimension:	Ø260x92mm
Box Qty:	10 Pcs




Dome Series - Oval 8W VT-8014-OV-B



SKU: 1267 - 3000K Warm White 3800157611893
 SKU: 1266 - 4000K Day White 3800157611886
 SKU: 1268 - 6400K White 3800157611909

Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	560lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	Black
Body Type:	Plastic CLAD Aluminium
Shape:	Oval
Dimension:	Ø126x76mm
Box Qty:	10 Pcs




Dome Series - Oval 8W VT-8014-OV-W



SKU: 1264 - 3000K Warm White 3800157611862
 SKU: 1263 - 4000K Day White 3800157611855
 SKU: 1265 - 6400K White 3800157611879

Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	560lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic CLAD Aluminium
Shape:	Oval
Dimension:	Ø126x76mm
Box Qty:	10 Pcs



Dome Series - Oval 12W VT-8016-B




SKU: 5056 - 4500K Day White

3800157603980

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	840lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	Black
Body Type:	Plastic CLAD Aluminium
Shape:	Oval
Dimension:	Ø245x96mm
Box Qty:	10 Pcs



Dome Series - Oval
12w VT-8016-W




SKU: 5053 - 6400K White 3800157603324



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	840lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic CLAD Aluminium
Shape:	Oval
Dimension:	Ø245x96mm
Box Qty:	10 Pcs



Dome Series - Round
8w VT-8014-RD-W




SKU: 4999 - 3000K Warm White 3800157602556
SKU: 1259 - 4000K Day White 3800157611817
SKU: 4997 - 6400K White 3800157602259



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	560lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic CLAD Aluminium
Shape:	Round
Dimension:	Ø180x82mm
Box Qty:	10 Pcs



Dome Series - Round
8w VT-8014-RD-B




SKU: 1261 - 3000K Warm White 3800157611831
SKU: 1260 - 4000K Day White 3800157611824
SKU: 1262 - 6400K White 3800157611848



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	560lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	Black
Body Type:	Plastic CLAD Aluminium
Shape:	Round
Dimension:	Ø180x82mm
Box Qty:	10 Pcs



Dome Series - Round
12w VT-8015-B




SKU: 1349 - 3000K Warm White 3800157624046
SKU: 5052 - 4000K Day White 3800157603317
SKU: 5051 - 6400K White 3800157603300



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	840lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	Black
Body Type:	Plastic CLAD Aluminium
Shape:	Round
Dimension:	Ø220x105mm
Box Qty:	10 Pcs



Dome Series - Round


12W VT-8015-W

SKU: 4998 - 3000K Warm White 3800157602549
SKU: 5050 - 4000K Day White 3800157603294



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	840lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic CLAD Aluminium
Shape:	Round
Dimension:	Ø220x105mm
Box Qty:	10 Pcs



Dome Series - Oval


12W VT-8010-B

SKU: 1350 - 3000K Warm White 3800157624053
SKU: 4973 - 4000K Day White 3800230629050
SKU: 1269 - 6400K White 3800157611916



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	840lm
IP Rating:	IP54
CRI:	>80
PF:	>0.9

Beam Angle:	120°
Color of Fixture:	Black
Body Type:	Plastic CLAD Aluminium
Shape:	Oval
Dimension:	Ø242x96mm
Box Qty:	10 Pcs



Dome Series - Oval


12W VT-8010-W

SKU: 1351 - 3000K Warm White 3800157624060
SKU: 1352 - 4000K Day White 3800157624077
SKU: 1353 - 6000K White 3800157624084



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	840lm
IP Rating:	IP54
CRI:	>80
PF:	>0.9


Beam Angle:	110°
Color of Fixture:	White
Body Type:	Plastic CLAD Aluminium
Shape:	Oval
Dimension:	Ø242x96mm
Box Qty:	10 Pcs



Dome Sensor Series

VT-8002C

SKU: 4966 3800230625816



Sensor Type:	Microwave
Color:	White
Detection Range:	360°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	Max. 60W(E27)

Detection Distance:	1-8m(radius) adjustable
Body Type:	PC
IP Rating:	IP44
Dimension:	Ø296x96mm
Time Delay:	Min. 10sec±3sec,Max. 12min±1min
Box Qty:	5 Pcs



WIRELESS CHARGING

ANDROID & IPHONE

BRIGHTNESS ADJUSTABLE

ENERGY CONSERVATION

EYE PROTECTION

TIMER POWER OFF

USB OUTPUT

LIGHTING ADJUSTMENT

3.0A 18W
Fast Charger Included

Table Lamps
5w VT-7705-B

Black: SKU: 8604 - 3IN1 3800157650571
White: SKU: 8605 - 3IN1 3800157650588

- Rating input 5V/3A
- 3 Levels of Brightness Dimming
- Lamp Power 5V, 0.8A(4W)
- Wireless Charging 5V, 1A(5W)
- 2s to reach full brightness
- Touch Dimming
- Fast charger included 3.0A 18W

Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	800 Lux
CRI:	>80

Body Type:	ABS+Aluminium
Dimension:	142x124x476mm
Box Qty:	10 Pcs



WIRELESS CHARGING

ANDROID & IPHONE

BRIGHTNESS ADJUSTABLE

ENERGY CONSERVATION

EYE PROTECTION

TIMER POWER OFF

USB OUTPUT

LIGHTING ADJUSTMENT

3.0A 18W
Fast Charger Included

Table Lamps
5w VT-7505-B

Black: SKU: 8602 - 3IN1 3800157650557
White: SKU: 8603 - 3IN1 3800157650564

- Rating input 5V/3A
- 3 Levels of Brightness Dimming
- Lamp Power 5V, 1A(5W)
- Wireless Charging 5V, 1A(5W)
- 2s to reach full brightness
- Fast charger included 3.0A 18W

Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	800 Lux
CRI:	>80

Body Type:	ABS+Aluminium
Dimension:	440x120x40mm
Box Qty:	10 Pcs

WIRELESS
CHARGINGANDROID
&
IPHONEBRIGHTNESS
ADJUSTABLEENERGY
CONSERVATIONEYE
PROTECTIONTIMER
POWER OFFUSB
OUTPUTLIGHTING
ADJUSTMENT
3.0A 18W
Fast Charger
Included

Table Lamps

5W VT-7405-B

Black: SKU: 8600 - 3IN1 3800157650533
White: SKU: 8601 - 3IN1 3800157650540

- Rating input 5V/3A
- 4 Levels of Brightness Dimming
- Lamp Power 5V, 1A(5W)
- Wireless Charging 5V, 1A(5W)
- 2s to reach full brightness
- Fast charger included 3.0A 18W

Voltage/Frequency: AC:100-240V,50/60Hz

Luminous Flux: 800 Lux

CRI: >80

Body Type: ABS+Aluminium

Dimension: 440x120x40mm

Box Qty: 10 Pcs



Table Lamps

17W VT-7312-B

Black: SKU: 40311 - 3000K Warm White 3800157648455
White: SKU: 40321 - 3000K Warm White 3800157648462

Voltage/Frequency: AC:100-240V,50/60Hz

Luminous Flux: 1300lm

CRI: >80

Body Type: Silicone+Aluminium

Dimension: 210x350mm

Box Qty: 20 Pcs

Desk Lamps

7W VT-7507

White: SKU: 8673 - 3000K Warm White 3800157652612



Voltage/Frequency: AC:220-240V, 50Hz

Luminous Flux: 400lm

CRI: >80

Body Type: ABS+Metal

Dimension: 150x150x580mm

Box Qty: 6 Pcs



Clip Lamps

7W VT-7407

White: SKU: 8672 - 3000K Warm White 3800157652605



Voltage/Frequency: AC:220-240V, 50Hz


Luminous Flux: 400lm

CRI: >80

Body Type: ABS+Metal

Dimension: 64x300x300mm

Box Qty: 8 Pcs



Desk Lamps

3.6w VT-7403

White: SKU: 8671 - 3000K Warm White 3800157652599



Voltage/Frequency: AC:220-240V, 50Hz


Luminous Flux: 260lm

CRI: >80

Body Type: ABS+Metal

Dimension: 280x100x350mm

Box Qty: 8 Pcs



Mirror Lamps

5w VT-7905

White: SKU: 8670 - 3000K Warm White 3800157652582



RECHARGEABLE



Voltage/Frequency: AC:220-240V, 50Hz

Luminous Flux: 200lm

CRI: >80

Body Type: ABS+Glass

Dimension: Ø196x310mm

Box Qty: 10 Pcs





LED Innovative Lights

An innovative and sustainable way of lighting up your outdoors. V-TAC's LED Solar Outdoor lights can function for up to 24 hours, with just 6-7 hours charging during the day. Inbuilt sensors allow these outdoor lamps to light up upon detection of movement.

Product Features

-  ZERO Electricity Cost
-  PIR Detective
-  Light on/off automatically
-  Solar Powered
-  Outdoor
-  Cordless

Applications

Suitable for Outdoor and Indoor Lighting



Solar Wall Light-IP65 1.5w VT-767-2-W

SKU: 8276 - 4000K Day White 3800157627931

Solar
LightsMOTION
SENSORUV
PROTECTIONIP65
RATING

Battery:	3.7V Lithium Battery 1200mAh
Lumens:	220lm
No. of LED:	14pcs (Front 12pcs, Back 2 pcs)
Detecting Angle:	120°
Sensing Range:	2 - 6 mtrs

Charging Time: 6-7 hrs Sunlight Charging

IP Rating:	IP65
Material:	ABS+PC
Dimension:	144.5x96x79mm
Working Time:	Min 8 hrs and Max 24 hrs
Box Qty:	20Pcs



Solar Wall Light-IP65 1.5w VT-767-2-B

SKU: 8277 - 4000K Day White 3800157627948

Solar
LightsMOTION
SENSORUV
PROTECTIONIP65
RATING

Battery:	3.7V Lithium Battery 1200mAh
Lumens:	220lm
No. of LED:	14pcs (Front 12pcs, Back 2 pcs)
Detecting Angle:	120°
Sensing Range:	2 - 6 mtrs


Charging Time: 6-7 hrs Sunlight Charging

IP Rating:	IP65
Material:	ABS+PC
Dimension:	144.5x96x79mm
Working Time:	Min 8 hrs and Max 24 hrs
Box Qty:	20Pcs



Solar Wall Light-IP65 3w VT-768


SKU: 7523 - Day+Warm White 3800157619363

Solar
LightsMOTION
SENSORUV
PROTECTIONIP65
RATING

Battery:	3.7V Lithium Battery 2000mAh
Lumens:	400lm
No. of LED:	30pcs (Front 28pcs, Back 2 pcs)
Detecting Angle:	120°
Sensing Range:	2 - 6 mtrs

Charging Time: 6-7 hrs Sunlight Charging

IP Rating:	IP65
Material:	ABS+PC
Dimension:	140x212x109.2mm
Working Time:	Min 5-8 hrs and Max 24 hrs
Box Qty:	12Pcs



Solar Wall Light-IP65 7w VT-767-7-W

SKU: 8278 - 4000K Day White 3800157627955

Solar
LightsMOTION
SENSORUV
PROTECTIONIP65
RATING

Battery:	3.7V Lithium Battery 4000mAh
Lumens:	800lm
No. of LED:	60pcs (Front 56pcs, Back 4 pcs)
Detecting Angle:	120°
Sensing Range:	2 - 6 mtrs

Charging Time: 6-7 hrs Sunlight Charging

IP Rating:	IP65
Material:	ABS+PC
Dimension:	270x221x109.2mm
Working Time:	Mode A: 5 hours, Mode B: 2-3 nights Mode C: 3-4 nights
Box Qty:	20Pcs



LED Wall Lights

Presenting our modern LED wall lights, the perfect replacement for traditional wall lamps. A classy combination of energy efficiency and design. Applied indoors or outdoors, style up your bedroom, hall or pathways with the soft light illuminated from these wall lamps.

Product Features

- Modern wall lights available in sleek and stylish designs.
- Adjustable beam angle.
- Available in black, grey & white colors
- Easy installation
- Perfect for halls, pathways, bedroom, kitchen & terrace

Applications

Suitable for residential lighting, hotels, restaurants, resorts, residential lighting and similar environment

NEW
Black

SKU: 8684 - 4000K Day White 3800157654890

White

SKU: 8683 - 4000K Day White 3800157654883



Up-Down Lights

10W VT-815-B



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	800lm
IP Rating:	IP54
CRI:	>80

PF:	>0.45
Beam Angle:	120°
Body Type:	Aluminum
Dimension:	200x130x100mm
Box Qty:	20 Pcs


Black

 SKU: 8615 - 3000K Warm White 3800157652278
 SKU: 8616 - 4000K Day White 3800157652285

White

 SKU: 8613 - 3000K Warm White 3800157652254
 SKU: 8614 - 4000K Day White 3800157652261


Up-Down Lights

6W VT-846-B

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	540lm
IP Rating:	IP54
CRI:	>80

PF:	>0.6
Beam Angle:	Up150° / Down150°
Body Type:	Aluminium
Dimension:	170x40x80mm
Box Qty:	20 Pcs






Up-Down Lights
8W VT-848-B

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	800lm
IP Rating:	IP54
CRI:	>80


PF:	>0.6
Beam Angle:	Up150° / Down150°
Body Type:	Aluminium
Dimension:	220x48x90mm
Box Qty:	20 Pcs




LED Wall Lights
4W VT-844-B

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	150lm
IP Rating:	IP65
CRI:	>80

PF:	>0.4
Beam Angle:	41°
Body Type:	Nylon
Dimension:	83x123x30mm
Box Qty:	10 Pcs






LED Wall Lights

7W VT-831-CRD

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	400lm
IP Rating:	IP65
CRI:	>80

PF:	>0.6
Beam Angle:	128°
Body Type:	PC
Dimension:	133x133mmx67mm
Box Qty:	20 Pcs



LED Wall Lights

12W VT-827-RD

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	650lm
IP Rating:	IP65
CRI:	>80

PF:	>0.5
Beam Angle:	128°
Body Type:	PC
Dimension:	169x100mm
Box Qty:	20 Pcs





Round

SKU: 8609 - 3000K Warm White 3800157652063

Square



SKU: 8610 - 3000K Warm White 3800157652070




Round

SKU: 8537 - 3000K Warm White 3800157638869
SKU: 8538 - 4000K Day White 3800157638876

Square

SKU: 8539 - 3000K Warm White 3800157638883
SKU: 8540 - 4000K Day White 3800157638890




Round

SKU: 8611 - 3000K Warm White 3800157652087

Square


SKU: 8612 - 3000K Warm White 3800157652094



LED Wall Lights
7W VT-831-RD

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	550lm
IP Rating:	IP65
CRI:	>80

PF:	>0.6
Beam Angle:	128°
Body Type:	PC
Dimension:	133x133mx67m
Box Qty:	20 Pcs




Round

SKU: 8541 - 3000K Warm White 3800157638906
SKU: 8542 - 4000K Day White 3800157638913

Square

SKU: 8543 - 3000K Warm White 3800157638920
SKU: 8544 - 4000K Day White 3800157638937



LED Wall Lights
12W VT-828-RD

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	900lm
IP Rating:	IP65
CRI:	>80

PF:	>0.5
Beam Angle:	158°
Body Type:	PC
Dimension:	169x100mm
Box Qty:	20 Pcs



**NEW****Dark Grey**

SKU: 8698 - 3000K Warm White 3800157655392

Light Grey

SKU: 8699 - 3000K Warm White 3800157655408

Bollard Lights

12w VT-898-D

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	720lm
IP Rating:	IP65
CRI:	>80

PF:	>0.5
Beam Angle:	24°
Body Type:	Concrete
Dimension:	495x180x120mm
Box Qty:	1 Pc

**NEW****Black**

SKU: 8682 - 4000K Day White 3800157654876

Grey

SKU: 8681 - 4000K Day White 3800157654869

Bollard Lights

7w VT-896-B

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	750lm
IP Rating:	IP65
CRI:	>80

PF:	>0.5
Beam Angle:	180°
Body Type:	Aluminium
Dimension:	150x95x805mm
Box Qty:	20 Pcs





Bollard Lights
10w VT-830

Sensor Compatible:	Yes	PF:	>0.5
Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	72°
Luminous Flux:	450lm	Body Type:	Aluminium
IP Rating:	IP65	Dimension:	108x250mm
CRI:	>80	Box Qty:	8 Pcs



White



SKU: 8316 - 3000K Warm White	3800157632270
SKU: 8317 - 4000K Day White	3800157632287
SKU: 8318 - 6400K White	3800157632294

Black

SKU: 8322 - 3000K Warm White	3800157632331
SKU: 8323 - 4000K Day White	3800157632348
SKU: 8324 - 6400K White	3800157632355

Grey

SKU: 8319 - 3000K Warm White	3800157632300
SKU: 8320 - 4000K Day White	3800157632317
SKU: 8321 - 6400K White	3800157632324



Bollard Lights
10w VT-820

Sensor Compatible:	Yes	PF:	>0.5
Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	72°
Luminous Flux:	450lm	Body Type:	Aluminium
IP Rating:	IP65	Dimension:	108x800mm
CRI:	>80	Box Qty:	4 Pcs



White


SKU: 8325 - 3000K Warm White	3800157632362
SKU: 8326 - 4000K Day White	3800157632379
SKU: 8327 - 6400K White	3800157632386

Black

SKU: 8331 - 3000K Warm White	3800157632423
SKU: 8332 - 4000K Day White	3800157632430
SKU: 8333 - 6400K White	3800157632447

Grey

SKU: 8328 - 3000K Warm White	3800157632393
SKU: 8329 - 4000K Day White	3800157632409
SKU: 8330 - 6400K White	3800157632416





White


SKU: 8334 - 3000K Warm White	3800157632454
SKU: 8335 - 4000K Day White	3800157632461
SKU: 8336 - 6400K White	3800157632478

Black

SKU: 8340 - 3000K Warm White	3800157632515
SKU: 8341 - 4000K Day White	3800157632522
SKU: 8342 - 6400K White	3800157632539

Grey


SKU: 8337 - 3000K Warm White	3800157632485
SKU: 8338 - 4000K Day White	3800157632492
SKU: 8339 - 6400K White	3800157632508



Wall Lights
12w VT-822

Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	750lm
IP Rating:	IP65
CRI:	>80

PF:	>0.5
Beam Angle:	140°
Body Type:	PC
Dimension:	130x160mm
Box Qty:	20 Pcs




White

SKU: 8209 - 3000K Warm White	3800157623261
SKU: 8210 - 4000K Day White	3800157623278

Black

SKU: 8211 - 3000K Warm White	3800157623285
SKU: 8212 - 4000K Day White	3800157623292




Square-IP65
4w VT-704

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	440lm
IP Rating:	IP65
CRI:	>80

PF:	>0.5
Beam Angle:	4*60°
Body Type:	Aluminium+Acrylic
Dimension:	150x150x50mm
Box Qty:	20 Pcs






White

SKU: 8213 - 3000K Warm White 3800157623308
SKU: 8214 - 4000K Day White 3800157623315

Black


SKU: 8215 - 3000K Warm White 3800157623322
SKU: 8216 - 4000K Day White 3800157623339



Round-IP65
4W VT-706

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	440lm
IP Rating:	IP65
CRI:	>80

PF:	>0.5
Beam Angle:	4°60°
Body Type:	Aluminium+Acrylic
Dimension:	150x50mm
Box Qty:	20 Pcs




White

SKU: 8551 - 3000K Warm White 3800157640459
SKU: 8552 - 4000K Day White 3800157640466

Black

SKU: 8553 - 3000K Warm White 3800157640473
SKU: 8554 - 4000K Day White 3800157640480



Round-IP65
4W VT-834-W

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	440lm
IP Rating:	IP65
CRI:	>80

PF:	>0.45
Beam Angle:	4°90°
Body Type:	Aluminum
Dimension:	Ø112mm
Box Qty:	20 Pcs






Modern Wall Lights

5w VT-825

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	550lm
IP Rating:	IP65
CRI:	>80

PF:	>0.5
Beam Angle:	120°
Body Type:	Aluminium
Dimension:	170x170x75mm
Box Qty:	20 Pcs

IP65
RATING

White

SKU: 8280 - 3000K Warm White	3800157629744
SKU: 8281 - 4000K Day White	3800157629751

Black

SKU: 8282 - 3000K Warm White	3800157629768
SKU: 8283 - 4000K Day White	3800157629775

Grey

SKU: 8284 - 3000K Warm White	3800157629782
SKU: 8285 - 4000K Day White	3800157629799




Triangle Light

6w VT-826

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	660lm
IP Rating:	IP65
CRI:	>80

PF:	>0.5
Beam Angle:	Up15°-Down120°
Body Type:	Aluminium
Dimension:	90x200x90mm
Box Qty:	20 Pcs

IP65
RATING

White

SKU: 8295 - 3000K Warm White	3800157629898
SKU: 8296 - 4000K Day White	3800157629904

Black

SKU: 8297 - 3000K Warm White	3800157629911
SKU: 8298 - 4000K Day White	3800157629928

Grey


SKU: 8299 - 3000K Warm White	3800157629935
SKU: 8300 - 4000K Day White	3800157629942



Single Head-Rotatable
6w VT-816

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	660lm
IP Rating:	IP65
CRI:	>80


PF:	>0.5
Beam Angle:	350°
Body Type:	Aluminium
Dimension:	110x54x97mm
Box Qty:	20 Pcs



Double Head-Rotatable
12w VT-814

Sensor Compatible:	Yes
Voltage/Frequency:	AC:110-240V,50/60Hz
Luminous Flux:	1320lm
IP Rating:	IP65
CRI:	>80

PF:	>0.5
Beam Angle:	350°
Body Type:	Aluminium
Dimension:	230x54x97mm
Box Qty:	20 Pcs



White	
SKU: 8292 - 3000K Warm White	3800157629867
Black	
SKU: 8293 - 3000K Warm White	3800157629874
Grey	
SKU: 8294 - 3000K Warm White	3800157629881

White


SKU: 7079 - 3000K Warm White 3800157616386
SKU: 7088 - 4000K Day White 3800157616881

Black

SKU: 7078 - 3000K Warm White 3800157616379
SKU: 7087 - 4000K Day White 3800157616874

Grey

SKU: 7080 - 3000K Warm White 3800157616393
SKU: 7089 - 4000K Day White 3800157616898



Square-Bridgelux
6W VT-759

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **660lm**
IP Rating: **IP65**
CRI: **>80**

PF: **>0.45**
Beam Angle: **Adjustable 5°-120°**
Body Type: **Aluminium**
Dimension: **100x100x100mm**
Box Qty: **20 Pcs**



IP65
RATING

White


SKU: 8527 - 3000K Warm White 3800157638616
SKU: 8528 - 4000K Day White 3800157638623

Black

SKU: 8529 - 3000K Warm White 3800157638630
SKU: 8530 - 4000K Day White 3800157638647

Grey

SKU: 8531 - 3000K Warm White 3800157638654
SKU: 8532 - 4000K Day White 3800157638661



Square-Bridgelux
12W VT-759-12

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **1100lm**
IP Rating: **IP65**
CRI: **>80**

PF: **>0.45**
Beam Angle: **Adjustable 5°-120°**
Body Type: **Aluminium**
Dimension: **100x100x100mm**
Box Qty: **20 Pcs**





IP65
RATING



Round-Bridgelux
6w VT-756

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	660lm
IP Rating:	IP65
CRI:	>80


PF:	>0.45
Beam Angle:	Adjustable 5°-120°
Body Type:	Aluminium
Dimension:	140x115x100mm
Box Qty:	20 Pcs



Round Light
6w VT-836

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	660lm
IP Rating:	IP65
CRI:	>80

PF:	>0.5
Beam Angle:	Up-Down 90°
Body Type:	Aluminium
Dimension:	112x112x93mm
Box Qty:	20 Pcs



White	
SKU: 8305 - 3000K Warm White	3800157629997
SKU: 8306 - 4000K Day White	3800157630009
Black	
SKU: 8303 - 3000K Warm White	3800157629973
SKU: 8304 - 4000K Day White	3800157629980
Grey	
SKU: 8301 - 3000K Warm White	3800157629959
SKU: 8302 - 4000K Day White	3800157629966




White

SKU: 8217 - 3000K Warm White 3800157623346
SKU: 8218 - 4000K Day White 3800157623353

Black

SKU: 8219 - 3000K Warm White 3800157623360
SKU: 8220 - 4000K Day White 3800157623377



Ceiling-Blade Lights

7W VT-707

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **770lm**
IP Rating: **IP65**
CRI: **>80**

PF: **>0.5**
Beam Angle: **360°**
Body Type: **Aluminium**
Dimension: **110x120x170mm**
Box Qty: **20 Pcs**



Round-Bridgelux


6W VT-741

SKU: 7524 - 3000K Warm White
SKU: 7525 - 4000K Day White

3800157620017
3800157620024

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **660lm**
IP Rating: **IP65**
CRI: **>80**

PF: **>0.55**
Beam Angle: **360°**
Body Type: **Aluminium**
Dimension: **Ø135mm**
Box Qty: **20 Pcs**



Round-Bridgelux


9W VT-743

SKU: 7526 - 3000K Warm White
SKU: 7527 - 4000K Day White

3800157620031
3800157620048

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **990lm**
IP Rating: **IP65**
CRI: **>80**

PF: **>0.55**
Beam Angle: **360°**
Body Type: **Aluminium**
Dimension: **Ø180mm**
Box Qty: **20 Pcs**





Up-Down Light-Medium


9w VT-8056

SKU: 8239 - 3000K Warm White
SKU: 8240 - 4000K Day White
SKU: 8241 - 6400K White

3800157625791
3800157625807
3800157625814

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **400lm**
IP Rating: **IP65**
CRI: **>80**

PF: **>0.9**
Beam Angle: **90°**
Body Type: **PC**
Dimension: **173x81x46mm**
Box Qty: **20 Pcs**



Up-Down Light-Large


12w VT-8057

SKU: 8242 - 3000K Warm White
SKU: 8243 - 4000K Day White
SKU: 8244 - 6400K White

3800157625821
3800157625838
3800157625845

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **600lm**
IP Rating: **IP65**
CRI: **>80**

PF: **>0.9**
Beam Angle: **92°**
Body Type: **PC**
Dimension: **230x100x90mm**
Box Qty: **20 Pcs**



Softlight-Bulkhead


12w VT-8058

SKU: 8245 - 3000K Warm White
SKU: 8246 - 4000K Day White
SKU: 8247 - 6400K White

3800157625852
3800157625869
3800157625876

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **500lm**
IP Rating: **IP65**
CRI: **>80**

PF: **>0.9**
Beam Angle: **130°**
Body Type: **PC**
Dimension: **230x110x76mm**
Box Qty: **20 Pcs**



Landscape-Soft Light-Medium


12w VT-8054

SKU: 8233 - 3000K Warm White
SKU: 8234 - 4000K Day White
SKU: 8235 - 6400K White

3800157625739
3800157625746
3800157625753

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **600lm**
IP Rating: **IP65**
CRI: **>80**

PF: **>0.9**
Beam Angle: **110°**
Body Type: **PC**
Dimension: **265x120x81mm**
Box Qty: **20 Pcs**





Landscape-Soft Light-Large


20w VT-8055

SKU: 8236 - 3000K Warm White
SKU: 8237 - 4000K Day White
SKU: 8238 - 6400K White


3800157625760
3800157625777
3800157625784

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **1000lm**
IP Rating: **IP65**
CRI: **>80**

PF: **>0.9**
Beam Angle: **110°**
Body Type: **PC**
Dimension: **319x170x114mm**
Box Qty: **20 Pcs**



Indoor Wall Lights



Wall Lights


5w VT-705

SKU: 8208 - 3000K Warm White
SKU: 8232 - 4000K Day White

3800157623254
3800157624756

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **550lm**
IP Rating: **IP20**
CRI: **>80**

PF: **>0.5**
Beam Angle: **150°**
Body Type: **Aluminium**
Dimension: **175x80x96mm**
Box Qty: **20 Pcs**



Rotatable-360-White


5w VT-757

SKU: 7086 - 3000K Warm White
SKU: 7093 - 4000K Day White

3800157616454
3800157616935

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:110-240V,50/60Hz**
Luminous Flux: **560lm**
IP Rating: **IP20**
CRI: **>80**



PF: **>0.45**
Beam Angle: **10-360°**
Body Type: **Aluminium**
Dimension: **140x105x140mm**
Box Qty: **20 Pcs**



Square-Bridgelux
3w VT-803

Sensor Compatible:	Yes
Voltage/Frequency:	AC:110-240V,50/60Hz
Luminous Flux:	300lm
IP Rating:	IP20
CRI:	>80


PF:	>0.5
Beam Angle:	120°
Body Type:	Iron
Dimension:	220x80x200mm
Box Qty:	20 Pcs



Modern Wall Lights
9w VT-710


Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	990lm
IP Rating:	IP20
CRI:	>80

PF:	>0.5
Beam Angle:	360°
Body Type:	Aluminium+Acrylic
Dimension:	210x80mm
Box Qty:	20 Pcs



White	
SKU: 8225 - 3000K Warm White	3800157623421
SKU: 8226 - 4000K Day White	3800157623438

Black	
SKU: 8227 - 3000K Warm White	3800157623445
SKU: 8228 - 4000K Day White	3800157623452




White

SKU: 8221 - 3000K Warm White 3800157623384
SKU: 8222 - 4000K Day White 3800157623391

Black

SKU: 8223 - 3000K Warm White 3800157623407
SKU: 8224 - 4000K Day White 3800157623414



Modern Wall Lights

9w VT-709

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **990lm**
IP Rating: **IP20**
CRI: **>80**

PF: **>0.5**
Beam Angle: **360°**
Body Type: **Aluminium**
Dimension: **440x335x75mm**
Box Qty: **10 Pcs**




White

SKU: 8307 - 3000K Warm White 3800157630016
SKU: 8308 - 4000K Day White 3800157630023

Black Grey

SKU: 8309 - 3000K Warm White 3800157630030
SKU: 8310 - 4000K Day White 3800157630047




Modern Wall Lights

10w VT-811

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:110-240V,50/60Hz**
Luminous Flux: **1100lm**
IP Rating: **IP65**
CRI: **>80**

PF: **>0.45**
Beam Angle: **360°**
Body Type: **Aluminium**
Dimension: **300x215x60mm**
Box Qty: **20 Pcs**



White


SKU: 8202 - 3000K Warm White	3800157623193
SKU: 8203 - 4000K Day White	3800157623209

Black

SKU: 8204 - 3000K Warm White	3800157623216
SKU: 8205 - 4000K Day White	3800157623223

Grey

SKU: 8206 - 3000K Warm White	3800157623230
SKU: 8207 - 4000K Day White	3800157623247



Modern Wall Lights
12w VT-712

Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	1100lm
IP Rating:	IP20
CRI:	>80

PF:	>0.5
Beam Angle:	360°
Body Type:	Aluminium+Acrylic
Dimension:	260x125x55mm
Box Qty:	20 Pcs




Adjustable Modern Wall Lights
18w VT-819-W

SKU: 8533 - 3000K Warm White	3800157638678
SKU: 8534 - 4000K Day White	3800157638685

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1800lm
IP Rating:	IP44
CRI:	>80

PF:	>0.5
Beam Angle:	Adjustable 5°-90°
Body Type:	Aluminium
Dimension:	600x100x42mm
Box Qty:	10 Pcs




Modern Wall Lights
20w VT-821-W

SKU: 8535 - 3000K Warm White	3800157638692
SKU: 8536 - 4000K Day White	3800157638708

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	2000
IP Rating:	IP44
CRI:	>80

PF:	>0.5
Beam Angle:	150°
Body Type:	Aluminium
Dimension:	610x90x35mm
Box Qty:	20 Pcs



**White VT-805-N-W**

SKU: 8675 - 3000K Warm White 3800157653961
SKU: 8677 - 4000K Day White 3800157653985

Black VT-805-N-B


SKU: 8676 - 3000K Warm White 3800157653978
SKU: 8678 - 4000K Day White 3800157653992

Single Head
4.5w



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **360lm**
IP Rating: **IP20**
CRI: **>80**

PF: **>0.5**
Beam Angle: **100°**
Body Type: **Plastic+Metal**
Dimension: **100x94x45mm**
Box Qty: **24 Pcs**

**White VT-805-W**

SKU: 8262 - 3000K Warm White 3800157627122
SKU: 8264 - 4000K Day White 3800157627146



Black VT-805-B

SKU: 8263 - 3000K Warm White
SKU: 8265 - 4000K Day White

Single Head
4.5w

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **360lm**
IP Rating: **IP20**
CRI: **>80**

PF: **>0.5**
Beam Angle: **100°**
Body Type: **Plastic+Metal**
Dimension: **100x94x45mm**
Box Qty: **12 Pcs**




Double Head
9w **VT-810-W**

SKU: 8266 - 3000K Warm White 3800157627160
SKU: 8268 - 4000K Day White 3800157627184

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **720lm**
IP Rating: **IP20**
CRI: **>80**

PF: **>0.5**
Beam Angle: **100°**
Body Type: **Plastic+Metal**
Dimension: **400x100x94mm**
Box Qty: **12 Pcs**




Double Head
9w **VT-810-B**

SKU: 8267 - 3000K Warm White 3800157627177
SKU: 8269 - 4000K Day White 3800157627191

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **720lm**
IP Rating: **IP20**
CRI: **>80**

PF: **>0.5**
Beam Angle: **100°**
Body Type: **Plastic+Metal**
Dimension: **400x100x94mm**
Box Qty: **12 Pcs**



Tripple Head


13.5w VT-813-W

SKU: 8270 - 3000K Warm White
SKU: 8272 - 4000K Day White

3800157627207
3800157627221

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1080lm
IP Rating:	IP20
CRI:	>80

PF:	>0.5
Beam Angle:	100°
Body Type:	Plastic+Metal
Dimension:	600x100x94mm
Box Qty:	12 Pcs



Tripple Head


13.5w VT-813-B

SKU: 8271 - 3000K Warm White
SKU: 8273 - 4000K Day White

3800157627214
3800157627238

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1080lm
IP Rating:	IP20
CRI:	>80

PF:	>0.5
Beam Angle:	100°
Body Type:	Plastic+Metal
Dimension:	600x100x94mm
Box Qty:	12 Pcs



Single Head


6w VT-806-W

SKU: 8250 - 3000K Warm White
SKU: 8252 - 4000K Day White

3800157627009
3800157627023

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	480lm
IP Rating:	IP20
CRI:	>80

PF:	>0.5
Beam Angle:	100°
Body Type:	Plastic+Metal
Dimension:	100x93mm
Box Qty:	24 Pcs



Single Head

6w VT-806-B

SKU: 8251 - 3000K Warm White
SKU: 8253 - 4000K Day White

3800157627016
3800157627030

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	480lm
IP Rating:	IP20
CRI:	>80

PF:	>0.5
Beam Angle:	100°
Body Type:	Plastic+Metal
Dimension:	100x93mm
Box Qty:	24 Pcs



Double Head


12w VT-812-W

SKU: 8254 - 3000K Warm White
SKU: 8256 - 4000K Day White

3800157627047
3800157627061

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **960lm**
IP Rating: **IP20**
CRI: **>80**

PF: **>0.5**
Beam Angle: **100°**
Body Type: **Plastic+Metal**
Dimension: **405x100x93mm**
Box Qty: **12 Pcs**



Double Head


12w VT-812-B

SKU: 8255 - 3000K Warm White
SKU: 8257 - 4000K Day White

3800157627054
3800157627078

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **960lm**
IP Rating: **IP20**
CRI: **>80**

PF: **>0.5**
Beam Angle: **100°**
Body Type: **Plastic+Metal**
Dimension: **405x100x93mm**
Box Qty: **12 Pcs**



Tripple Head


18w VT-818-W

SKU: 8258 - 3000K Warm White
SKU: 8260 - 4000K Day White

3800157627085
3800157627108

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **1440lm**
IP Rating: **IP20**
CRI: **>80**

PF: **>0.5**
Beam Angle: **100°**
Body Type: **Plastic+Metal**
Dimension: **605x100x93mm**
Box Qty: **12 Pcs**



Tripple Head


18w VT-818-B

SKU: 8259 - 3000K Warm White
SKU: 8261 - 4000K Day White

3800157627092
3800157627115

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **1440lm**
IP Rating: **IP20**
CRI: **>80**

PF: **>0.5**
Beam Angle: **100°**
Body Type: **Plastic+Metal**
Dimension: **605x100x93mm**
Box Qty: **12 Pcs**





Underground Light- Oblique Angle
8w VT-7679

SKU: 8621 - 4000K Day White 3800157652407

Commercial Type:	Underground Light
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	350lm
Beam Angle:	20°
PF	>0.5



IP67
RATING



CRI:	>80
IP Rating:	IP67
Body Type:	Stainless Steel+Aluminium+Glass Cover
Dimension:	Ø150X153mm
Box Qty:	12 Pcs



Underground Light
12w VT-7681

SKU: 8622 - 4000K Day White 3800157652414

Commercial Type:	Underground Light
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	750lm
Beam Angle:	40°
PF	>0.7



IP67
RATING

CRI:	>80
IP Rating:	IP67
Body Type:	Stainless Steel+Aluminium+Glass Cover
Dimension:	Ø150X153mm
Box Qty:	12 Pcs



Underground Light
0.5w VT-1141

SKU: 1463 - 3000K Warm White 3800157643610

Commercial Type:	Underground Light
Voltage/Frequency:	DC:12V
Luminous Flux:	5lm
Beam Angle:	90°
PF	>0.4



IP67
RATING

CRI:	>80
IP Rating:	IP67
Body Type:	PC
Dimension:	Ø26X82mm
Box Qty:	50 Pcs



Underground Light
1w VT-1151

SKU: 1464 - 6500K White 3800157643627

Commercial Type:	Underground Light
Voltage/Frequency:	DC:12V
Luminous Flux:	50lm
Beam Angle:	90°
PF	>0.4



IP67
RATING

CRI:	>80
IP Rating:	IP67
Body Type:	PC
Dimension:	Ø48X82mm
Box Qty:	50 Pcs